

 सामग्री प्रबंधन अनुभाग भारतीय प्रौद्योगिकी संस्थान, रुड़की रुड़की-247667, हरिद्वार, उत्तराखण्ड, भारत Phone-(O) 01332-28-4293, 4693 E-mail: mmiitr@iitr.ac.in GSTIN-05AAALI0033R1Z5 PAN-AAALI0033R	Material Management Section Indian Institute of Technology Roorkee Roorkee-247667(Haridwar) (Uttarakhand) (India) Phone-(O) 01332-28-4293, 4693 E-mail: mmiitr@iitr.ac.in	
---	---	---

निविदा पत्र/ Enquiry Letter

No.: 2026270264/MM-5/IITR/2026-27/RECIRCULATING CONSTANT TE/MIED/RT-1/523

Date of Uploading of Tender -<https://eprocure.gov.in/eprocure/app>

17-Sep-26

Bids under two bid systems (Technical and Commercial) are invited Online at CPP Portal (<https://eprocure.gov.in/eprocure/app>) from the reputed manufacturer/ authorized supplier/dealer for the following items.

Manual bids will not be accepted.

वस्तुओं का विवरण/ Details of items :

Sr. No	Name of item / Specifications/	QTY	UOM
1	RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO HEATING: 50 Litres / +5 °C to 110 °C with accuracy ±0.1 °C	1	No.
2	REFRIGERATED RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO HEATING AND TURBO COOLING: 28 LITRES/5 °C to 100 °C with accuracy ±0.1 °C	1	No.
3	REFRIGERATED RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO HEATING AND TURBO COOLING: 25 LITRES/5 °C to 100 °C with accuracy ±0.1 °C	1	No.
4	RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO COOLING AND TURBO HEATING: 10 LITRES/0 °C to 100 °C with accuracy ±0.1 °C	1	No.

(For Detailed Technical Specification Plz refer Annexure-VI)

नोट-1: कृपया वस्तु का मूल्य एवं कर अलग-अलग दर्शाए।

Note-1: Please quote the Rate & Taxes of the item separately.

Note-2: E-way bill is to be issued by the Venders/Transporter

Note-3: The HSN / SAC Code of the item must be mentioned.

For Reasonability of Rates, The firm must enclose the last two supply orders for the same item with Bid.

Critical Date Sheet

1	Published Date	17-Sep-26	(18:30)
2	Bid Document Download / Sale Start Date	17-Sep-26	(18:40)
3	Seek Clarification Start Date	17-Sep-26	(18:50)
4	Seek Clarification End Date	21-Sep-26	(16:00)
5	Pre Bid Meeting Date	Not Required	Not Required
6	Bid Submission Start Date	22-Sep-26	(15:00)
7	Bid Submission End Date	8-Oct-26	(15:00)
8	Bid Opening Date	8-Oct-26	(15:30)

Chapter-1 : Instruction to bidders

- A. The Tender should be enclosed with proper certifications like Agency Certification, Authorization certificate and/or Proprietary Certificate, as the case may be, in support of your offer.
- B. **बोली का जमा किया जाना/ Submission of Bids:**
The bids should be submitted online in two parts –
1 **(i) The Technical Bid (Annexure-I, II, V & VI) and Tender Acceptance Letter**
(ii) The Financial Bid (Annexure-III) & Price Bid in .XLS Format
Rates in .xls format will only be considered for Financial evaluation & further processing.
2 The bids should be printed on official pad preferably with GST Number of the firm
3 The quotations should bear full details and where possible may be duly supported with catalogues, pamphlets, literature, samples of the item/items as the case may be for comparing the quality and rates of the item(s).
4 The transportation cost, insurance charge etc., if any, percentage/ rate of GST or all other taxes and duties should be clearly mentioned.
5 The bids / rates / tenders should remain valid for a minimum period of 90 days from the date of financial opening.
6 The rates shall not be subject to escalation of any nature.
7 The rates quoted should be applicable to educational institutions and any cost advantage received in lieu thereof should be passed on the Institution.
8 While quoting / sending rates, the firm shall give an undertaking as per Annexure-II.
- C. **विधि निक्षेप/ Earnest Money Deposit (EMD):**
In lieu of Bid Security/Earnest Money Deposit (EMD), declaration as per Appendix-A should be provided.
- D. **निष्पादन बैंक प्रत्याभूति/ Performance Bank Guarantee (PBG):**
In case the total order value of items becomes Rs.25.00 Lakhs or above, 3% of the total order value in the form of Bank Guarantee or FDR pledged in favor of "The Registrar, IIT Roorkee" is required at the time of installation of the equipment which should remain valid at least during the warranty period plus sixty days. No interest shall be claimed by the bidder on the PBG submitted.
- E. **बोलियों का खोला जाना/ Opening of Bids:**
1 The Technical Bids will be opened online at CPPP Portal (<https://eprocure.gov.in/eprocure/app>)-**Plz refer Critical Date Sheet**
2 The Financial bids of only the Technically Qualified bidders will be opened. The date and time for opening the Financial Bid will be communicated to the respective firm later by the system (CPP Portal (<https://eprocure.gov.in/eprocure/app>))

Chapter-2 : Conditions of Contract

- F. **कार्य अनुबन्ध / Award of Contract:**
The final selection of the bidder for the award of the contract will be made on the basis of the lowest commercial bid amongst the Technically Qualified Bidders.
Prices of optional item will not be considered to identify lowest price bid.
- G. **पूर्व-आपूर्ति निरीक्षण/ Pre-supply Inspection:**
Authorized representative of the Institute shall make the final inspection before supply of the item at site of the firm, if required.
- H. **वस्तु की आपूर्ति/ Supply of Item:**
The whole supply as per order shall have to be completed within the time mentioned in the order failing which the I.I.T. Roorkee shall have the right to accept or reject any quantity of items ordered. The firm will have to arrange for supply of the material in good condition.
- I. **भुगतान की शर्तें/ Payment Terms:**
- A. **Payment in INR for supply of goods:**
Where installation is not required: 100% payment will be made after satisfactory delivery of material duly certified by the HOD/P.I.
OR
Where Installation is required :100% payment will be made after satisfactory delivery and installation of the material duly certified by the HOD/P.I.
OR
Upto 80% payment on receipt and acceptance of goods/service by the indenter and the balance on successful installation and commissioning by the supplier and acceptance by the indenter.

100% Advance will be paid against submission of 110% Bank Guarantee of the Total Order value. Bank Guarantee should be in favor of "The Registrar, IIT Roorkee" which should be valid till the date of Installation/Delivery period + 30 days.

B Payment in INR for AMC/Service:

Quarterly/Halfyearly after satisfactory completion of work/service duly certified by the H.O.D./P.I.

J. दंड/Penalty:

A penalty of 0.5% of the total order value per week shall be levied for the delay subject to a maximum of 5% of the total order value.

In case of the non-supply of the item/service after the acceptance of the work/supply order, EMD & PBG (if submitted) will be forfeited by the Institute. Also, the firm will be debarred from any future bidding process of IIT Roorkee for a period of a minimum two year.

K. अप्रत्याशित घटना/Force Majeure:

For the purpose of and within the scope of contract by way of indication and not of limitation, the term "Force Majeure" shall mean acts of nature, strikes, Lockouts, or other industrial disturbances, act of public/enemy, wars, blockades, insurrection, riots, epidemics, landslides, earthquakes, storms lightening, flood, washouts, civil disturbances, explosion and any other similar even not within the control of either party on which by exercise of due care and diligence neither party is able to prevent or overcome.

L. मध्यस्थता/ Arbitration:

If any dispute which may arise with respect to any term and condition or with respect to the interpretation of any term and condition of the Purchase Order/Work Order, which may be issued to the qualified and successful tenderer subsequently, the same shall be settled strictly in accordance with and in compliance of the Arbitration procedure which is mentioned descriptively in the Purchase Order/ Work Order.

M. बोली अस्वीकृती के लिए मानदंड/ Criteria for bid rejection:

- 1 If technical bid found without the required undertaking (Annexure-II) & Self Certificate (Annexure-V).
- 2 If it found at a later date that any information given in the bids is Incorrect/false then the bid is liable to be disqualified/rejected.
- 3 Canvassing in any form will result to disqualification.
- 4 If "extra, as actual" etc. are mentioned against any of the price components in the bid the bid will be rejected.
- 5 If the firm quotes 'NIL' charges / consideration, the bid shall be treated as unresponsive and will not be considered.
- 6 If financial bid is found along with technical bid in pdf on CPP Portal, then the bid shall be rejected outrightly.
- 7 If any bidder submitting two/multiple bids for the same item of a tender, both/all the bids of that bidder will be outrightly rejected.

Chapter-3 : Schedule's of requirements

N. टिप्पणी/ Note:

- 1 If the supplier/firm is manufacturer/authorized dealer/sole distributor/of the item, the certificate to this effect should be attached.
- 2 **The bids should be submitted online in two parts –**
(i) The Technical Bid (Annexure-I, II, V & VI) and Tender Acceptance Letter
(ii) The Financial Bid (Annexure-III) & Price Bid in .XLS Format
- 3 It may also be noted that the tender bids received after the stipulated date & time or found incomplete and the tender bids containing false/incorrect information shall be summarily rejected. The Institute shall not entertain any communication in this regard, whatsoever.
- 4 The firm is required to give its Bank Account details with IFSC for the purpose of making e-payment.
- 5 The Indian Institute of Technology (IIT) Roorkee reserves the right to reject any quotation wholly or partly without assigning any reason.
- 6 The quantity shown against the item is approximate and may vary as per demand of the Institute at the time of placing order. Also, the final requirement of each line item will be decided by the Institute at the time of placing the PO.
- 7 The decision of the institute in all matters relating to eligibility, acceptance, rejection of the bid will be final and binding on the applicants.
- 8 IIT Roorkee discourages High Sea Sale purchase. All tenders with High Sea Sale will be rejected.
- 9 The firms should clearly mention (in the financial bid) the Harmonized System of Classification (HS code) defined by the Central Custom and Excise Board (Govt. of India)- for the item(s) involving import.
- 10 **If the due date happens to be a holiday, then the bid will be accepted till 12.00 Noon and opened at 3.30PM of the next working day followed by the holiday.**

- 11 If an agent submits bid on behalf of the Principal/OEM, the same agent can not submit a bid on behalf of another Principal/OEM in the same tender for the same item/product.
- 12 Indian Agent should submit the certificate from the Foreign Principal that they are the Authorized & Registered Indian Agent.
- 13 The quantity shown in the tender can be increased or decreased to any extent depending upon the actual requirement.
- 14 Any corrigendum/addendum/errata in respect of the Tender Notice/ Enquiry letter shall be made available only at our Institute website www.iitr.ac.in. Hence prospective bidders are advised to visit the Institute website regularly.
- 15 Bidders shall be responsible for the correctness of the information provided in the enquiry letter/tender document. If it is found at a later date that any information given in the bid is Incorrect/false then the bid is liable to be disqualified/rejected.
- 16 Before submission of bids, bidders should read the complete enquiry letter/tender document carefully and ensure that the bidders fulfill the eligibility criteria.
- 17 In case the item/product is under rate contract with DGS&D or GeM, then Bidder should certify that the rate quoted is not over and above (higher side) the rates under RC with the DGS&D or GeM.
- 18 **In Item Wise BoQ .xls sheet, In column M, leave blank for the item/service not provided/quoted by you. If quoted 0 then it will be considered that the item/service will be provided free of cost.**
- Or**
- In Item Rate BoQ .xls sheet, If quoted 0 for the items/services in column M then it will be considered that the items/services will be provided free of cost.**
- 19 **The bidder must quote the applicable GST appropriately in the price bid format provided i.e BoQ in .xls format. In case column of GST left blank, quoted 0, or inappropriate then total quoted amount shows in column BB would be final inclusive of GST & other charges. The difference in GST amount payable – if any will be borne by the bidder. In this case, the basic unit prices will be suitably adjusted by the bidder – if required.**
- 20 **Only 'Class-I local supplier' and 'Class-II local supplier', as defined in the Public Procurement (Preference to Make in India), Order 2017 shall be eligible to bid in tender. For more details please refer: Order No.: P-45021/2/2017-PP (BE-II), DPIIT, Ministry of Commerce and Industry issued Dated: 16th Sept. 2020.**
- Self-certificate has to be provided in this regard that the item offered meets the local content requirement for 'Class-I local supplier' & 'Class-II local supplier'. (As per annexure-V)**
- 21 **The Institute reserves the right to rectify any discrepancy of this advertisement, if found later on. In case of any inadvertent mistake in the process which may be detected at any stage even after the issue of purchase order, the Institute reserves the right to modify/withdraw/cancel any communication made to the bidder.**

Chapter-4 : Specifications and allied Technical details

Plz. See Annexure- I, II, V, VI

Chapter-5 : Price Schedule (to be utilized by the bidders for quoting their prices online in .XLS format at CPPP Portal (<https://eprocure.gov.in/eprocure/app>))

Plz. See Annexure- III & Price Bid in .XLS Format

Chapter-6 : Contract Form

Purchase Order is used as Contract Form

Chapter-7 : Other Standard Forms, if any to be utilized by the purchaser and bidders

Tender Acceptance Letter

*उप कुलसचिव (सामग्री प्रबंधन)
Deputy Registrar (MM)

*Document Digitally Signed on <https://eprocure.gov.in/eprocure/app>

For any Clarification Please Contact:

Prof.Manish Mishra, MIED, IIT Roorkee	MIED, IIT Roorkee	Ph. 01332-28-5135	Email: mmishra@me.iitr.ac.in
--	------------------------------	--------------------------	--

(अपने आधिकारिक लेटर हेड पर विक्रेता/फर्म द्वारा प्रस्तुत करने के लिए)

(to be submitted by the vendor/firm on its official letter head)

Sr.No	Name & Required Specifications of Item(s)	Qty	UOM	Offered specifications of item(s) by the firm
1	RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO HEATING: 50 Litres / +5 °C to 110 °C with accuracy ± 0.1 °C	1	No.	
2	REFRIGERATED RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO HEATING AND TURBO COOLING: 28 LITRES/5 °C to 100 °C with accuracy ± 0.1 °C	1	No.	
3	REFRIGERATED RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO HEATING AND TURBO COOLING: 25 LITRES/5 °C to 100 °C with accuracy ± 0.1 °C	1	No.	
4	RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO COOLING AND TURBO HEATING: 10 LITRES/0 °C to 100 °C with accuracy ± 0.1 °C	1	No.	
	Firm's Profile :			
1	Manufacturer/Authorized Agent/Distributor/Dealer/Supplier(valid certificate must be attached)			
2	E-mail I.D. & Telephone/Mobile No. Detail of Bank A/C			
Note:	1. "offered specifications", should be filled up properly in the format provided as per Annexure-I.			
	2. Volume & Weight of the item should also be mentioned.			
	3. The HSN / SAC Code of the item must be mentioned.			

Signature: _____

Name : _____

Designation : _____

Seal of the Organisation

उपबंध / UNDERTAKING

Ref. No. No.: 2026270264/MM-5/IITR/2026-27/RECIRCULATING CONSTANT TE/MIED/RT-1/523
Dated:- 17-Sep-26

I/We hereby certify that we or Our OEM are not from such a country which shares a land border with India or, if from such a country, We are registered with the Competent Authority. [Where applicable, evidence of valid registration by the Competent Authority is attached.]" (For details Please refer Order No.: F.No. 6/18/2019-PPD Dt.: 23rd July 2020)

Link of Order: [http://mm.iitr.ac.in/mmweb/public/forms/63374_GFR%20Rule%20144%20\(xi\).pdf](http://mm.iitr.ac.in/mmweb/public/forms/63374_GFR%20Rule%20144%20(xi).pdf)

That all the terms/conditions mentioned in the enquiry letter/tender against which the rates are being given are acceptable to the firm.

It is certified that the rate quoted is not over and above (higher side) the rates under RC with the DGS&D or GeM.

It is certified that the firm has never been black-listed from any Government Department. (State/Central Govt./ Autonomous/ PSU) in last three years.

Signature_____

Name_____

Designation_____

Seal of the Firm/Agency

(to be submitted by the vendor/firm on its official letter head)

Ref. No. No.: 2026270264/MM-5/IITR/2026-27/RECIRCULATING CONSTANT TE/MIED/RT-1/523
 Date: 17-Sep-26

Rates :

Sr. No	Name of item / Specifications/	Qty	UOM	Rate	Amount (INR Only)
				To be filled in .XLS sheet (attached)	
Total					To be filled in .XLS sheet (attached)
Grand Total Rs.					

Terms & Conditions:

- 1 Prices (quoted in Rs.): FOR MIED,
IIT Roorkee
- 2 Payment: Should be clearly mentioned, As per clause-I of enquiry letter.
- 3 Validity:
- 4 Delivery period:
- 5 Other charges:
- 6 Warranty:
- 7 Rejection: Items if found not as per the required specification would be rejected.
- 8 Penalty Clause: As per clause-J of enquiry letter.
- 9 **Order to be placed:**
 (Name and complete address of the firm to whom Purchase/Work order is to be issued.)

It is certified that the rate quoted is not over and above (higher side) the rates under RC with the DGS&D or GeM.

Signature _____
 Name _____
 Designation _____
 Seal of the Firm/Organization _____

Details of Institute :

IEC CODE	0100000011	
AD CODE	0001069-2770325	S.B.I., IIT ROORKEE
	0303974-2770324	P.N.B. IIT ROORKEE

Instructions for Online Bid Submission

Instructions to the Bidders to submit the bids online through the Central Public Procurement Portal for e-Procurement at <https://eprocure.gov.in/eprocure/app>. Also, any modification on CPP portal in reference to below will be applicable. Therefore, for more details and update please refer CPP Portal (<https://eprocure.gov.in/eprocure/app>).

- 1 Possession of valid Digital Signature Certificate (DSC) and enrollment/registration of the contractors/bidders on the e-Procurement/e-tender portal are prerequisite for etendering.
- 2 Bidder should register for the enrollment in the e-Procurement site using the "Online Bidder Enrollment" option available on the home page. Portal enrollment is generally free of charge. During enrollment/registration, the bidders should provide only valid and true information including valid email id. All the correspondence shall be made directly with the contractors/bidders through email id as registered.
- 3 Bidder need to login to the site through their user ID/ password chosen during enrollment/registration.
- 4 Then the Digital Signature Certificate (Class III Certificates with signing key usage) issued by SIFY/nCode/eMudra etc. recognized by Controller of Certifying Authorities (CCA) India on eToken/SmartCard, should be registered.
- 5 The registered DSC only should be used by the bidder in the transactions and should ensure safety of the same.
- 6 Contractor/Bidder may go through the tenders published on the site and download the tender documents/ schedules for the tenders.
- 7 After downloading/getting the tender document/schedules, the Bidder should go through them carefully and then submit the documents as required, otherwise bid will be rejected.
- 8 Any clarifications may be sought online through the tender site, through the contact details or during pre-bid meeting if any. Bidder should take into account the corrigendum if any published before submitting the bids online.
- 9 Bidder may log in to the site through the secured login by the user id/ password chosen during enrolment/registration and then by submitting the password of the e-Token/Smartcard to access DSC.
- 10 Bidder may select the tender in which he/she is interested in by using the search option and then move it to the 'my tenders' folder.
- 11 From my tender folder, he may select the tender to view all the details uploaded there.
- 12 It shall be deemed that the bidder has read and understood all the terms and conditions before submitting the offer. Bidder should go through the tender schedules carefully and upload the documents as asked; otherwise, the incomplete bid shall stand rejected.
- 13 Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document/ schedule and ordinarily it shall be in PDF/xls/rar/jpg/dwf formats. If there is more than one document, all may be clubbed together and provided in the requested format. Bidders Bid documents may be scanned with 100 dpi with black and white option. It is advisable that each document to be uploaded through online for the tenders should be less than 2 MB. If any document is more than 2MB, it can be reduced through zip/rar and the same if permitted may be uploaded. The file size being less than 1 MB the transaction uploading time will be very fast.
- 14 The Bidders can update well in advance, the documents such as certificates, annual report details etc., under "My Space option" and these can be selected as per tender requirements and then send along with bid documents during bid submission. This will facilitate the bid submission process faster by reducing upload time of bids.
- 15 Bidder should submit the Tender Fee/ EMD as specified in the tender. Scanned copy of the same should be uploaded as part of the offer.
- 16 While submitting the bids online, the bidder shall read the terms and conditions and may accept the same to proceed further to submit the bid packets.
- 17 The bidder has to select the payment option as offline to pay the Tender FEE/ EMD as applicable and enter details of the same.
- 18 The details of the DD/any other accepted instrument, physically delivered, should tally with the details available in the scanned copy and the data entered during bid submission time, otherwise submitted bid shall not be acceptable or liable for rejection. (If applicable)
- 19 The bidder has to digitally sign and upload the required bid documents one by one as indicated. Every act of using DSC for downloading the bids and uploading their offers shall be deemed to be a confirmation that they have read, understood and agreed with all clauses of the bid document including General conditions of contract without any exception.
- 20 The bidder has to upload the relevant files required as indicated in the cover content. In case of any irrelevant files, the bid may be rejected.

- 21 If the price bid format is provided in a spread sheet file like BoQ_XXXX.xls, the rates offered should be entered in the allotted space only and uploaded after filling the relevant columns. The Priced-bid/BOQ template shall not be modified / replaced by the bidder; else the bid submitted is liable to be rejected for the tender.
- 22 The bidders are advised to submit the bids through online e-tendering system to the Tender Inviting Authority (TIA) well before the bid submission due date and time (as per Server System Clock). The TIA shall not be held responsible for any delay or the difficulties faced during the submission of bids online by the bidders.
- 23 After the bid submission (i.e. after Clicking “Freeze Bid Submission” in the portal), the acknowledgement number indicated by the system should be printed by the bidder and kept as a record of evidence for online submission of bid for the particular tender and also be used as entry pass to participate in the bid opening.
- 24 The time settings fixed in the server side and displayed at the top of the tender site, shall remain valid for all actions of requesting, bid submission, bid opening etc., in the e- Tender system. The bidders should follow such time during bid submission.
- 25 All the data being entered by the bidders would be encrypted using Public Key Infrastructure (PKI) encryption techniques to ensure the secrecy of the data. The data entered is not retrievable by unauthorized persons during the bid submission and until the time of bid opening by any person.
- 26 Any bid document that is uploaded to the server is subjected to symmetric encryption using a system generated symmetric key. Further this key is subjected to asymmetric encryption using buyers/bid openers’ public keys. Overall, the uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 27 The confidentiality of the bids is maintained with the use of Secured Socket Layer (SSL) 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 28 The bidder should logout of the tendering system using the normal logout option available at the top right hand corner and not by selecting the (X) exit option in the browser.
- 29 For any queries regarding e-Tendering process, the bidders may contact at address as provided in the tender document. Parallely for any further queries, the bidders are advised to contact over phone: **0120-4001005** or send an e-mail to – cphp-nic@nic.in.

(to be submitted by the vendor/firm on its official letter head)

Self-Certificate for Local Content

Tender No.: No.: 2026270264/MM-5/IITR/2026-27/RECIRCULATING CONSTANT
TE/MIED/RT-1/523

Date: 17-Sep-26

We hereby certify that the items quoted by us against above mentioned tender no. has the local content as per below:

Local Content (in %):.....

Local Supplier Class:.....

The details of the Make in India items/parts used in the quoted products is/are as under:

- 1
- 2
- 3

The details of the location(s) at which the local value addition made/manufactured is/are as under:

- 1
- 2
- 3

We also understand, false declarations will be in breach of the code of integrity under rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Signature:

Name:

Designation:

Seal of the Firm/Organization:

Tender Acceptance Letter

Date:

Sub: Acceptance of Terms & Conditions of Tender.

Tender No.: 2026270264/MM-5/IITR/2026-27/RECIRCULATING CONSTANT TE/MIED/RT-1/523

Tender description:

Dear Sir,

- 1 I/We have downloaded/ obtained the tender document(s) for the above mentioned 'Tender No.' from the web site(s) namely:
as per your advertisement, given in the above mentioned website(s).
- 2 I/We hereby certify that I/We have read the entire terms and conditions of the tender documents from Page No. _____ to _____ (including all documents like section(s), schedules(s) etc.), which form part of the contract agreement and I/we shall abide hereby by the terms/conditions/ clauses contained therein.
- 3 The corrigendum(s) issued from time to time by your department/ organisation too have also been taken into consideration, while submitting this acceptance letter.
- 4 I/We hereby unconditionally accept the tender conditions of above mentioned tender document(s)/ corrigendum(s) in its totality/entirety.
- 5 In case any provisions of this tender are found violated, then your department/organisation shall without prejudice to any other right or remedy be at liberty to reject this tender/bid including the forfeiture of the full said earnest money deposit absolutely.

Yours Faithfully,

(Signature of the Bidder, with Official Seal)

DECLARATION
(to be submitted by the vendor/firm on its official letter head)

**To,
Registrar,
IIT Roorkee,
Roorkee,**

Subject: Undertaking in lieu of Bid Security/Earnest Money Deposit (EMD)

Tender Ref no: No.: 2026270264/MM-5/IITR/2026-27/RECIRCULATING CONSTANT TE/MIED/RT-1/523

17-Sep-26

Dear Sir,

We, the undersigned, offer to Supply the
..... as per tender at IIT Roorkee, in response to your above referred tender no.

We are hereby submitting our proposal/Bid/Quote for the same, which includes Technical bid and the Financial Bid. As a part of eligibility requirement stipulated in above referred tender document, we hereby submit a declaration in lieu of Earnest Money Deposit (EMD) as given below:

1. Our bid shall remain valid for 90-days from the date of financial opening and that we will not withdraw or modify our bid during the validity period,
2. In case, we are declared as successful bidder and an order is placed on us, we will submit the acceptance in writing within 7 days of placement of order on us.
3. In case, we are declared as successful bidder and an order is placed on us, we undertake, to submit a Performance Bank Guarantee(PBG) as mentioned in above referred tender document or as per terms stipulated in the Purchase Order.
4. In case of failure on our part to comply with any of the above said requirements, we are aware that we shall be declared as un-eligible for said tender and /or debarred from any future bidding process of IIT Roorkee for a period of minimum one year.
5. The undersigned is authorized to sign this undertaking.

Signature:

Name:

Designation:

Seal of the Firm/Organization:

ADVISORY FOR BIDDERS/VENDORS PARTICIPATING IN THE TENDERS OF IIT ROORKEE

It has come to the notice of the Indian Institute of Technology (IIT) Roorkee that certain unscrupulous persons are impersonating officials of the Institute and contacting bidders/vendors participating in the Institute's tenders.

These fraudsters falsely claim to be authorized officials of IIT Roorkee and demand money on one or more pretexts, such as:

- Early issuance of the Purchase Order (PO);
- Approval or processing of the tender/procurement case;
- Release of payments;
- Completion of procurement-related formalities; or
- Any other favour in connection with the tender process.

All bidders/vendors are hereby informed that:

IIT Roorkee never demands or accepts any payment, commission, service charge or other monetary consideration from any bidder/vendor for awarding a contract, issuing a Purchase Order (PO), processing a tender, or releasing payment.

All procurement activities of the Institute are carried out strictly in accordance with IITR S&P Manual, 2024 and applicable Government of India rules and through authorized official procedures.

Any telephone call, WhatsApp message, SMS, E-Mail or other communication demanding money or promising undue favour in connection with any tender or Purchase Order should be treated as **FRAUDULENT**.

Bidders/vendors are advised **not to make any payment**, share bank account details, OTPs, passwords, or any other confidential financial information in response to such communications.

The Institute shall not be responsible for any financial loss suffered by any bidder/vendor due to payments made to unauthorized persons on the basis of such fraudulent communications.

If any bidder/vendor receives such a call or message, they are advised to immediately:

- Disconnect the call or refrain from responding to the message;
- Preserve the details of the communication (mobile number, e-mail ID, screenshots, etc.);
- Report the matter to the MM Section, IIT Roorkee, through the official contact details available on the Institute's website; and
- Lodge a complaint with the appropriate law enforcement/ Cybercrime authorities, wherever considered necessary.

All bidders/vendors are requested to remain vigilant and deal only through the official communication channels of IIT Roorkee. They should verify the authenticity of any procurement-related communication through the Institute's official contact details before taking any action.

Sd/-
Deputy Registrar (Material Management)

TECHNICAL SPECIFICATION & COMPLIANCE SHEET**RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO****HEATING: 50 Litres / +5 °C to 110 °C with accuracy ± 0.1 °C****Quantity – 1 No.**

S. No.	Parameter	Required Specification	Bidder's Compliance (Yes/No)
1.	Bath Volume	50 Litre	
2.	Operating Temperature Range	from +5 °C ambient to 100 °C	
3.	Maximum Temperature Range	from +5 °C ambient to 110 °C	
4.	Temperature Setting Accuracy	0.1 °C	
5.	Temporal Temperature Variance	± 0.1 °C	
6.	Spatial Temperature Deviation	± 0.1 °C	
7.	Heating Output	8000 W (4000 + 4000 Watts)	
8.	Heating Modes	Turbo Low, Turbo Medium & Turbo High	
9.	Heating Rate – Turbo Low	Up to 2 °C/min	
10.	Heating Rate – Turbo Medium	Up to 4 °C/min	
11.	Heating Rate – Turbo High	Up to 6 °C/min	
12.	Display	3.5" Colour LCD Display – Minimum 4 color display, Actual temperature should be visible from at least 10-meter distance	
13.	Digital Timer	Integrated digital timer from 1 min to 99.59 h	
14.	Temperature Safety	Independent temperature limiter for heater switch-off in case of fault	
15.	Controller tuning accuracy	$\pm 0.2\%$ PE	
16.	Control Mode	Pid Fuzzy logic Self-adaptive control	
17.	Setpoint generator	64 programmable set with timing function	
18.	Number of Pid pallets	8	

19.	Heater Construction	Corrosion-protected heating outside the working area	
20.	Inner Bath Chamber	SS 316 stainless steel, 1.2 mm thick	
21.	Outer Construction	GI with PP powder coating 1.2 mm thick	
22.	Stirring System	Bath 1/20 HP FHP stirrer for maintaining uniform temperature inside the bath with fan cooled, PCD: 120 mm, built in long machined shaft: SS316 to avoid vibration,	
23.	Circulation Pump flow rate	50 LPM, vertical vortex centrifugal Pump	
24.	Circulation Pump capacity	0.25 HP	
25.	Circulation Pump type	vertical vortex centrifugal Pump	
26.	Circulation Pump working temperature range	-20 to 110 deg C	
27.	Circulation Pump maximum pressure	10 bar	
28.	Pumping height	Upto 5 meter	
29.	Bath Drainage	Draincock provided	
30.	Water Level Protection	Water-level sensor to cut off heater when water is not available inside the bath	
31.	Motor Protection	Motor heating protection with motor temperature display and limit switch to cut off motor during overheating	
32.	Standards	Compliance with European Standards	
33.	Tubing Connection	Built-in provision for tubing connection 1 inch	
34.	Compatible Tube ID	12 mm	
35.	Tube required	10-meter, braded hose	
36.	Turbo function device	auto function based on turbo mode required	
37.	Mains Supply	230 V, 50/60 Hz	
38.	Customization	Bath should be compatible to customize cooling and heating capacity onsite (at user place). Also, programmable logic should be customization.	
39.	Service support	Supplier should have office within 50km range to provide prompt service support.	


Komal

✓

Handwritten signature

TENDER CONDITIONS / COMPLIANCE REQUIREMENTS

- 1. Compliance:** The bidder should provide a point-by-point compliance statement against each specification mentioned above.
- 2. Supporting Documents:** The bidder should submit the manufacturer's original technical datasheet/catalogue along with the offer to substantiate compliance with the quoted specifications.
- 3. Make & Model:** The bidder should clearly mention the Make and Model offered against the equipment.
- 4. Warranty:** 12 Months from the date of successful installation.
- 5. Installation & Demonstration:** Installation, commissioning and demonstration, will be carried out by the supplier at the consignee site.
- 6. User/Service Support:** The supplier must provide necessary technical support and service during the warranty period as per tender conditions.



Handwritten signatures and marks in blue ink, including a stylized signature, a circular mark, a checkmark, and the name "Komal".

TECHNICAL SPECIFICATION & COMPLIANCE SHEET

REFRIGERATED RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO

HEATING AND TURBO COOLING: 28 Litres / 5 °C to 100 °C with accuracy ± 0.1 °C


Quantity – 1 No.

S. No.	Parameter	Required Specification	Bidder's Compliance (Yes/No)
1.	Bath Volume	28 Litre	
2.	Operating Temperature Range	5 °C to 80 °C	
3.	Maximum Temperature Range	5 °C to 100 °C	
4.	Temperature Setting Accuracy	0.1 °C	
5.	Temporal Temperature Variance	± 0.1 °C	
6.	Spatial Temperature Deviation	± 0.1 °C	
7.	Cooling Capacity	1850 W / 6200 BTU	
8.	Cooling Medium	DM Water / ethylene glycol mix	
9.	Cooling Modes	Turbo Low, Turbo Medium & Turbo High	
10.	Cooling Rate – Turbo Low	Up to 2 °C/min	
11.	Cooling Rate – Turbo Medium	Up to 4 °C/min	
12.	Cooling Rate – Turbo High	Up to 6 °C/min	
13.	Heating Output	6000 W (2000 + 2000+2000 Watts)	
14.	Heating Modes	Turbo Low, Turbo Medium & Turbo High	
15.	Heating Rate – Turbo Low	Up to 2 °C/min	
16.	Heating Rate – Turbo Medium	Up to 4 °C/min	
17.	Heating Rate – Turbo High	Up to 6 °C/min	
18.	Display	3.5" Colour LCD Display – Minimum 4 color display, Actual temperature should be visible from at least 10-meter distance	
19.	Digital Timer	Integrated digital timer from 1 min to 99.59 h	
20.	Temperature Safety	Independent temperature limiter for heater switch-off in case of fault	
21.	Controller tuning accuracy	$\pm 0.2\%$ PE	
22.	Control Mode	Pid Fuzzy logic Self-adaptive control	

23.	Setpoint generator	64 programmable set with timing function	
24.	Number of Pid pallets	8	
25.	Heater Construction	Corrosion-protected heating outside the working area	
26.	Inner Bath Chamber	SS 316 stainless steel, 1.2 mm thick	
27.	Outer Construction	GI with PP powder coating 1.2 mm thick	
28.	Stirring System	Bath 1/20 HP FHP stirrer for maintaining uniform temperature inside the bath with fan cooled, PCD: 120 mm, built in long machined shaft: SS316 to avoid vibration,	
29.	Circulation Pump flow rate	15 LPM	
30.	Circulation Pump capacity	0.25 HP	
31.	Circulation Pump type	vertical vortex centrifugal Pump	
32.	Circulation Pump working temperature range	-20 to 110 deg C	
33.	Circulation Pump maximum pressure	3 bar	
34.	Pumping height	Upto 5 meter	
35.	Bath Drainage	Draincock provided	
36.	Water Level Protection	Water-level sensor to cut off heater when water is not available inside the bath	
37.	Motor Protection	Motor heating protection with motor temperature display and limit switch to cut off motor during overheating	
38.	Standards	Compliance with European Standards	
39.	Tubing Connection	Built-in provision for tubing connection for ½ inch	
40.	Refrigerant/Gas	CFC-free gas	
41.	Condenser dimension	24*24*9 inch, 3/8 pure copper pipe	
42.	Turbo function device	Danfoss refrigeration dual solenoid valve auto function based on turbo mode	
43.	Compatible Tube ID	8 mm	
44.	Tube required	10-meter, braded hose	
45.	Mains Supply	230 V, 50/60 Hz	
46.	Customization	Bath should be compatible to customize cooling and heating capacity onsite (at user place). Also, programmable logic should be customization.	
47.	Service support	Supplier should have office within 50km range to provide prompt service support.	

TENDER CONDITIONS / COMPLIANCE REQUIREMENTS

- 1. Compliance:** The bidder should provide a point-by-point compliance statement against each specification mentioned above.
- 2. Supporting Documents:** The bidder should submit the manufacturer's original technical datasheet/catalogue along with the offer to substantiate compliance with the quoted specifications.
- 3. Make & Model:** The bidder should clearly mention the Make and Model offered against the equipment.
- 4. Warranty:** 12 Months from the date of successful installation.
- 5. Installation & Demonstration:** Installation, commissioning and demonstration, will be carried out by the supplier at the consignee site.
- 6. User/Service Support:** The supplier must provide necessary technical support and service during the warranty period as per tender conditions.



[Handwritten signature]

[Handwritten signature]

[Handwritten signature]

Kamal

TECHNICAL SPECIFICATION & COMPLIANCE SHEET

REFRIGERATED RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO HEATING AND TURBO COOLING: 25 Litres / 5 °C to 100 °C with accuracy ± 0.1 °C

Quantity – 1 No.


S. No.	Parameter	Required Specification	Bidder's Compliance (Yes/No)
1.	Bath Volume	25 Litre	
2.	Operating Temperature Range	5 °C to 80 °C	
3.	Maximum Temperature Range	5 °C to 100 °C	
4.	Temperature Setting Accuracy	0.1 °C	
5.	Temporal Temperature Variance	± 0.1 °C	
6.	Spatial Temperature Deviation	± 0.1 °C	
7.	Cooling Capacity	1670 W / 5800 BTU	
8.	Cooling Medium	DM Water / ethylene glycol mix	
9.	Cooling Modes	Turbo Low, Turbo Medium & Turbo High	
10.	Cooling Rate – Turbo Low	Up to 2 °C/min	
11.	Cooling Rate – Turbo Medium	Up to 3.5 °C/min	
12.	Cooling Rate – Turbo High	Up to 5 °C/min	
13.	Heating Output	4000 W (2000 + 2000 Watts)	
14.	Heating Modes	Turbo Low, Turbo Medium & Turbo High	
15.	Heating Rate – Turbo Low	Up to 1 °C/min	
16.	Heating Rate – Turbo Medium	Up to 2 °C/min	
17.	Heating Rate – Turbo High	Up to 3 °C/min	
18.	Display	3.5" Colour LCD Display – Minimum 4 color display, Actual temperature should be visible from at least 10-meter distance	
19.	Digital Timer	Integrated digital timer from 1 min to 99.59 h	
20.	Temperature Safety	Independent temperature limiter for heater switch-off in case of fault	

21.	Controller tuning accuracy	$\pm 0.2\%$ PE	
22.	Control Mode	Pid Fuzzy logic Self-adaptive control	
23.	Setpoint generator	64 programmable set with timing function	
24.	Number of Pid pallets	8	
25.	Heater Construction	Corrosion-protected heating outside the working area	
26.	Inner Bath Chamber	SS 316 stainless steel, 1.2 mm thick	
27.	Outer Construction	GI with PP powder coating 1.2 mm thick	
28.	Stirring System	Bath 1/20 HP FHP stirrer for maintaining uniform temperature inside the bath with fan cooled, PCD: 120 mm, built in long machined shaft: SS316 to avoid vibration,	
29.	Circulation Pump flow rate	30 LPM	
30.	Circulation Pump capacity	0.25 HP	
31.	Circulation Pump type	vertical vortex centrifugal Pump	
32.	Circulation Pump working temperature range	-20 to 110 deg C	
33.	Circulation Pump maximum pressure	5 bar	
34.	Pumping height	Upto 5 meter	
35.	Bath Drainage	Draincock provided	
36.	Water Level Protection	Water-level sensor to cut off heater when water is not available inside the bath	
37.	Motor Protection	Motor heating protection with motor temperature display and limit switch to cut off motor during overheating	
38.	Standards	Compliance with European Standards	
39.	Tubing Connection	Built-in provision for tubing connection for 1/2 inch	
40.	Refrigerant/Gas	CFC-free gas	
41.	Condenser dimension	24*24*8 inch, 3/8 pure copper pipe	
42.	Turbo function device	Danfoss refrigeration dual solenoid valve auto function based on turbo mode	
43.	Compatible Tube ID	12 mm	
44.	Tube required	10-meter, braded hose	

45.	Turbo function device	auto function based on turbo mode required	
46.	Mains Supply	230 V, 50/60 Hz	
47.	Customization	Bath should be compatible to customize cooling and heating capacity onsite (at user place). Also, programmable logic should be customization.	
48.	Service support	Supplier should have office within 50km range to provide prompt service support.	

TENDER CONDITIONS / COMPLIANCE REQUIREMENTS

- 1. Compliance:** The bidder should provide a point-by-point compliance statement against each specification mentioned above.
- 2. Supporting Documents:** The bidder should submit the manufacturer's original technical datasheet/catalogue along with the offer to substantiate compliance with the quoted specifications.
- 3. Make & Model:** The bidder should clearly mention the Make and Model offered against the equipment.
- 4. Warranty:** 12 Months from the date of successful installation.
- 5. Installation & Demonstration:** Installation, commissioning and demonstration, will be carried out by the supplier at the consignee site.
- 6. User/Service Support:** The supplier must provide necessary technical support and service during the warranty period as per tender conditions.



TECHNICAL SPECIFICATION & COMPLIANCE SHEET

RECIRCULATING CONSTANT TEMPERATURE BATH WITH TURBO COOLING AND TURBO HEATING: 10 LITRE / 0 °C to 100 °C with accuracy ± 0.1 °C

Quantity - 1 No.

S. No.	Parameter	Required Specification	Bidder's Compliance (Yes/No)
1	Bath Volume	10 Litre	
2	Operating Temperature Range	5 °C to 80 °C	
3	Maximum Temperature Range	0 °C to 100 °C	
4	Temperature Setting Accuracy	0.1 °C	
5	Temporal Temperature Variance	± 0.1 °C	
6	Spatial Temperature Deviation	± 0.1 °C	
7	Heating Output	3000 W (1000 + 1000 + 1000 W)	
8	Cooling Capacity	600 W / 2100 BTU	
9	Cooling Medium	Water	
10	Cooling Modes	Turbo Low, Turbo Medium & Turbo High	
11	Cooling Rate – Turbo Low	Up to 1 °C/min	
12	Cooling Rate – Turbo Medium	Up to 2 °C/min	
13	Cooling Rate – Turbo High	Up to 3 °C/min	
14	Heating Modes	Turbo Low, Turbo Medium & Turbo High	
15	Heating Rate – Turbo Low	Up to 1 °C/min	
16	Heating Rate – Turbo Medium	Up to 2 °C/min	
17	Heating Rate – Turbo High	Up to 3 °C/min	
18	Display	3.5" Colour LCD Display – Minimum 4 color display, Actual temperature should be visible from at least 10-meter distance	
19	Digital Timer	Integrated digital timer from 1 min to 99.59 h	
20	Temperature Safety	Independent temperature limiter for heater switch-off in case of fault	
21	Controller Tuning Accuracy	$\pm 0.2\%$ PE	
22	Control Mode	Pid Fuzzy logic Self-adaptive control	
23	Setpoint generator	64 programmable set with timing function	
24	Number of Pid pallets	8	

25	Heater Construction	Corrosion-protected heating outside the working area	
26	Inner Bath Chamber	SS 316 stainless steel, 1.2 mm thick	
27	Outer Construction	GI with PP powder coating 1.2 mm thick	
28	Stirring System	Bath 1/20 HP FHP stirrer for maintaining uniform temperature inside the bath with fan cooled, PCD: 120 mm, built in long machined shaft: SS316 to avoid vibration,	
29	Bath Drainage	Draincock provided	
30	Water Level Protection	Water-level sensor to cut off heater when water is not available inside the bath	
31	Motor Protection	Motor heating protection with motor temperature display and limit switch to cut off motor during overheating	
32	Standards	Compliance with European Standards	
33	Tubing Connection	Built-in provision for tubing connection for peristaltic pump	
34	Compatible Tube ID	2 mm, 3 mm, 4 mm, 5 mm & 6 mm	
35	Refrigerant/Gas	CFC-free gas	
36	Condenser dimension	18*18*5 inch, 3/8 pure copper pipe	
37	Turbo function device	Danfoss refrigeration dual solenoid valve auto function based on turbo mode	
38	Mains Supply	230 V, 50/60 Hz	
39	Customization	Bath should be compatible to customize cooling and heating capacity onsite (at user place). Also, programmable logic should be customization.	
40	Service support	Supplier should have office within 50km range to provide prompt service support.	

TENDER CONDITIONS / COMPLIANCE REQUIREMENTS

- 1. Compliance:** The bidder should provide a point-by-point compliance statement against each specification mentioned above.
- 2. Supporting Documents:** The bidder should submit the manufacturer's original technical datasheet/catalogue along with the offer to substantiate compliance with the quoted specifications.
- 3. Make & Model:** The bidder should clearly mention the Make and Model offered against the equipment.
- 4. Warranty:** 12 Months from the date of successful installation.
- 5. Installation & Demonstration:** Installation, commissioning and demonstration, will be carried out by the supplier at the consignee site.
- 6. User/Service Support:** The supplier must provide necessary technical support and service during the warranty period as per tender conditions.