

**INSTITUTE WORKS DEPARTMENT
INDIAN INSTITUTE OF TECHNOLOGY ROORKEE**

E-TENDER DOCUMENT

For

“Electrical General Maintenance/ Renovation Works at Zone-4 of IIT Roorkee”



**Indian Institute of Technology Roorkee
Roorkee-247667, Tel.no. 01332-28-5386/4955/5557**

TABLE OF CONTENTS

| Section | Subject | Page No. |
|----------------|--|-----------------|
| 1 | Notice inviting tender (invitation for bids) | 3-5 |
| 2 | Instructions for online bid submission | 6-7 |
| 3 | Information and instructions for bidders | 8-9 |
| 4 | General instructions (A to G) | 10-14 |
| 5 | Qualifying Information (Annexure-A) | 15-16 |
| 6 | General conditions of contract (A to E) | 17-28 |
| 7 | Special conditions of contract | 29-32 |
| 8 | Undertaking | 33 |
| 9 | Performance guarantee bond | 34 |
| 10 | Approved Make List | 35-40 |
| 11 | Annexure-I | 41 |
| 12 | Annexure-II | 42 |
| 13 | Scope of work | 43 |
| 14 | Schedule of Quantities | 44-76 |

**INSTITUTE WORKS DEPARTMENT
INDIAN INSTITUTE OF TECHNOLOGY ROORKEE**

No. IWD/IE/2025-26/Tender/Re1/E307

Dated: 24 January, 2026

NOTICE INVITING TENDER

On behalf of BOG, I.I.T. Roorkee, online Tenders (Percentage Rate) are invited in two Bid systems (Technical and Financial) from eligible bidders having experience of working in Central / State Government, Public Sector Undertaking / Autonomous Organization of Central / State Government who fulfil the PQ criteria for the following work:

| Name of the Work | Estimated Cost | Completion Period (Months) |
|---|---|----------------------------|
| “Electrical General Maintenance/ Renovation Works at Zone-4 of IIT Roorkee” | Rs. 230.08 Lakh (inclusive of GST @18% & Cess). | 12 Months |

- Interested eligible Bidders may obtain further information from IIT Roorkee website: www.iitr.ac.in (<http://mm.iitr.ac.in/mmweb/tenders>) or from Central Public Procurement Portal (CPPP) <https://eprocure.gov.in/eprocure/app>.
- Intending bidders are advised to visit IIT Roorkee website www.iitr.ac.in (<http://mm.iitr.ac.in/mmweb/tenders>) and Central Public Procurement Portal (CPPP) <https://eprocure.gov.in/eprocure/app> regularly till closing date of BID submission of tender for any corrigendum / addendum/ amendment.

Critical Data Sheet

| | | |
|---------|---|--|
| Sr. No. | Name of Organization | Indian Institute of Technology Roorkee |
| 1 | Tender Type (Open/Limited/EOI/Auction/Single) | Open |
| 2 | Tender Category (Services/Goods/Works) | Works |
| 3 | Type/Form of Contract (Work/Supply/ Auction/ Service/ Buy/ Empanelment/ Sell) | Work Contract |
| 4 | Product Category (Civil Works/Electrical Works / Fleet Management / Computer Systems) | Electrical Works |
| 5 | Date of Issue/Publishing Original Tender | 24-01-2026 (14:00 Hrs.) |
| 6 | Document Download / Sale Start Date | 24-01-2026 (14:00 Hrs.) |
| 7 | Pre-bid Meeting | NA |
| 8 | Seek Clarification Start Date | 24-01-2026 (14:00 Hrs.) |
| 9 | Seek Clarification End Date | 28-01-2026 (15:00 Hrs.) |
| 10 | Bid Submission Start Date | 24-01-2026 (15:00 Hrs.) |
| 11 | Bid Submission Closing Date | 04-02-2026 (13:00 Hrs.) |
| 12 | Bid Opening Date | 05-02-2026 (15:30 Hrs.) |
| 13 | Tender Fee (Non-refundable) | Rs. 1180.00 (including GST @18%) |
| 14 | EMD (2%) | Rs. 4,61,000/- |

| | | |
|----|--|--|
| 15 | Mode of Submission of EMD and Tender Fee | <p>By RTGS, NEFT in below mentioned account no.:</p> <ol style="list-style-type: none"> Name of Bank- State Bank of India Branch- IIT Roorkee Account No.- 43508683377 Account Name- IITR EMD AND TENDER FEE ACCOUNT (Account Type – Saving Account) IFS Code - SBIN0001069 MICR Code – 247002094 <p>The bidders shall be required to upload the scanned copies of transaction of payment of Tender Fee/ EMD including e-receipt (clearly indicating UTR No. & Tender Reference i.e. NIT No. must be entered in the remark at the time of online transaction of payment, failing which payment may not be considered) at the time of online bid submission on e-tendering website.</p> <p style="text-align: center;">OR</p> <ol style="list-style-type: none"> Tender Fee: In shape of Demand Draft in favour of Registrar, IIT Roorkee payable at Roorkee. EMD: In the form of Bankers Cheque / Demand Draft / FDR in the name of Institute Engineer, IIT Roorkee. <p>Scanned copy of Tender Fee/ EMD to be uploaded in Cover-1 and original Tender Fee/ EMD in a sealed envelope should reach on or before the last date and time of bid submission to the address mentioned below: Divisional Account Office Institute Works Department James Thomason Building (Main Building) IIT Roorkee, Roorkee Haridwar Uttarakhand-247667.</p> <p><u>Instructions for submission of Tender Fee & EMD (in case of Bankers Cheque / Demand Draft / FDR).</u></p> <ol style="list-style-type: none"> NIT number & Name of the Work should be clearly super scribed on the top of the envelope with firm's/ bidder's name & address. Bids may be rejected if NIT number & Name of the Work is not mentioned on the Envelope. Bids shall be considered as UNRESPONSIVE and shall be summarily rejected in the case of non-submission of original EMD and Tender fee as per stipulated date & time OR if any discrepancy is found at any stage. |
| 16 | Performance Guarantee (5%) | 5% of awarded value shall be submitted in the form of Bankers Cheque / DD / FDR / Bank Guarantee in the name of Institute Engineer, IIT Roorkee after issue of Letter of Acceptance (LOA). |
| 17 | Security Deposit (5%) | 5% of awarded value shall be submitted in the form of Bankers Cheque / DD/FDR / Bank Guarantee in the name of Institute Engineer, IIT Roorkee after issue of Letter of Acceptance (LOA). |
| 18 | No. of Covers (1/2/3/4) | 02 (Cover-1 for Technical+ Cover-2 for Financial) |
| 19 | Bid Validity Days (180/120/90/60/30) | 90 days (from last date of opening of financial bid) |
| 20 | Price Bid | To be uploaded only on CPP Portal (http://eprocure.gov.in/eprocure/app) in excel sheet. |
| 21 | Address for communication | Institute Engineer, Institute Works Department, James Thomson Building, IIT Roorkee, Roorkee-247667 (India), Tel. No. 01332-28-5557 / 5386 |
| 22 | Email Address | deepak.ie@iitr.ac.in / tntiwari.eem2019@iitr.ac.in / neeraj.aee2018@iitr.ac.in |

2. Eligibility Criteria for submission of bid documents:

- Intending bidder should not be a joint venture (Copy of relevant documents clearly establishing the status of bidder to be uploaded in Cover-1).
- Experience of having successfully completed similar work individually costing not less than as stated

below during the last 7 years ending previous day of last date of submission of bids.

- (i) Three similar works, each of value not less than 40% of the estimated cost,
OR
- (ii) Two similar works, each of value not less than 60% of the estimated cost,
OR
- (iii) One similar works of value not less than 80% of the estimated cost,

Completion certificate issued by Competent Authority will only be considered. Competent Authority means officer of not below the Rank of Executive Engineer/ Equivalent would be acceptable.

The value of executed works shall be brought to current costing level by enhancing the actual value of work at simple rate of 7% per annum, calculated from the date of completion to last date of receipt of applications for this tender. (Copy of work completion certificate to be uploaded as proof of eligibility criteria in Cover-1).

- c. Similar work means: “**Electrical General Maintenance / Rewiring Works**”.

Turnover: The Average Annual Turnover CA Certificate preferably with UDIN should be at least 50% of estimated cost during the last three consecutive Financial Years, balance sheet duly audited by Chartered Accountant. (Scanned copy of Certificate from CA preferably with UDIN Number to be uploaded). The year in which no turnover is shown would also be considered for working out the average.

- 3. Institute reserves the right to cancel any or all tenders without assigning any reason.

List of Documents to be scanned and uploaded under Cover-1 on e-tendering website to the last date and time mentioned in Critical data sheet:

Note: Physical submission of these documents (except tender fee and EMD) is not required at the time of uploading of tender by bidders, however these documents should be submitted by bidder if asked by the institute subsequently for verification of documents

- 1) Affidavit (on Rs.10 non-judicial stamp with notarized) regarding establishment of proprietorship firm / partnership deed / letter of incorporation for private ltd / ltd firm with written power of attorney (in case of bidder is owner, not required) of the authorized signatory.
- 2) Self-certified copy of work orders along with work completion certificate as per eligibility criteria.
- 3) Proof of online deposit of tender fee and EMD.
- 4) Should have valid solvency certificate of the amount at least 40% of the estimated cost of the work issued by a scheduled bank which is not more than **one year old** from the last date of tender submission (including extension time). Certified copy of original solvency certificate to be uploaded in Cover-1
- 5) Annexure-I, and Annexure-II
- 6) The Average Annual Turnover CA Certificate preferably with UDIN should be at least 50% of estimated cost during the last three consecutive Financial Years (2022-23, 2023-24, 2024-25).
- 7) GST registration certificate
- 8) PAN Card
- 9) ESI registration certificate
- 10) EPF registration certificate.
- 11) Valid Electrical Contractor License Class-A
- 12) Qualifying information (Annexure-A) & Notarized undertaking on Rs. 100 non-judicial stamp paper as per the NIT.

List of Documents to be uploaded up to the last date and time mentioned above in Cover-2 (Financial Bid):

- a. Duly filled in priced BOQ (To be uploaded only on CPP Portal in excel sheet).

**Institute Engineer
IWD, IIT Roorkee**

INSTRUCTIONS FOR ONLINE BID SUBMISSION

As per the directives of Department of Expenditure, this tender document has been published on the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>). The bidders are required to submit soft copies of their bids electronically on the CPP Portal, using valid Digital Signature Certificates. The instructions given below are meant to assist the bidders in registering on the CPP Portal, prepare their bids in accordance with the requirements and submitting their bids online on the CPP Portal. More information useful for submitting online bids on the CPP Portal may be obtained at: <https://eprocure.gov.in/eprocure/app> .

1.0 Registration

- 1.1 Bidders are required to enroll on the e-Procurement module of the Central Public Procurement Portal (URL: <https://eprocure.gov.in/eprocure/app>) by clicking on the link “Click here to Enroll”. Enrolment on the CPP Portal is free of charge.
- 1.2 As part of the enrolment process, the bidders will be required to choose a unique username and assign a password for their accounts.
- 1.3 Bidders are advised to register their valid email address and mobile numbers as part of the registration process. These would be used for any communication from the CPP Portal.
- 1.4 Upon enrolment, **the bidders will be required to register their valid Digital Signature Certificate (Class II or Class III Certificates with signing key usage) issued by any Certifying Authority recognized by CCA India (e.g. Sify/TCS/nCode/eMudhra etc.) with their profile.**
- 1.5 Only one valid DSC should be registered by a bidder. Please note that the bidders are responsible to ensure that they do not lend their DSCs to others which may lead to misuse.
- 1.6 Bidder then logs in to the site through the secured log-in by entering their user ID/password and the password of the DSC/eToken.

2.0 Searching for Tender Documents

- 2.1 There are various search options built in the CPP Portal, to facilitate bidders to search active tenders by several parameters. These parameters could include Tender ID, organization name, location, date, value, etc. There is also an option of advanced search for tenders, wherein the bidders may combine a number of search parameters such as organization name, form of contract, location, date, other keywords etc. to search for a tender published on the CPP Portal.
- 2.2 Once the bidders have selected the tenders they are interested in, they may download the required documents / tender schedules. These tenders can be moved to the respective ‘My Tenders’ folder. This would enable the CPP Portal to intimate the bidders through SMS / e-mail in case there is any corrigendum issued to the tender document.
- 2.3 The bidder should make a note of the unique Tender ID assigned to each tender, in case they want to obtain any clarification / help from the Helpdesk.

3.0 Preparation of Bids

- 3.1 Bidder should take into account any corrigendum published on the tender document before submitting their bids.
- 3.2 Please go through the tender advertisement and the tender document carefully to understand the documents required to be submitted as part of the bid. Please note the number of covers in which the bid documents have to be submitted, the number of documents - including the names and 4 content of each of the document that need to be submitted. Any deviations from these may lead to rejection of the bid.
- 3.3 Bidder, in advance, should get ready the bid documents to be submitted as indicated in the tender document / schedule and generally, they can be in PDF/XLS/RAR/DWF formats. Bid documents may be scanned with 100 dpi with black and white option.
- 3.4 To avoid the time and effort required in uploading the same set of standard documents which are required to be submitted as a part of every bid, a provision of uploading such standard documents (e.g. PAN card copy, annual reports, auditor certificates etc.) has been provided to the bidders. Bidders can use “My Space” area available to them to upload such documents. These documents may be directly submitted from the “My Space” area while submitting a bid, and need not be uploaded again and again. This will lead to a reduction in the time required for bid submission process.
- 3.5 If any cell is left blank the same shall be treated as “0”. Therefore, if any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as “0” (ZERO). However, if a tenderer quotes nil rates against each item in item rate tender or does not quote any percentage above/below on the total amount of the tender or any section / sub head in percentage rate tender, the tender shall be treated as invalid and will not be considered as lowest tenderer

4.0 Submission of Bids

- 4.1 Bidder should log into the site well in advance for bid submission so that he/she upload the bid in time i.e. on or before the bid submission time. Bidder will be responsible for any delay due to other issues.
- 4.2 The bidder has to digitally sign and upload the required bid documents one by one as indicated in the tender document.
- 4.3 Bidder shall submit tender fee as per critical data sheet.
- 4.4 A standard BOQ format has been provided with the tender document to be filled by all the bidders. Bidders are requested to note that they should necessarily submit their financial bids in the format provided and no other format is acceptable. Bidders are required to download the BOQ file, open it and complete the white coloured (unprotected) cells with their respective financial quotes and other details (such as name of the bidder). No other cells should be changed. Once the details have been completed, the bidder should save it and submit it online, without changing the filename. If the BOQ file is found to be modified by the bidder, the bid will be rejected.
- 4.5 The server time (which is displayed on the bidders' dashboard) will be considered as the standard time for referencing the deadlines for submission of the bids by the bidders, opening of bids etc. The bidders should follow this time during bid submission.
- 4.6 All the documents being submitted by the bidders would be encrypted using PKI encryption techniques to ensure the secrecy of the data. The data entered cannot be viewed by unauthorized persons until the time of bid opening. The confidentiality of the bids is maintained using the secured Socket Layer 128 bit encryption technology. Data storage encryption of sensitive fields is done.
- 4.7 The uploaded tender documents become readable only after the tender opening by the authorized bid openers.
- 4.8 Upon the successful and timely submission of bids, the portal will give a successful bid submission message & a bid summary will be displayed with the bid no. and the date & time of submission of the bid with all other relevant details.
- 4.9 Kindly add scanned PDF of all relevant documents in a single PDF file of compliance sheet.

5.0 Assistance to Bidders

- 5.1 Any queries relating to the tender document and the terms and conditions contained therein should be addressed to the Tender Inviting Authority to the address provided in Critical Data Sheet for a tender or the relevant contact person indicated in the tender.
- 5.2 Any queries relating to the process of online bid submission or queries relating to CPP Portal in general may be directed to the 24x7 CPP Portal Helpdesk. The contact number for the helpdesk is 0120-4001062 / 0120-4001002 / 0120-4001005 / 0120-6277787

6.0 General Instructions to the Bidders

- 6.1 The tenders will be received online through portal <http://eprocure.gov.in/eprocure/app>. In the Technical Bids, the bidders are required to upload all the eligibility criteria documents in .pdf format.
- 6.2 Possession of a Valid Class II/III Digital Signature Certificate (DSC) in the form of smart card/etoken in the company's name is a prerequisite for registration and participating in the bid submission activities through <https://eprocure.gov.in/eprocure/app>. Digital Signature Certificates can be obtained from the authorized certifying agencies, details of which are available in the web site <https://eprocure.gov.in/eprocure/app> under the link "Information about DSC".
- 6.3 Tenderer are advised to follow the instructions provided in the 'Instructions to the Tenderer for the e-submission of the bids online through the Central Public Procurement Portal for e-Procurement at <https://eprocure.gov.in/eprocure/app>.

INFORMATION AND INSTRUCTIONS TO BIDDERS

On behalf of BOG, I.I.T. Roorkee, online Tenders (Percentage Rate) are invited in two Bid systems (Technical and Financial) from eligible bidders having experience of working in Central / State Government, Public Sector Undertaking / Autonomous Organization of Central / State Government who fulfil the PQ criteria for the work of “**Electrical General Maintenance/ Renovation Works at Zone-4 of IIT Roorkee**”

1. The work is estimated to cost as mentioned in the NIT. The estimate however, is given merely as a rough guide. Intending bidder is eligible to submit the bid provided, if he has definite proof from the appropriate authority, which shall be to the satisfaction of the competent authority, of having satisfactorily completed similar works of magnitude specified in the similar work conditions.
2. Agreement shall be drawn with the successful bidder on prescribed format.
3. The time allowed for carrying out the work will be as per the NIT from the date of start as defined in Award of Work or from the first date of handing over of the site, whichever is later, in accordance with the phasing, if any, indicated in tender documents.
4. The site for the work is available / shall be made available for start of the work.
5. The Tender document consisting of plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen / downloaded from IIT Roorkee website: www.iitr.ac.in (<http://mm.iitr.ac.in/mmweb/tenders>) or from Central Public Procurement Portal (CPPP) <https://eprocure.gov.in/eprocure/app>.
6. While submitting the bids, bidder can revise the rate, but before last date and time of submission of bids as notified. In this case, the last submitted bid before the last date and time will only be considered.
7. The scanned copies of documents as per critical data sheet shall be uploaded under Cover-1 on the e-tendering website.
8. Online Financial Bids submitted by intending bidders shall be opened only of those bidders, whose bid found technically qualified.
9. The bid submitted shall become invalid and cost of bid & tender processing fee shall not be refunded if: (i) the bidder is found ineligible. (ii) The bidder does not provide all the documents (including PAN No., GST registration etc.) as stipulated in the bid document.
10. Intending bidders are advised to inspect and examine the site and its surroundings and satisfy themselves before submitting their bids as to the nature of the ground and sub-soil (so far as is practicable), the form and nature of the site, the means of access to the site, the accommodation they may require and in general shall themselves obtain all necessary information as to risks, contingencies and other circumstances which may influence or affect their Tender. A bidder shall be deemed to have full knowledge of the site whether he inspects it or not and no extra charge consequent upon any misunderstanding or otherwise shall be allowed. The bidder shall be responsible for arranging and maintaining at his own cost all materials, tools & plants, water, electricity access, facilities for workers and all other services required for executing the work unless otherwise specifically provided for in the contract documents. Submission of a tender by a bidder implies that he has read this notice and all other contract documents and has made himself aware of the scope and specifications of the work to be done and of conditions and rates at which stores, tools and plant, etc. will be issued to him by the Institute and local conditions and other factors having a bearing on the execution of the work. Cost of site visit shall be borne by the bidder.
11. All tenders in which any of the prescribed condition is not fulfilled or any condition including that of conditional rebate is put forth by the bidder shall be summarily rejected.
12. Canvassing whether directly or indirectly, in connection with bidders is strictly prohibited and the Tenders submitted by the bidders who resort to canvassing will be liable to rejection.
13. The bidder shall not be permitted to tender for works in the IWD, IIT Roorkee, if his near relative is posted as an officer in any capacity between the grades of Dean Infrastructure and Junior Engineer (both inclusive). Any breach of this condition by the bidder would render him liable to be removed from the Tendering process.
14. No Engineer of gazetted rank or other Gazetted Officer employed in Engineering or Administrative duties in an Engineering Department of the Government of India is allowed to act as a bidder within a period of one year after his retirement from Government service, without the previous permission of the Government of India in writing. This contract is liable to be cancelled if either the bidder or any of his employees is found any time to be such a person who had not obtained the permission of the Government of India as aforesaid before submission of the tender or engagement in the bidder's service.
15. The notice inviting bid shall form part of the contract document. The successful bidder, on acceptance of his bid by the Accepting Authority, have to sign the contract consisting of “The Notice Inviting bid, all the documents including Special Conditions, General Specifications/ Particular Specifications and drawings, if any, forming part of the bid as submitted

- at the time of invitation of bid and the rates quoted online at the time of submission of bid and acceptance thereof together with any correspondence leading thereto within 15 days from the stipulated date of start of the work.
16. The bid for the works shall remain open for acceptance for a period of 90 days from the date of opening of financial bids. If any bidder withdraws his bid before the said period or issue of letter of acceptance, whichever is earlier, or makes any modifications in the terms and conditions of the bid which are not acceptable to the Indian Institute of Technology Roorkee, then Indian Institute of Technology Roorkee, without prejudice to any other right or remedy, be at liberty to forfeit of the said earnest money as aforesaid. Further, the bidder(s) shall not be allowed to participate in the re-bidding process of the work.
17. **Composite Tender (if applicable)**
- 17.1 The competent authority is calling this bid for the composite work. The Earnest money is fixed with respect to the combined estimated cost put to tender for the composite tender.
- 17.2 The eligible bidders have to quote rates for all items given in the schedule of quantity.
- 17.3 After acceptance of the bid by competent authority, **Institute Engineer, IWD, IIT Roorkee** shall issue letter of Acceptance (LoA) on behalf of the Institute. After issue of LoA, the bidder will have to enter into one agreement with **Institute Engineer**.
- 17.4 Entire work under the scope of composite tender including major and all minor components shall be executed under one agreement.
- 17.5 Security Deposit will be worked out separately for each component corresponding to the quoted/accepted cost of the respective component of works. The Earnest Money will become part of the security deposit of the respective projects under the head Mega projects in ratio of the corresponding estimated value of these projects.
- 17.6 The bidder may associate agency(s) for minor component(s) conforming to eligibility criteria as defined in the tender document and has to submit detail of such agency(s) to Institute Engineer. Name of the agency(s) to be associated shall be approved by Institute Engineer. Before engaging such associate agencies bidder has to inform to Institute Engineer along with his past experience and all credential's and got the approval of the same from him.
- 17.7 In case the bidder intends to change any of the above agency/ agencies during the operation of the contract, he shall obtain prior approval of respective Institute Engineer. The new agency/ agencies shall also have to satisfy the laid down eligibility criteria. In case Institute Engineer is not satisfied with the performance of any agency, he can direct the bidder to change the agency, and this shall be binding on the bidder.
- 17.8 The main bidder has to enter into agreement with bidder(s) associated by him for execution of minor component(s). Copy of such agreement shall be submitted to Engineer-in-charge. In case of change of associate bidder, the main bidder has to enter into agreement with the new bidder associated by him.
- 17.9 The composite work shall be treated as complete when all the components of the work are complete. The completion certificate of the composite work shall be recorded by Engineer-in-charge of major component after record of completion certificate of all other components. Final bill of whole work shall be finalized by IWD, IIT Roorkee.
- 17.10 It will be obligatory on the part of the bidder to sign the tender documents for all components before the first payment is released.

A: GENERAL INSTRUCTIONS

1. Scope of Tender.

- 1.1 Indian Institute of Technology Roorkee (referred to as Owner in these documents) invites Tender as defined in these documents and referred to as “the works” detailed in the table given in the Notice Inviting Tenders (NIT).
- 1.2 The successful Bidder shall complete the works within the completion date specified in the Notice Inviting Tenders (NIT).
- 1.3 Those makes of items will be used which are approved by the Institute Engineer

2. Non-Association / Relation

- 2.1 All bidders shall provide in the bid tender and Qualification Information, a statement that the Bidder is not associated, nor has been associated in the past, directly or indirectly, with the Indian Institute of Technology Roorkee or any other entity that has prepared the design, specifications, and other documents for the Project.

3. Qualification of the Bidder

- 3.1 All Bidders shall provide tender qualification information.
- 3.2 All Bidders shall include the following information by submitting relevant documents and certificate with their tenders: The Bidder must be registered with the GST Department and should submit the registration certificate of GST, ESI, EPF, Labour License (if applicable) etc.

4. Cost of tendering

- 4.1 The Bidder shall bear all costs associated with the preparation and submission of his tender, and the Owner will in no case be responsible and liable for those costs.
- 4.2 The Bidder, at its own responsibility and risk is encouraged to visit and examine the Site of Work and its surroundings and obtain all information that may be necessary for preparing the tender. The costs of visiting the Site shall be at the Bidder’s own expense.

B: DOCUMENTS INVITING TENDERS

5. **Invitation:** Tenders are hereby invited on behalf of Indian Institute of Technology Roorkee.

6. Contents of documents as mentioned in the relevant clauses mentioned:

The Bidder shall be deemed to have examined all instructions, forms, terms, and specifications in the Documents. Failure to furnish the information required in the Tender Document or submission of a Bid not substantially responsive to the Tender Documents in every respect will be at the Bidder’s risk and may result in the rejection of the bid.

The several documents forming the contract are to be taken as mutually explanatory of one another, detailed drawings being followed in preference to small scale drawing and figured dimensions in preference to scale and Special Conditions in preference to General Conditions.

In case of any discrepancy between the Schedule of Quantities, the specifications and/ or the drawings, given in the tender document the following order of preference shall be observed:

1. Description of Schedule of Quantities.
2. Particular Specification and Special condition, if any.
3. Drawings.
4. C. P. W. D. specifications/ IWD, IIT ROORKEE specification.
5. Latest edition Indian Standard Specifications of B. I. S.

7. Amendment of Tendering Documents

- 7.1 Before the deadline for submission of bids, the Indian Institute of Technology Roorkee may modify the Tender documents by issuing addenda/corrigendum.
- 7.2 Any addendum thus issued shall be part of the Tendering documents and shall be uploaded on e-Tendering website <https://eprocure.gov.in/eprocure/app> and Institute website <http://mm.iitr.ac.in/mmweb/tenders>.
- 7.3 To give prospective Bidders reasonable time in which to take an addendum / corrigendum into account in preparing their bid, the IIT Roorkee may extend if necessary the deadline for submission of tenders.

C: PREPARATION OF DOCUMENT

8. **Tender fee :** Tender fee in favour of Registrar, Indian Institute of Technology Roorkee payable at Roorkee must be submitted as mentioned in critical data sheet. Bids not accompanying with Tender fee will be summarily rejected. Tender fee is non-refundable.
9. **Earnest Money Deposit (EMD):** EMD as per critical data sheet must be submitted. Bids not accompanying with EMD will be summarily rejected. The EMD of the unsuccessful Bidders will be discharged / returned within Thirty (30) days from the date of opening of the financial bids. The EMD of the successful Bidder shall not be adjusted or converted as Security deposit. The EMD may be forfeited and further the bidders shall not be allowed to participate in the re-bidding process of the work, if the Bidder withdraws his bid during bid validity period or in case of successful fails to sign the contract/ fails to deposit security amount and performance guarantee.
10. **Period of validity of bid:** The bids shall remain valid for a period of 90 days after the date of financial bid / price bid opening. A bid valid for a shorter period shall be rejected by the Indian Institute of Technology Roorkee as non-responsive.
11. **Language of Bid:** The document shall be written in English/Hindi language. The total amount should be written in the same language.
12. **Document comprising the E-Tender:** No page of this tenders document shall be removed and the set must be submitted as it is. Each page of the tenders document form is to be signed by the Bidder and must bear the Seal of the Company/Firm.

The tender submitted by the Bidder shall comprise as mentioned above in the relevant sections.

13. Tender Prices

- 13.1 The contract shall be for the whole works as described in priced Schedule of Quantities submitted by the Bidder.
- 13.2 The tender submitted on behalf of firm shall be signed by a person who has the proper legal authority on behalf of the firm to enter into the contract; otherwise, the bid is liable to be rejected. Each page of the tender document and each drawing accompanying is required to be signed by the authorized person submitting the bid, with the company seal as the token of their having examined and acquainted themselves with the General conditions of contract, drawings, specifications, special conditions of contract etc. The forms of tender are to be filled in completely. Any bid with any of the documents not signed is liable to be rejected.
- 13.3 The notation R.O. written against items of BOQ means ‘rate only’ and the bidder is to quote only unit rate in such cases.
- 13.4 The Bidder shall fill in the percentage rate/in rates for items of the Works described in the Schedule of Quantities along with total bidding price. In case if the rates are not filled for any of the Items of Schedule of Quantities, in such cases the tender shall be summarily rejected. Failure to comply with either of these conditions will make the bid liable for rejection.
- 13.5 **Taxes:** All duties, taxes, and other levies payable by the Bidder under the contract, or for any other cause, shall be included in the rates, prices and total Bidding Price submitted by the Bidder. Bidders must include in their rates, the cost of transportation of materials to site, GST, labour cess as per Building & other construction workers cess act, excise duty, octroi, and any other tax and duty levied by the Central / State Government. None of the above taxes & levies will be entertained by the Owner and no tax exemption forms will be issued by the Owner. Estimate has been prepared on current applicable GST rate. However actual payment will be done on the basis of prevailing GST rates at the time of execution of work and its payment.
- 13.6 **Labor Cess or BOCWW Cess:** Labour cess @1% shall be deducted from each bill.
- 13.7 The work shall be carried out by the Bidder in a manner complying in all respect with the requirement of relevant bye-laws/orders of the Local/Municipal bodies and pay all fees and charges which may be leviable at his own cost. The completion/ occupancy certificates including clearance from fire committee or any other statutory obligation shall be arranged by the bidder. Any official fees shall be paid by the Owner. All other cost of liasoning shall be borne by the bidder.
- 13.8 Bidder should also take a Group Insurance Policy for his Workmen, Supervisors and Engineers working on site for an adequate insurance cover. Indian Institute of Technology Roorkee shall not be responsible for any accident or happening of any untoward/unforeseen event involving workmen, labour, supervisor or Engineer or any person directly or indirectly associated with the execution of work. The insurance policy to be obtained by the successful Bidder must be comprehensive and shall cover all associated risks (known and unknown).
- 13.9 The rates quoted in the tender shall include cost of electrical power supply, water supply, cost of all materials, labour, telephone, rent and call charges, water and meter rent charges, temporary electric wiring / lighting for

execution of work at site, hire for any tools and plants, shed for materials, marking out and clearing of site, transportation complete in all respects. The rates quoted in the tender shall be treated as rate for finally completing the item of work.

- 13.10 The quantities furnished in the schedule of quantities are only probable quantities and are liable to alterations, by omission, deductions or additions to any extent at the discretion of Indian Institute of Technology Roorkee. Payments will be regulated on the actual quantities of work done at accepted rates.
- 13.11 Errors in the Schedule of Quantities shall be dealt with in the following manner:
- i. In the event of a discrepancy between the rates quoted in words and the rates in figures, rate quoted in words shall be considered to be correct.
 - ii. In the event of an error occurring on account of arithmetical calculations the same shall be corrected according to rates written in words and quantities in B.O.Q.
 - iii. All the errors in totaling in the amount column and in carrying forward the totals shall be corrected. The tender total shall be accordingly amended. If the bidder doesn't accept the corrected amount, then his bid will be rejected.
- 13.12 The calculations made by the bidder should be based upon quantities of the items of work which are furnished in the Schedule of Quantities, but it must be clearly understood that the contract is not a lump sum contract. The Owners do not in any way assure, represent or guarantee that the said probable quantities are correct or that the work would correspond thereto. The items of work irrespective of the quantities which may vary shall be carried out at the same accepted bidding tender rates and no escalation in the rates will be entertained whatsoever. Any item of work may be omitted from the schedule of quantities and may be awarded to another agency at any time / stage of the work.
- 13.13 The bidders must obtain for themselves on their own responsibility and their own expenses all the information which may be necessary, including risks, contingencies and other circumstances to enable them in making a proper bid and for entering into a contract, and must examine the drawings, specifications and conditions and inspect the site of the work, nature of the work, availability of power, water, shelter for workmen and all the matters pertaining thereto before submitting the bid. They can also get any clarifications required from the Owner, before tendering, by contacting them at their office during working hours.

14. Format and signing of Tender document

- 14.1 The bid shall be typed or written in indelible ink and shall be signed by a person or persons duly authorized to sign on behalf of the Bidder. All pages of the tender where entries or amendments have been made shall be initialed by the person or persons signing the tender.
- 14.2 The tender shall contain no alterations or additions, except those to comply with instructions issued by the Owner, or as necessary to correct errors made by the Bidder, in which case such corrections shall be initialed by the person or persons signing the bid. ANY CONDITIONAL BID WILL BE SUMMARILY REJECTED.

D: MODE OF SUBMISSION OF BID DOCUMENT

15. Sealing and marking of bids.

- 15.1 The entire document to be put in cover-1 and 2 should be scanned and uploaded under cover-1 and 2 respectively on the e-tendering website. No hard copy of any document (financial or technical) should be submitted. In case any hardcopy is submitted then the same will not be accepted by the department.

16. Deadline for submission of bid: - As per Critical Data Sheet.

E: TENDER OPENING AND EVALUATION

17. **Tender opening:** The tender will be opened on the date and the place specified in the critical data sheet. In case of any unavoidable circumstances or unforeseen event on the specified date and time of tender opening, the bids will be opened at the appointed time and location on the next working day.
18. **Clarification of Tenders:** To assist in the examination, evaluation and comparison of bids, the Owner may, at his discretion, ask any Bidder for clarification of his bid, including breakdowns of unit rates. The request for clarification and the response shall be in writing or by fax, but no change in the price or substance of the tendering shall be sought, offered, or permitted.

19. Examination of Bids and Determination of Responsiveness:

- 19.1 Prior to the detailed evaluation of bids, the Owner will determine whether each bid
- a) Meets the eligibility criteria defined

- b) Has been properly signed and meets the requirements mentioned
 - c) is accompanied by the required securities and;
 - d) is responsive to the requirements of the tendering documents.
- 19.2 A responsive bid is one which conforms to all the terms, conditions and specifications of the tendering documents, without material deviation or reservation. A material deviation or reservation is one
- a) Which affects in any substantial way the scope, quality, or performance of the works;
 - b) which limits in any substantial way, inconsistent with the tender documents, the Indian Institute of Technology Roorkee rights or the Bidders' obligations under the contract; or
 - c) Whose rectification would affect unfairly the competitive position of other Bidders presenting responsive bids.
- 19.3 If a bid is not responsive, it will be rejected by the Indian Institute of Technology Roorkee, and may not subsequently be made responsive by correction or withdrawal of the nonconforming deviation or reservation.

20. Evaluation and Comparison of Bids:

- 20.1 The Owner along will evaluate and compare only the bids determined to be substantially responsive.
- 20.2 In evaluating the bids, the Owner will determine for each bid the evaluated bids Price by adjusting the bid. Price as follows:
- a) Making any correction for errors; or
 - b) Making an appropriate adjustment for any other acceptable variations, deviations; and
 - c) Making appropriate adjustments to reflect discounts offered.

21. The Owner reserves the right to accept or reject any variation, deviation, or alternative offer and other factors which are in excess of the requirement of the tender.

F: AWARD OF TENDER

22. Award criteria:

- 22.1 The acceptance of bid will rest with the Owner, which does not bind itself to accept the lowest bid and reserves to itself the authority to reject completely / partially, any or all of the bid/s received without the assignment of a reason.
- 22.2 The owner reserves to itself the right of accepting the whole or any part of the Bid and the Bidder shall be bound to perform the same at the rate quoted.
- 22.3 The Owner reserves to itself the right of omission of any item of work from the awarded tender at any time / stage during the execution of work and awards the same to another agency / bidder.

23. Notification of award: The successful Bidder will be issued a Letter of Acceptance (LoA) by the Owner. The issuance of LoA shall not constitute an award of work.

24. Performance Guarantee: Within ten (10) days of LoA the successful Bidder shall furnish the performance guarantee @ 5% of value of work in the form of DD/FDR/ Bankers cheque /Bank Guarantee from Scheduled bank provided in the tender document. The Performance Guarantee must be valid two months beyond the work completion period. It may be further extended. The Performance guarantee shall be returned / refunded to the bidder on completion of the work and recording of the completion certificate. In case the bidder fails to deposit it the said performance guarantee within the period as indicated, the Earnest Money deposited by the bidder shall be forfeited automatically without any notice to the bidder.

25. Signing of contract form: On the acceptance of LoA and Performance Bank Guarantee of the successful Bidder whose tender has been accepted in writing, the Indian Institute of Technology Roorkee will sign an agreement. Article of agreement shall be as per IIT Roorkee.

G: DURING EXECUTION

26. During Execution: The Bidder shall carry out all the works strictly in accordance with the drawing, details and instructions of the Owner. If in the opinion of the Owner, changes have to be made in the design, and they desire the bidder to carry out the same, the Bidder shall be bound to comply. The Owner decisions in such cases shall be final.

The Bidder is bound to carry out any items of work necessary for the completion of the job even though such items are not included in the schedule of quantities and rates. Schedule of instructions in respect of such additional items and their quantities with the prior consent from the Owner. Rates for such items of work will be approved by the Owner on the basis of Analysis of Rates which will be derived from actual prevailing market rates of similar item along with 15% as bidder's profit & overhead (or service charge as quoted by the bidder). The rates approved by the Owner in such cases will be final.

The Bidder shall get the quality of work done inspected for material and workmanship at different stages of execution as per instructions given by the Owner or their representative time to time. Any item of work done which is found not conforming to the Contract shall be rejected by the Owner. The decision of the Owner in such cases shall be final.

The Owner may instruct at any stage of execution for testing of samples of any material taken at random. The Owner will decide the testing laboratory / agency and the cost of testing including the expenses for sending the samples to the laboratory / agency and receipt of test reports shall be borne by the Bidder. The material shall be rejected in case the test reports are not within the permissible limits.

The Bidder shall have to present the invoice for purchased material from the manufacturer or from the dealer along with the certificate from the manufacturer. In case material is found to be of substandard quality, the same shall be rejected by the Owner. The decision of the Owner in such cases shall be final.

The Bidder shall not be entitled to any compensation for the Loss suffered by him on account of delays in commencing or executing the work whatever the cause of delay may be, including delays arising out of modifications to the work entrusted to him or in any subcontracts connected therewith or delays in awarding contracts for other trades of the project or in commencement or completion of such other works or in procuring Government controlled or other building materials for any other reasons whatsoever. The Owner shall not be liable for any sum besides the e-tender amount, subject to such variations as are provided for herein and as instructed by Owner. However, necessary time extension will be given if the delays are not attributed to the Bidder.

QUALIFYING INFORMATION

Please furnish the following information along with documentary evidence only in this format (as eligibility criteria)

| | | | |
|-----|--|--|--|
| 1. | Name of the bidder | | |
| 2. | Legal Status of the bidder | | |
| 3. | Place of registration and registration of the bidder | | |
| 4. | Year of establishment of the firm. | | |
| 5. | Permanent Address | | |
| 6. | Email id | | |
| 7. | Contact Numbers | | |
| 8. | Principal place of the registration | | |
| 9. | PAN No. | | |
| 10. | GST No. | | |
| 11. | EPF | | |
| 12. | ESI | | |
| 13. | Tender fee details | | |
| 14. | Solvency certificate details | | |

16. Average annual financial turnover during the last 3 consecutive years, ending 31st March of previous financial year, should not be less than 50% of the estimated cost. CA certificate be enclosed as documentary proof. Copies of balance sheets duly certified by *CA preferably with UDIN Number* to be submitted.

| Sl. No. | Financial Year (Last 3 years) | Amount (in Lakhs) |
|---------|-------------------------------|-------------------|
| 1 | 2022-23 | |
| 2 | 2023-24 | |
| 3 | 2024-25 | |

17. PROFORMA FOR LIST OF WORKS EXECUTED BY THE BIDDER DURING THE LAST 5 YEARS AND ABOVE

| Sl. No | Name of work/ project with address | Name & postal address of the owner & contact person | Contract Value | Date of Start | Date of Completion | Actual Date of Completion |
|--------|------------------------------------|---|----------------|---------------|--------------------|---------------------------|
| | | | | | | |
| | | | | | | |
| | | | | | | |
| | | | | | | |

Note: Bidder may furnish the above information in separate sheet if the space is not sufficient.

18. PROFORMA FOR LIST OF WORKS IN HAND

| Sl. No | Name of work/ project with address | Name & postal address of the owner & contact person | Published Value | Date of Start | Stipulated date of completion | Present Progress |
|--------|------------------------------------|---|-----------------|---------------|-------------------------------|------------------|
| | | | | | | |
| | | | | | | |
| | | | | | | |

Note: Bidder may furnish the above information in separate sheet if the space is not sufficient

19. DETAILS OF KEY PERSONNEL

| Sl. No | Name & Designation | Qualification | Experience | Nature of Works Handled | Date from which employed in your organization |
|--------|--------------------|---------------|------------|-------------------------|---|
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |
| | | | | | |

Note: Bidder may furnish the above information in separate sheet if the space is not sufficient.

20. List of equipments, tools and tackles (in applicable).

GENERAL CONDITIONS OF CONTRACT(GCC)

A: GENERAL

1.0 Definitions :

- 1.1 In this contract, the following terms shall be interpreted as indicated:
 - a. "The Contract" means the agreement entered into between the Owner and the Bidder, as recorded in the contract form signed by the parties, including all the attachments and appendices thereto and all documents incorporated by reference therein.
 - b. "The Contract Value" means the amount payable to the Bidder under the contract for the full and proper performance of its contractual obligations.
 - c. "Contract Data" means any information provided in the tender document and agreed to by the Bidder.
 - d. "The Work" means all labour, materials, tools and plant, equipment including government taxes and transport that may be required in preparation of and for and in the full and entire execution and completion of "the Work".
 - e. "Services" means services ancillary to the execution of the work such as transportation and insurance, and any other incidental services, such as installation, commissioning, provision of technical assistance, training and other obligations of the Bidder covered under the contract.
 - f. "GCC" mean the General Conditions of Contract contained in this section.
 - g. "SCC" means the Special Conditions of Contract.
 - h. "The Owner" means the Indian Institute of Technology Roorkee or its representative.
 - i. "The Owner" means the Owner/Project Management Consultant appointed by the Owner for preparing all the drawings, details and specifications of items required for the execution of the work and supervise and monitor the execution at site along with checking and verifying Bidder's bill. The Bidder shall offer the Engineer or any representative of Owner every facility and assistance for examining the works and materials. The Engineer or any representative of the Owner shall have power to give notice to the Bidder or to his staff, of non-approval of any work or materials and such work shall be suspended or the use of such materials shall be discontinued until the decision of the Owner. Such examinations shall not in any way exonerate the bidder from the obligations to remedy any defects which may be found to exist at any stage of the work or after the same is completed.
 - j. "The Bidder" means the individual or the firm executing the work.
 - k. "The Project Site" where applicable, means the place or places named in SCC.
 - l. "Day" means calendar day.
 - m. "Engineer-in-charge (EIC)" means Assistant Executive Engineer.

2.0 Interpretation and Application

- 2.1 These general conditions shall apply to the extent that provisions in other parts of the contract do not supersede them.
- 2.2 In interpreting these Conditions of Contract, singular also means plural, male also means female or neuter, and the other way around. Headings have no significance. Words have their normal meaning under the language of the Contract unless specifically defined. The Owner will provide instructions clarifying queries about the Conditions of Contract.
- 2.3 If sectional completion is specified in the Contract Data, references in the Conditions of Contract to the Works, the Completion Date, and the Intended completion date are for the whole of the Works.

3.0 Standards

- 3.1 The works executed by the Bidder should be carried out in most professional manner, both as regards material and otherwise, in every respect, in strict accordance with the Technical Specifications. All materials and workmanship shall so far as procurable be of the respective kinds described in the priced schedule of quantities and/ or specifications and in accordance with the Owner' instructions, and the Bidder shall upon the request of the Owner, furnish them with all invoices, accounts; receipts and other vouchers to prove that the material procured complies therewith. When no applicable standard is mentioned, the work shall be carried out as per the directions of the Owner. The Bidder shall at his own cost arrange for and/or carry out any test of materials which the Owner may require. In case of discrepancies in tender wording as regards the specifications of materials, workmanship etc., written instructions will supersede the tender wording unless otherwise mentioned.

3.2 The Owner in their absolute discretion from time to time shall issue further drawings and/ or written instructions, details, directions and explanations which are hereafter collectively referred to as “the Owner’s instructions” in regard to: -

- a. The variation or modification of the design quality or quantity of works or the addition or omission or submission on any work.
- b. Any discrepancy in the drawings or between the schedule of quantities and / or drawings and /or specifications/ dimensions etc.
- c. The removal and / or re-execution of any works executed by the Bidder.
- d. The removal from the site of any materials brought thereon by the Bidder and the substitution of any other materials therefore / or rejection of the material brought on site.

4.0 Use of Contract Documents and Information

- 4.1 The Bidder shall not, without the Owners’ prior written consent, disclose the contract or any provision thereof, or any specifications, plan, drawing, pattern, sample or information furnished by or on behalf of the Owner in connection therewith, to any person other than a person employed by the Bidder in performance of the contract. Disclosure to any such employed person shall be made in confidence and shall extend only so far, as may be necessary for purposes of such performance.
- 4.2 The Bidder shall not, without the Owner’s prior written consent make use of any document or information enumerated in Para 4.1 except for the purposes of performing the contract.
- 4.3 All documents included but not limited to contract agreement shall remain the property of the Owner and shall be returned (in all copies) to the Owner on completion of the Bidder’s performance under the contract, if so required by the Owner.

5.0 Owner’s Decisions: Except where otherwise specifically stated, the Owner will decide contractual matters between the Owner and the Bidder, in the role of representing the Owner.

6.0 Performance Guarantee: The proceeds of the performance guarantee shall be payable to the Owner as compensation for any loss or dues resulting from the Bidder’s failure to complete its obligations under the contract.

7.0 Program and Reporting

- 7.1 The bidder shall furnish to the Indian Institute of Technology Roorkee a bar chart laying down weekly financial and physical targets to complete the project within stipulated time for approval within fifteen days from the date of receipt of notification of award. Weekly progress report shall be furnished to the owner showing the progress.
- 7.2 The bidder must submit every week the following information to the Owner in writing:
 - i. Number of men employed, trade wise;
 - ii. Progress achieved;
 - iii. Expected dates for completion of work;
 - iv. Any actual or potential delay in completion schedule.

8.0 Assignment and Sub-contracting

- 8.1 The whole of the works included in the Contract shall be executed by the bidder and the bidder shall not directly or indirectly transfer, assign or underlet the contract or any part, share or interest therein without the written consent of the Owner.
- 8.2 No sub-contracting shall relieve the Bidder from the full and entire responsibility of the Contract or from the active superintendence of the work during their progress.

9.0 Bidder to provide everything necessary for proper execution of work

- 9.1 The Bidder shall provide everything necessary for the proper execution of the works according to the intent and meaning of the drawings, priced schedule of quantities and specifications taken together whether the same may or may not be particularly shown or described therein provided that the same can reasonably be inferred there from. If the Bidder finds any discrepancy therein he shall immediately and in writing refer the same to the Owner whose decision shall be final and binding. Further, if any sample(s) of material(s), fittings, fixtures or finished item(s), to be used in the construction work, has/have been called for from the bidder, no work related to it/these shall be executed unless the same has/ have been approved by the Owner failing which no payment shall be made to the

bidder on this account. Any sample, duly approved by the Owner shall become part of the supply to be used in “the works”.

- 9.2 IIT Roorkee will provide water and power supply at site free of cost for the entire work.
- 9.3 The Bidder shall supply fix and maintain at his cost, during the execution of any works, all the necessary power supply, water supply, centering, scaffolding, watching and lighting by night as well as by day, required not only for the proper execution but also for protection of the public and the safety of any adjacent roads, streets, pavements, walls houses, building and other erections, matters or things. The Bidder shall take down and remove any or all such centering, scaffolding, staging, planking, timbering, strutting, shoring pumping, fencing, hoarding, watching and lighting by night as well as by day, required not only for the proper execution but also for protection of the public and the safety of any adjacent roads, streets, pavements, walls houses, building and other erections matters or things. The bidder shall take down and remove any or all such centering, scaffolding, staging, planking, timbering, strutting, shoring etc. as occasion shall require or when ordered so to do so and shall fully reinstate and make good all matters and things disturbed during the execution of the works, to the satisfaction of the Owner.
- 9.4 Throughout the execution of the work, the Bidder or his representative duly authorized and fully responsible and technically conversant with the work under this agreement, acting on his behalf shall be available at the site for supervising the work. The Bidder shall make adequate arrangements for watchmen to guard the materials brought by them to the site and shall ensure the safety, breakage and any theft of materials fixed or unfixed by him. Any material, T & P brought to the site for bonafide use of the Project shall not be removed/ shifted from the site without the prior written permission of the Engineer/Owner.
- 9.5 The bidder has to provide at his cost leveling pipe, steel/ metallic tapes etc. required by the supervising staff of the Owner's/Owner' representative during execution of the work.
- 9.6 Whenever required by the Owner, the Bidder shall provide electrical drawings / details before execution of work and get them approved by the Owner.
- 9.7 Wherever the specification of any item indicates the usage of approved equivalent of any material, the Bidder shall get the sample of the equivalent material approved from the Owner before execution. The approval of the equivalent material is entirely at the discretion of the Owner.

10.0 Infrastructure: For storage of materials, bidder has to provide at his own cost sufficient fenced and covered appropriate area on site for storage of above materials with lock and key arrangement. For arranging meetings suitable sized table and chairs shall be provided by Bidder. Temporary space shall be provided to the Bidder for construction of stores for storage of materials /site office/ labour hutments for the project period.

11.0 Site Establishment: The bidder shall provide all stores, workmen and materials. All materials likely to deteriorate in the open shall be stored under suitable cover. The security of the bidder's equipment and materials is his own responsibility. The Owner accepts no liability for loss or damage to the bidder's plant tools or materials. The materials issued to the bidder by the Owner will remain under the custody of bidder as a trustee. However, title on the same will remain with the Owner. The bidder will be responsible for loss or damage to such materials and shall preserve them in good working conditions as required for the contract and good construction practices till such time that they are incorporated in the works and erected, aligned and fully installed in position and handed over to the Owner. In case the Owner feels that arrangements made by the bidder are not adequate he shall so advice the bidder and the bidder shall promptly take corrective action. In case the bidder fails to take corrective action, Owner shall take such corrective actions and recover the cost thereof from the bidder's bills. Accounts of such material on completion of work shall be rendered and surplus material returned to the Owner as per instructions of Owner. The bidder shall clear away periodically or as instructed by Owner any rubbish, scrap materials, etc. and dump the same in the authorized dump sites notified by local authority/area indicated by the Owner. All construction materials shall be neatly stacked in an orderly manner as directed by the Owner and care shall be taken to allow proper access to workmen and easy movement of men, vehicles, cranes and materials. The bidder shall maintain all the drawings carefully mounted on the board of appropriate size and well protected from the ravages of weather, termites and other insects. The bidder shall not permit the entry to the site of any person not directly connected/concerned with the work without first having obtained the written permission of Owner. The bidder shall submit a list of plants, equipments, tools, tackles, etc. which he will use, to perform the work. These tools, etc. shall not be removed from the site till the completion of job. A gate pass must be obtained from the Indian Institute of Technology Roorkee, chief proctor office, in order to remove from site any plant equipment, tools and materials. All items such as instructions and other pertinent data regarding erection/commissioning and maintenance should be typed and classified for transmittal in a manner approved by the Owner. For all employees of Owner, the bidder shall conform for no misconduct from any of his workforce; failure of this will be sufficient cause for removal of such person from the site.

12.0 Messing & Accommodation: The bidder will make his own arrangements for messing and accommodation. No accommodation and messing shall be provided by the Owner.

13.0 Procurement, Consumption and Storage of Materials

- 13.1 The bidder shall at his own expenses, provide all materials including cement & steel required for the works. Adequate stocks of all materials required for the work are to be maintained at site. No material (unless as provided elsewhere in this document) shall be supplied by the Owner.
- 13.2 All materials to be provided by the bidder shall be in conformity with the detailed specifications laid down in the contract and the bidder have to prove that the materials conform to the laid down specifications, if requested by the Indian Institute of Technology Roorkee.
- 13.3 All materials required for execution of work must be got approved by the site representative of the Owner before they are actually put to use. All facilities for prior inspection of materials and subsequent inspection of work by the Site Engineer must be made available.
- 13.4 The bidder shall, at his own expenses and without delay, supply to the Owner samples of materials proposed to be used in the work. The Owner shall within seven days of supply of samples, or within such further period as Owner may require and intimate the bidder in writing, whether samples are approved by Owner, or not. If samples are not approved, the bidder shall forthwith arrange to supply, for their approval, fresh samples complying with the specification laid down in the contract.
- 13.5 The Owner shall have full powers to require removal of any or all the materials brought to site by the bidder which are not in accordance with the contract specifications or do not conform in character or quality to the samples approved Owner. In case of default on the part of the bidder in removing rejected materials, the Owner shall be at liberty to have them removed by other means. The Owner shall have full powers to direct other proper materials to be substituted for rejected materials and in the event of the bidder refusing to comply. Owner may cause the same to be supplied by other means. All risks and costs which may attend upon such removal and/or substitution shall be borne by the bidder.
- 13.6 Bidder shall be responsible for procurement of all materials/ equipments etc. No delay due to non availability of any material equipment will be entertained by Owner.

14.0 Method of storing the materials

- 14.1 The bidder shall at his own cost, provide for all necessary storage on the site in specified areas for all materials such as steel, cement and such other materials which are likely to deteriorate by the action of sun, wind, rain, dampness or other natural causes due to exposure in the compounds or in stores in such a manner that all materials, tool etc. shall be duly protected from damage by weather or any other cause.
- 14.2 Materials required for the works, by the bidder be stored by the bidder only at places approved by the Owner. Storage and safe custody of materials shall be the responsibility of the bidder. All the materials including bidder's Tools & Plants brought by the bidder to the site shall become and remain the property of the Owner and shall not be removed off the site without prior written approval of the Owner/Owner. But whenever the works are finally completed and advances, if any, in respect of such materials are fully recovered, the bidder shall at own expenses forthwith remove from the site all surplus materials supplied by him and upon such removal, the same shall revert in and become the property of the bidder.

15.0 Shuttering and Scaffolding Materials: It shall be desirable to have adequate amount of shuttering and scaffolding materials to complete the work speedily and Owner decision so as to the quantum of these desirable/ resources of the site shall be final and binding.

16.0 Completion of Work: Before finally leaving site, all the Bidders stores, plant, tools and rubbish shall be removed and the site left clean and tidy. The space allocated by Owner shall be vacated and handed over to the Owner.

17.0 Water and Electricity for Construction work : Water & Electricity as per relevant section's mentioned above

18.0 Employment of Labour

- 18.1 The bidder shall comply with the requirement of statutory provisions and shall be solely responsible for fulfillment of all legal obligations under Contract Labour (R&A) Act, Inter State Migrant Workmen (Registration of Employment and condition of Service Act, Payment of Wages Act., Minimum Wages Act, Workmen's

Compensation Act, Factories Act, Employee's Provident Fund & Miscellaneous Provisions Act, Payment of Bonus Act, Payment of Gratuity Act, Industrial Disputes Act and all other Industrial/Labour enactments and Rules made there under as applicable from time to time. In case Owner incurs any liability towards payment of any dues, compensation, cost of any other liability of any kind whatsoever, due to non-fulfillment of statutory provisions under any industrial/labour laws by the bidder, the same shall be made good by the bidder and Owner shall have full right to recover and claim the same against the bidder from his outstanding bills or otherwise. No labour to stay at site.

- 18.2 The bidder will be expected to employ on the work only his regular skilled employees with experience of this particular work. The permission of the Owner must be obtained before tradesman are recruited locally for the work. This rule does not apply to unskilled labour. No female labour shall be employed in dark hours/ i.e. hours prohibited under the applicable law. No person below the age of eighteen years shall be employed at any point of time. The bidder shall pay, to each person, the wages as per minimum Wages Act of the State Government.
- 18.3 All traveling expenses including provision of all necessary transport to and from site, lodging allowances and other payments to the bidder's employees are his own responsibility. The hours of work on the site shall be decided by the Owner and bidder shall adhere to the same. All bidders employees shall wear safety helmet and such identifications marks as may be provided by bidder on work site and duly approved by Owner. All notices displayed on the site and any instructions issued by the Owner shall be strictly adhered to by the Bidder's and/or his sub-bidders employees. The bidder shall be required to maintain employment records as covered in relevant Acts and produce documentary evidence to the effect that he has discharged his obligations under the Employees Provident Fund Act 1952, and ESI Act, 1948 Group Insurance and other Acts for the workmen working at site.
- 18.4 The bidder shall comply with the provisions of the Apprentices Act 1961, and the rules and orders issued there under from time to time. If he fails to do so, his failure will be a breach of the contract and the Institute Engineer/Executive Engineer may in his discretion, without prejudice to any other right or remedy available in law, cancel the contract. The bidder shall also be liable for any pecuniary liability arising on account of any violation by him of the provisions of the said Act.

19.0 Working and Safety Regulations: The bidder shall observe all statutory safety and legal requirements regulations issued by Central and State Governments applicable to the work as well as any local regulations applicable to the site issued by the Owner or any other authority.

20.0 Particular attention is drawn to the following: In case of accident, the Owner shall be informed in writing forthwith and First-Aid, Hospitalization shall be provided by the Bidder. The bidder shall strictly follow regulations laid down by Govt. and State authorities in this regard and all cases are to be defended by the bidder. The Owner shall not refund any insurance claims. Bidder shall fence his plant, platforms, excavations etc. Compliance with all electricity regulations. Compliance with statutory requirements for inspection and test of all lifting appliances and auxiliary lifting gear. Staircase, doors or gangways shall not be obstructed in any way that will interfere with means of access of escape. Where it is necessary to provide and/or store petroleum products or petroleum mixtures and explosive, the bidder shall be responsible for carrying out such provision and/or storage in accordance with the rules and regulation laid down in Petroleum Act 1934. Explosive Act 1948 and Petroleum and Carbide of Calcium Manual Published by the Chief Inspector of Explosive of India. All such storage shall have prior approvals of the Owner. In case any approval or clearance from Chief Inspector of Explosive or any statutory authorities is required, the bidder shall be responsible for obtaining the same.

The bidder shall have his own Fire Fighting Extinguishers and Equipment. The bidder shall be responsible for the provision of all safety notices safety equipments including the safety gadgets for his workmen required by both the relevant legislation and such as the Owner may deem necessary. While working at heights, safety belts and safety helmets shall necessarily be used.

21.0 Owner's and Bidder's Risks: The Owner carries the risks, which this Contract states are The Owner risks, and the Bidder carries the risk, which this Contract states are The Bidder's risks.

21.1 Owner's Risks: The Owner is responsible for the accepted risks which are :

- a. In so far as they directly affect the execution of the Works. These include war, hostilities, invasion, act of foreign enemies, rebellion, revolution, insurrection of military or usurped power, civil war, riot commotion or disorder (unless restricted to the Bidder's Employees), and contamination from any nuclear fuel or nuclear waste or radioactive toxic explosive, or
- b. A cause due solely to the design of the Works, other than the Bidder's design.

- 21.2 Bidder's Risks: All risks of loss or damage to physical property and of personal injury and death which arise during and in consequence of the performance of the Contract other than the accepted risks of the owner.
- 21.3 The Bidder shall be responsible for all injury to persons, animals or things, and for all damages to the structural and/or decorative part of property which may arise from the operations or neglect of himself or of any sub-bidder or of any of his or sub-bidder's employees whether such injury or damage arises from carelessness accident or any other causes whatsoever in any way connected with the carrying out to the Contract. This clause shall be held to include interalia any damage to buildings, whether immediately adjacent or otherwise and any damage to roads, footpaths, or ways as well as all damage caused to the buildings and the work forming the subject to this Contract by frost, rain or other inclemency of the weather. The Bidder shall indemnify the Owner and hold him harmless in respect of all and any expenses arising from any such injury or damage to persons or property as aforesaid and also in respect of any claim made in respect of injury or damage under any acts of Government or otherwise and also in respect of an award of compensation or damages consequent upon such claim. The bidder shall make good all damages of every sort mentioned in the Clause, as to deliver up the whole of the Contract works complete and perfect in every respect and so as to make good or otherwise satisfy all claims for damage to the property of third parties.

22.0 Insurance

- 22.1 The Bidder shall provide, in the joint names of the Owner and the Bidder, insurance cover from the Start Date to the end of the Defects Liability Period, in the amounts and deductibles stated in the Contracted Data for the following events which are due to the Bidder's risks and shall be covered under respective policies as under :
- a. Bidder's All Risk Policy.
 - b. Third Party Insurance.
 - c. Workmen compensation policy.
- 22.2 Policies and certificates for insurance shall be delivered by the Bidder to the Owner for the approval before the Date of Start of work i.e. dates of execution of the contract. All such insurance shall provide for compensation to be payable in the types and proportions of currencies required to rectify the loss or damage incurred.
- 22.3 If the Bidder does not provide any of the policies and certificates required, the Owner may affect the insurance which the Bidder should have provided and recover the premiums the Owner has paid from payments otherwise due to the Bidder or if no payment is due, the payment of the premiums shall be a debt due.
- 22.4 Alterations to the terms of the insurance shall not be made without the approval of the Owner.
- 22.5 Both parties shall comply with the conditions in the insurance policy.

23.0 Setting out Works: The bidder shall set out the works and responsible for the true and perfect setting out of the same and for the correctness of the positions, levels, dimensions and alignment of all parts thereof, if at any time any error shall appear during the progress of any part of works the bidder shall at his own expenses rectify such error, if called upon to the satisfaction of the Owner.

24.0 Bidder to remove all offensive matter, non-suitable material etc immediately.

- 24.1 All debris, excavated soil, filth or other matter or an offensive nature taken out of any trench, sewer, drain cesspool or other place shall not be deposited on the surface but shall be at once carted away by the bidder out of the premises/ site under intimation to concerned authorities.
- 24.2 Any material brought on site if found unsuitable shall be removed from site at once by the Bidder under intimation to the concerned authorities.

25.0 Inspections by Owner

- 25.1 The representative of the Owner at all times have free access to the works and /or to the workshops, factories or other places where materials are being prepared or constructed for the Contract and also to any place where materials are lying or from which they are being obtained. No person except the representatives of Public authorities shall be allowed on the work at any time without the written permission of the Owner. If any work is to be done at a place other then the site of the works, the Bidder shall obtain written permission of the Owner for doing so.
- 25.2 The Owner and their representatives shall have the right to test and/ or inspect the works to confirm their conformity to the contract, at all times, whenever in progress either on the site on the Bidder's premises wherever

situated or any firm or company where work in connection with this contract may be in hand. All records, registers or documents relating to the works including materials used on works shall be kept open to the inspection of the Owner or his Authorized representative when so called for in writing.

- 25.3 The Bidder shall get the quality of work done inspected for material and workmanship at different stages of execution as per instructions given by the Owner or their representative time to time. Any item of work done which is found not conforming to the Contract shall be rejected by the Owner. The decision of the Owner in such cases shall be final.
- 25.4 The inspections and tests may be conducted on the premises of the Bidder or at the Project site. When carried out on the premises of the Bidder or its sub-Bidder(s), all reasonable facilities and assistance including access to drawings and production data shall be furnished to the inspectors at no charge to the Owner.
- 25.5 Should any inspected items of work fail to conform to the specifications, the Owner shall communicate them and the Bidder shall either replace them or make all alterations necessary to meet specification requirements free of cost to the Owner.
- 25.6 The Bidder shall permit the Owner/Architect to inspect the Bidder's accounts and records relating to the performance of the Bidder and to have them audited by auditors appointed by the Owner, if so required.

26.0 Covering Up/Uncovering of Works

- 26.1 No part of the works shall be covered up without the approval of Owner and the Bidder shall afford full opportunity for examination and inspection by the Owner. The bidder shall give due notice to the EIC about the work to be covered up for its measurements and examination. The EIC shall within a reasonable time attend for the purpose of examining such work, unless the EIC specifically advises the Bidder in writing of his unwillingness not to attend for such examination in which case the Bidder may proceed further with the Contract work.
- 26.2 Should the Owner consider it necessary in order to satisfy himself as to the quality of the work, the Bidder shall at anytime during the continuance of the contract pull down or cut into any part of the work and make such opening into and to such an extent through the same, as the Engineer may direct and the Bidder shall make good the whole to the satisfaction of the Engineer, should the work prove to be faulty or in any respect not in accordance with the terms of the contract documents, the Engineer shall be at liberty to order such further removal as he may consider necessary and the whole of the expenses incurred shall be borne by the bidder. If however, the work proves to be sound and in accordance with the contract document, the actual expenses incurred in such examination will be borne by the Owner.
- 26.3 Rates charged by the Bidder for works performed under the contract shall not vary from the rates quoted by the Bidder in its bid, with the exception of any price adjustments authorized in SCC or in the Owner's request for bid validity extension, as the case may be.
- 26.4 If requested by the Owner, the Bidder shall provide the Owner with a detailed cost breakdown of any rate in the Schedule of Quantities.
- 26.5 The Owner may at any time / stage of execution demand for the Analysis of Rates for any item / items of work which in their opinion is / are abnormally high / low rates or required for the Analysis of Rates of other Publish / extra item / items. The Bidder is bound to present the same and if the Bidder is unable to present a justified Analysis of Rates for any item / items, the rate / rates for such item may be adjusted accordingly and the decision of the Owner in such cases shall be final.

27.0 Change in the order/ Extra items of work

- 27.1 The Owner may at any time, by written order given to the Bidder, make alterations in, omissions from, additions to, or substitutions for, in drawings, designs or specifications or quantities of the items of work.
- 27.2 Owner reserves to itself the right of omission of any item of work from the awarded Publish at any time / stage during the execution of work and award the same to another agency / bidder.
- 27.3 The Owner may at any time by written order given to the Bidder, increase the scope of work or include any new item of work. The Bidder shall be bound to carry out such works, the rates for which shall be arrived as below:
 - a. In the case of Extra Item(s) being the schedule item(s) (Delhi Schedule of Rates item), these shall be paid as per the schedule rate (at the time of tender) plus/minus percentage above/below quoted contract amount. Payment of Extra Item(s) in case of non-schedule item (Non-DSR item) shall be made as per the prevailing market rate.
 - b. In the case of Substituted item(s) being the schedule item(s) (Delhi Schedule of Rates item), these shall be paid as per the schedule rate (at the time of tender) plus/minus percentage above/below quoted contract amount. Payment of substitute in case of non-schedule item (Non-DSR item) shall be made as per the prevailing market rate.

28.0 Payment

- 28.1 The method and conditions of payment to be made to the Bidder under the contract shall be specified in SCC.
- 28.2 Payment shall be made promptly by the Owner within thirty (30) days of certification of the bill by the Owner.
- 28.3 All intermediate running payments to the bidder shall be regarded as payments by way of advance against the final payment and shall not preclude the requiring of bad, unsound and imperfect or unskillful work to be removed, taken away and reconstructed or re-erected.

29.0 Variations and Provisional Cost(If applicable):

- 29.1 Where work cannot be measured and valued properly, the Bidder shall be allowed day work rates on the prices prevailing when such work is carried out (unless otherwise provided in the contract): a. At the rates if any inserted by the Bidder in the priced Schedule of Quantities or b. If no such rates have been inserted then at the rates prevailing in the market for material and labour and at the control rates for the controlled materials including in all cases the rate for delivery of the material at the work.
- 29.2 Provided that in any case voucher specifying the time daily spent upon the work (and if required by the Owner the workman's names) and the materials used shall be delivered for verification to the Owner, or his authorized representative not later than the end of the week following that in which the work has been executed. Effect shall be given to the measurement and valuation of variations in interim Certificates and by adjustment of the total Contract Value.

30.0 Claims for Extra or for Deductions

- 30.1 The Owner shall not be responsible for the payment of any claim for extra work not included in the contract nor the Bidder shall be entitled to claim any addition to the contract sum in respect of any changes or alterations in the materials used unless the same shall have been ordered or sanctioned, as the case may be, in writing by the Owner.
- 30.2 The Bidder has to submit a monthly return by 10th of the ensuing month for any extra work which in his opinion is not covered by the contract agreement through the Owner's/ Owner's representatives and obtain a receipt from the authorized signatory of the Owner. Failing this, he shall have no right to any such claim, whatsoever may be the circumstances, later on.
- 30.3 In the event of any dispute arising either as to validity of the claim or as to the amount to be paid or allowed in respect thereof, the decision of the Owner shall be final and binding on the bidder. In the meantime, the Bidder may either proceed with the work in question or suspend the same as may be determined by the Owner.
- 30.4 All extra works (those permitted by Owner) of every description shall be executed by bidder on site of work in pursuance of any of the provision of the contract, shall be measured up, and shall be paid according to actual quantities ascertained by such measurements and the prices as finalized by the Owner based on the priced schedule of quantities so that such priced schedule of quantities shall include all such operations and accessories as appear in the said schedule of prices or specification to be or shall in the opinion of the Owner the contingencies upon the works mentioned in such schedule of prices or required to make such works perfect and fit for use.
- 30.5 Provided also that if any work shall be ordered by the Owner and executed by the Bidder for the payment of which no provision in the opinion of the Owner have been made in the priced schedule of quantities or the specifications, the Owner shall fix and determine such prices for the same based on the prices appearing in the priced schedule of quantities, such allowance being made as may seem to the Owner sufficient for any difference in the character of conditions of the work. However, rates for extra items shall be fixed on the basis of actual rate analysis.
- 30.6 If, it shall appear that the work has been executed with unsound, imperfect or unskilled workmanship, or with material of any imperfect or any inferior quantity or otherwise not in accordance with the contract documents the Bidder shall at his own cost rectify, reform, remove, or reconstruct the same, wither in the whole or in part, as may be directed by the EIC, whether or not the value of any such work or materials shall have been included in any payment made to the Bidder.
- 30.7 The Bidder shall remove all malba etc., wash and clean the floors and hand over the site quite clean on the completion of the work.

31.0 Delay in the Bidder's performance

- 31.1 Execution of the work and performance of the services shall be done by the Bidder in accordance with the time schedule specified by the Owner in the Notice inviting tender.
- 31.2 If, at any time during performance of the contract, the Bidder should encounter conditions impeding timely execution of the works and performance of services, the Bidder shall promptly notify the Owner in writing of the fact of the delay, its likely duration and its cause(s). As soon as possible, after receipt of the Bidder's notice, the

Owner shall evaluate the situation and may, entirely at its discretion, extend the Bidder's time for performance with or without liquidated damages

32.0 Liquidated Damages: If the Bidder fails to execute any or all of the works or to perform the services within the period(s) specified in the contract, the Owner shall deduct from the contract value, as liquidated damages, a sum specified in the SCC for each week or part thereof delay until actual completion or performance, up to a maximum deduction of the percentage specified in SCC. Once the maximum is reached, the Owner may consider termination of the contract.

33.0 Termination by Default

The Owner may without prejudice to any other right or remedy, by written notice (of fifteen days) of default sent to the Bidder, terminate the contract in whole or part: a) if the Bidder fails to complete any or all of the works within the period(s) specified in the NIT or any amendment thereof, or within any extension thereof granted by the Owner, or for any cause including unsatisfactory performance or violation of the terms and conditions of the contract whatsoever or b) if the Bidder fails to perform any other obligation(s) under the contract.

In the event, the Owner terminates the contract in whole or in part, the Owner may procure, upon such terms and in such manner as it deems appropriate, works or services similar to those unexecuted and the Bidder shall be liable to the Owner for any excess costs for such similar work or services. However, the Bidder shall continue the performance of the contract to the extent not terminated.

The owner may terminate the contract bond without prejudice due to financial malpractice/ misbehavior/ verbal or physical assault/ poor quality of work etc. Further to this the bidder shall be debarred for two years for participating in any tender of IIT Roorkee.

Termination of the contract shall not relieve the agency/bidder from any of his obligation imposed by the contract with respect to the work performed by them prior to such termination.

In case of termination of the contract, IIT Roorkee reserves the right to get the work done by deploying other agencies. Cost incurred for the same will be recovered from agency's bill /PBG/pledged FDR.

For any above-mentioned cause including unsatisfactory performance or violation of the terms and conditions of the contract whatsoever, the contract is liable to be terminated and the agency is liable to be blacklisted and security deposit/ Performance Bank Guarantee submitted by the agency shall be forfeited and bank guarantee will be encashed.

34.0 Force Majeure

34.1 The Bidder shall not be liable for forfeiture of its performance guarantee, liquidated damages or termination by default, if and to the extent that, its delay in performance or other failure to perform its obligations under the contract is the result of an event of Force Majeure.

34.2 For purposes of this clause, "Force Majeure" means an unforeseeable event beyond the control of the Bidder and is not because of the Bidder's fault or negligence. Such events may include acts of the Owner either in its sovereign or contractual capacity, wars or revolutions, fires, floods, epidemics.

34.3 If a Force Majeure situation arises, the Bidder shall promptly notify the Owner in writing of such conditions and the cause thereof. Unless otherwise directed by the Owner in writing, the Bidder shall continue to perform its obligations under the contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.

35.0 Termination for Insolvency: The Owner may at any time terminate the contract by giving written notice to the Bidder, if the Bidder becomes bankrupt or otherwise insolvent. In this event, termination will be without compensation to the Bidder, provided such termination will not prejudice or affect any right of action or remedy which has accrued or will accrue thereafter to the Owner.

36.0 Termination for Convenience: The Owner, by written 30 days prior notice sent to the Bidder may terminate the contract, in whole or in part, at any time for its convenience. The notice shall specify that the termination is for Owner's convenience, the extent to which performance of the Bidder under the contract is terminated, and the date upon which such termination becomes effective. The items of work that are complete and ready within (1) month after the Bidder's receipt of notice of termination shall be accepted by the Owner at the contract terms and values. For the remaining works, the Owner may elect;

- a) to have any portion completed at the contract terms and value and/or
- b) to cancel the remainder and pay to the Bidder an amount, finalized by the Owner, for partially completed works and for materials and parts previously procured by the Bidder.

37.0 Resolution of Disputes

- 37.1 The Owner and the Bidder shall make every effort to resolve amicably by direct informal negotiations any disagreement or dispute arising between them under or in connection with the contract. If, after thirty (30) days from the commencement of such informal negotiations, the Owner and the Bidder have been unable to resolve amicably a contract dispute, either party may require that the dispute be referred for resolutions to the formal mechanisms specified in the SCC. These mechanisms may include but are not limited to, Arbitration in accordance with rules of Arbitration Act and award made in pursuance thereof shall be binding on both the parties.
- 37.2 All disputes should be under the Jurisdiction of civil court Roorkee.

38.0 Governing language: The contract shall be written in Hindi or English language. All correspondence and other documents pertaining to the contract that are exchanged by the parties shall be written in the same language.

39.0 Governing law: The contract shall be governed by the laws of The Union of India for the time being in force. All disputes are subject to jurisdiction of courts at Roorkee or Honorable High Court Utrakhand at Nainital.

40.0 Notices: Any notice given by one party to the other pursuant to this contract shall be sent to other party in writing by e-mail or letter and confirmed in writing to the other party's address specified in SCC. A notice shall be effective on the date on which it is delivered, or on the notice's effective date, whichever is later.

41.0 Discoveries: Anything of historical or other interest or of significant value unexpectedly discovered on the Site is the property of the Owner. The Bidder is to notify the Owner of such discoveries and carry out the Owner's instructions for dealing with them.

42.0 Dismissals of workmen: The bidder on request from the Owner, immediately dismiss from the works any person employed by him who may be found in the opinion of the client to be unsuitable or incompetent or who has shown misconduct.

43.0 Working Hours: Normal working hours shall be from 08:45 a.m. to 05:30 p.m. No construction work of important structural nature shall be carried out on Sundays, Holidays and during nights. However, working hours can be extended in case of urgency with prior approval of IIT Roorkee.

B. TIME CONTROL

44.0 Program

- 44.1 Within the time stated in the Contract Data the Bidder shall submit to the Owner for approval a Program showing the general methods, arrangements, order, and timing for all the activities in the works, along with weekly cash flow forecast.
- An update of the Program shall be a programme showing the actual progress achieved on each activity and the effect of the progress achieved on the timing of the remaining work including any changes to the sequence of the activities.
- 44.2 The Bidder shall submit to the Owner, for approval, an updated Program at intervals no longer than the period as stated in the clause no. 7.1. If the Bidder does not submit an updated Program within this period, the Owner may withhold the amount stated in the Contract Data from the next payment certificate and continue to withhold this amount until the next payment after the date on which the overdue program has been submitted.
- 44.3 The Owner's/Owner's approval of the Program shall not alter the Bidder's obligations. The Bidder may revise the Program and submit it to the Owner again at any time. A revised Program is to show the effect of Variations at any stage of work, Owner award any item/part of item of work to bidder's workman/ external agency, if in their opinion, the progress of work is suffering because of that. The work done will be added to the Bidder's bill and the amount paid for the job will be deducted from the Bidder's account.

45.0 Delay and Extension of time

If in the opinion of the Owner the work be delayed

- a) by force majeure or
- b) by reason of any exceptionally inclement weather or
- c) by reason of proceedings taken or threatened by or disputes with adjoining or neighbouring owners or public authorities or
- d) by delays of other bidder or Tradesmen engaged by the Owner or the Owner and the works not referred to in the Schedule of Quantities and/or specification or
- e) by reasons of Owner's instruction or

- f) by reason of civil commotion, local combination of workmen or strike or lockout affecting any of the building trades or
- g) in consequence of the bidder not having received in due time necessary instructions from the Owner for which he shall have specially applied in writing or
- h) from other cause which the Owner may certify as beyond the control of the bidder or
- i) by reason of nonpayment of interim certificate at specified time, the Owner shall grant for approval by the Owner a fair and reasonable extension of time for completion of the Contract. In case of strike or lockout the bidder shall as soon as may be given written notice thereof to the Owner, but the bidder shall nevertheless constantly use his endeavours to prevent delay and shall do all that may reasonably be required to the satisfaction of Owner to proceed with the work.

C. QUALITY CONTROL

46.0 Identifying Defects: The Owner shall check the Bidder's work and notify the Bidder of any Defects that are found. Such checking shall not affect the Bidder's responsibilities. The Owner may instruct the Bidder to search for a Defect and to uncover and test any work that the Owner considers may have a Defect.

47.0 Correction of Defects

- 47.1 The Owner shall give notice to the Bidder of any Defects before the end of Defects Liability Period, which begins at Completion and is defined in the Contract Data. The Defects Liability period shall be extended for as long as Defects remain to be corrected.
- 47.2 Every time notice of Defect is given, the Bidder shall correct the notified Defect within the length of time specified by the Owner' notice.

48.0 Uncorrected Defects: If the Bidder has not corrected a defect within the time specified in the Owner's notice. In case, it is felt by the Owner that undue delay is being done by the bidder, the same will be got done by the Owner at the risk and cost of the contractor.

D. COST CONTROL

49.0 Schedule of Quantities

- 49.1 The Schedule of Quantities shall contain items for the construction work, installation, testing, and commissioning work to be done by the Bidder.
- 49.2 The Schedule of Quantities is used to calculate the Contract Price. The Bidder is paid for the quantity of the work done at the rate in the priced Schedule of Quantities for each item.

50.0 Variations: All variations in the program pursuant to clause no. 7.0 of GCC shall be included in the updated program produced by the Bidder.

51.0 Payments for Variations

- 51.1 The Bidder shall provide the Owner with a quotation (with breakdown of unit rates) for carrying out the Variation when requested to do so by the Owner. The Owner shall assess and finalize the quotation, which shall be given within seven days of the request or within any longer period stated by the Owner and before the Variation is ordered.
- 51.2 If the Bidder's quotation is unreasonable, the Owner may order the Variation and make a change to the Contract Price which shall be based on Owner' own forecast of the effects of the Variation on the Bidder's costs.
- 51.3 If the Owner decides that the urgency of varying the work would prevent a quotation being given and considered without delaying the work, no quotation shall be given and shall be treated as a Variation.
- 51.4 The Bidder shall not be entitled to additional payment for costs, which could have been avoided by giving early warning.

E: FINISHING THE CONTRACT

- 52.0 Completion Certificate:** The Bidder shall request the Owner to issue a Certificate of Completion of the Works will do so upon deciding that the Work is completed.
- 53.0 Taking Over:** The Owner shall take over the Site and the Works within seven days of the Owner issuing a certificate of Completion. Before handing over the site, the bidder must obtain a site clearance certificate from the Owner.
- 54.0 Final Account:** The Bidder shall supply to the Owner a detailed account of the total amount that the Bidder considers payable under the Contract before the end of the Defects Liability Period. The owner shall issue a Defect Liability Certificate and certify any final payment that is due to the Bidder within 5-6 days of receiving the Bidder's account if it is correct and complete. If it is not, the Owner shall issue within 5-6 days a schedule that states the scope of the corrections or additions that are necessary. If the Final Account is still unsatisfactory after it has been resubmitted, the Owner shall decide on the amount payable to the Bidder and issue a payment certificate within 5-6 days of receiving the Bidder's revised account.

SPECIAL CONDITIONS OF CONTRACT (SCC)

The following Special Conditions of Contract are supplementary to the General Conditions of Contract. Whenever there is a conflict, the provisions herein shall prevail over those in the General Conditions of Contract. The corresponding clause number of the General Conditions of Contract is indicated in parentheses.

1. Definition (SCC clause 1.0)

- a) Owner means : IIT Roorkee.
- b) Site means the project site situated in IIT Roorkee Main Campus & Saharanpur Campus.

2. (i) Security Deposit: As per Critical Data Sheet.

(ii) Release of Security Deposit: The Security Deposit will be released after completion of Defect Liability Period i.e. 12 months from date of work completion.

(iii) However, for LED items minimum warranty period shall be 5 year. For this, 5% of the executed amount wrt LEDs shall be deducted from the Final Bill. The deducted amount shall be released after 05 years from the date of work completion. This deduction shall not be taken into account while calculating the actual work completed amount.

3. Performance Guarantee: As per Critical Data Sheet. Performance guarantee shall be valid for a period of 60 days after completion.

4. Warranty (Defective Liability Period):

(a) Minimum warranty period of complete system will be one year. However, for outsourcing services an undertaking for statutory payment liability shall be taken from the Contractor. However, for LED items minimum warranty period shall be 5 year. Equipment warranty certificate as per OEM will be submitted to the department.

(b) During warranty period, all elements of the system which fail due to manufacturing defects or operational wear & tear shall be replaced / repaired by the bidder without any charges. In case it is felt by the department that undue delay is being caused by the bidder in doing this, the same will be got done by the department at the risk and cost of the bidder. The decision of Dean Infrastructure in this regard shall be final.

(c) The bidder shall warranty the performance of the system. If it is not achieved, the necessary additions/modifications shall be done by the bidder without charging any extra price. However, the owner reserves the right to have this job done by other manufacturers if the bidder does not get the work done within 15 days of issuing the notice to the bidder. The cost for the same shall be borne by the bidder.

5. Payment:

5.1 Payment shall be made as

- a) No advance payment shall be made.
- b) Payment shall be made either on completion of a quarter OR on bill amount not less than 25% of the contract value OR as passed by Institute Engineer/ Dean Infrastructure.
- c) Part of the payment can be withheld by the department.

5.2 Payment shall not be released against 1st R/A bill until submission of following documents by bidder to the Owner:

- a) Measurement Book (MB).
- b) GST Invoice with revenue stamp.
- c) EPF & ESI deposit proof (of one month prior to the month of invoice).
- d) Insurance – Bidder's All Risk (CAR) Policy, Workmen compensation policy and Third-Party Liability Insurance.
- e) Bank Account details of the firm should be printed/ stamped on the invoice.

5.2.1 Basis of Payment in RA bills

Payment in RA bills shall be based on quantity of work/ service/ supply executed at site (as per the item of work/ service/ supply) & verified by Owner as per the item rate in work orders. Owner is authorized to allow payment for part rate/reduced rate/full rate for any item(s) in the Schedule of Quantity. Further owner is authorized to allow different part rates/ reduced rate for different item(s).

5.2.2 Disallowance of payment

If payment has been made in RA bill for any item of work but later some defect is noticed, Owner/Architect is authorized to disallow the payment in the subsequent bills till rectification of the work.

5.2 Final bill

The final bill complete in all respect shall be submitted by the bidder within 60 days from the date of completion of work. The total quantity may vary as per actual work/ service/ supply execution/site requirement/and user suggested changes during execution.

The bill should be accompanied with the following documents.

- a) Work completion certificate.
- b) Site clearance status (only for works).
- c) Indemnity certificate towards labour payment and all statutory payments.
- d) Certificate of test on materials etc. (if applicable/ if conducted).
- e) Certificate of measurement sheets.
- f) Original quality control record (if applicable), measurement records and any other joint site records maintain at site (if applicable). No claim shall be entertained after receipt of final bill.
- g) Warranty certificate (if applicable).

Settlement of final bill shall be made subject to deduction of all dues payable by bidder, settlement of all disputes and furnishing of all required documents/clarifications and grant of extension of time, if any, by Owner's competent authority.

6. Liquidated Damages

The quantum of work with stipulated time (as per discretion of EIC) will be communicated to the firm via email, hard copy or telephonically. In case of delay/partial completion, 0.5% per week of balance / unattended work subject to a maximum of 5% (Five percent) of the Contract value from the stipulated date of completion.

7. Resolution of Disputes

In case the parties don't agree to the advice of owner, then the Director, IIT Roorkee shall appoint a sole arbitrator within 30 days of receipt of request forthwith. The arbitration shall be governed by Arbitration and Reconciliation Act 1996.

8. Notices

For the purpose of all notices, the following shall be the address of the Owner and the Bidder.

Owner: Dean Infrastructure,
Institute Works Department,
Indian Institute of Technology
Roorkee

Bidder: _____

(To be filled in at the time of Signing of the Contract)

9. Resolution of Disputes & Arbitration

Except where otherwise provided in the contract all questions and disputes relating to the meaning of the specifications, design, drawings and instructions here in before mentioned and as to the quality of workmanship or materials used on the work or as to any other question, claim, right, matter or thing whatsoever in any way arising out of or relating to the contract, designs, drawings, specifications, estimates, instructions, orders or these conditions or otherwise concerning the works or the execution or failure to execute the same whether arising during the progress of the work or after the cancellation, terminations, completion or abandonment thereof shall be dealt with as mentioned hereinafter.

If the bidder considers any work demanded of him to be outside the requirements of the contract or disputes any drawings, record or decision given in writing in connection with or arising out of the contract or carrying out of the work, he shall promptly within 15 days request the Owner in writing for written instruction or decision.

If the Bidder is dissatisfied with this decision, the Bidder shall within a period of 30 days from receipt of the decision, give written notice to the IIT Roorkee for appointment of Arbitrator failing which the said decision shall be final binding and conclusive and not referable to adjudication by the Arbitrator.

Except where the decision has become final, binding and conclusive in terms of Sub Para (i) above disputes or difference shall be referred for adjudication through arbitration by a sole arbitrator appointed by The Director, IIT Roorkee. If reason whatsoever another sole arbitrator shall be appointed in the manner aforesaid. Such person shall be entitled to proceed with the reference from the stage at which it was left by his predecessor. It is a terms of this contract that the party invoking arbitration shall give a list of disputes with amounts claimed in respect of each dispute along with the notice for appointment of arbitrator. It is also a term of this contract that no person other than a person appointed by such IIT Roorkee as aforesaid should act as arbitrator and if for any reason that is not possible, the matter shall not be referred to arbitration at all.

It is also a term of this contract that if the contractor does not make any demand for appointment of arbitrator in respect of any claims in writing as aforesaid within 30 days of receiving the intimation from the Owner that the final bill is ready for payment, the claim of the bidder shall be deemed to have been waived and absolutely barred and IIT Roorkee shall be discharged and released of all liabilities under the contract in respect of these claims. The arbitration shall be conducted in accordance with the provisions of the Arbitration and Conciliation Act, 1996 (26 of 1996) or any statutory modifications or re-enactment thereof and the rules made there under and for the time being in force shall apply to the arbitration proceedings under this clause.

10. Protection of environment

- 8.1 The Bidder shall take all reasonable steps to protect the environment on and off the Site and to avoid damage or nuisance to persons or to property of the public or others resulting from pollution, noise or other causes arising as a consequence of his methods of operation.
- 8.2 During continuance of the contract, the Bidder and his sub-bidders shall at all times abide by all existing enactment on environmental protection and rules made there under, regulations, notifications and bye-law of the State or Central Government, or local authorities and any other law, by-law, regulations that may be passed or notification that may be issued in this respect in future by the State or Central Government or the local authority.
- 8.3 Salient features of some of the major laws that are applicable are given below:

The Water (Prevention and Control of Pollution) Act, 1974 This provides for the prevention and control of water pollution and the maintaining and restoring of wholesomeness of water. 'Pollution' means such contamination of water or alteration of the physical, chemical or biological properties of water or such discharge of any sewage or trade effluent or of any other liquid, gaseous or solid substance into water (whether directly or indirectly) as may, or is likely to create a nuisance or render such water harmful or injurious to public health or safety, or to domestic, commercial, industrial agricultural or other legitimate uses, or to the life and health of animals or plants or of aquatic organisms.

The Air (Prevention and Control of Pollution) Act, 1981, This provides for prevention, control and abatement of air pollution, 'Air Pollution' means the presence in the atmosphere of any air pollutant', which means any solid, liquid or gaseous substance (including noise) present in the atmosphere in such concentration as may be or tend to be injurious to human beings or other living creatures or plants or property or environment.

The Environment (Prevention and Control of Pollution) Act, 1986 This provides for the protection and improvement of environment and for matters connected to herewith, and the prevention of hazards to human beings. Other living creatures, plants and property, 'Environment' includes water, air and land and the interrelationship which exists among and between water, air and land, and human beings, other living creatures, plants, micro-organism and property.

The Public Liability Insurance Act 1991. This provides for public liability insurance for the purpose of providing immediate relief to the persons affected by accident occurring while handling hazardous substance means any substance or preparation which is defined as hazardous substance under the Environment (Protection) Act 1986, and exceeding such quantity as may be specified by notification by the Central Government.

11. Specifications to be followed for execution for execution of works are:

For Civil Works: CPWD Specifications 2009 Vol. 1 and Vol. 2 with up to date correction slips. (Hereinafter called CPWD specifications also) and Specification mentioned in This Publish document for each project.

For Electrical Works: CPWD General Specifications for Electrical Works, Part-I (Internal) 2023 and CPWD General Specifications for Electrical Works, Part-I (External) 2023 and Specification mentioned in this bid document for each project.

12. If the bidder wants to offer any unconditional rebates on their offer that should be clearly mentioned.
13. In case any information furnished by the bidder is found to be false / forged / incorrect at any stage, their bid shall be rejected, and the bidder shall not be allowed to participate in the re-bidding process of the work.

- 14. Clarification of Bids/ Shortfall Documents:** IIT Roorkee may, at its discretion, ask the bidder for clarifications / shortfall documents related to his bid. The request for clarification shall be given in writing. Depending on the reply of the bidder, his bid shall be ignored or considered further.
- 15.** Tender will be awarded on overall L1 basis (including BoQ1, BoQ2, BoQ3 etc.).
- 16. Abnormally High and Low Bids:**
- a) Tender evaluation committee (TEC) will observe the rates and seek justifications if that are abnormally high/low. Threshold value over which the rates would be judged high/low shall be decided by the TEC looking into the nature of work and their specification on case to case basis
 - b) If required necessary for high bids negotiation will be done with the approval of the Competent Authority. However, if the rates will be found abnormally low additional performance guarantee shall be got deposited as per the following formula:
 - i) Upto 30% less than the estimated cost : nil
 - ii) Above 30% and less than upto 50% : 20%
 - iii) Above 50% and less than upto 70% : 40%The Additional Performance Guarantee will be released with the Performance Guarantee.
- 17.** The bidder who has two ongoing General Repair & Maintenance/Routine works in-hand for electrical works and three ongoing General Repair & Maintenance/Routine works for civil works shall not be allowed to participate in another fresh tender of General Repair & Maintenance/Routine works.
- 18.** Working/Running Contractor who have completed their work upto/ above the awarded value of contract bond duly verified by the Engineer-in-charge shall be considered as work completed and such contractors shall be allowed to participate in tenders.
- 19.** Only 'Class-I local supplier' and 'Class-II local supplier', as defined in the Public Procurement (Preference to Make in India), Order 2017 shall be eligible to bid in the tender. For more details please refer: Order No.: P-45021/2/2017-PP (BE-II), DPIIT, Ministry of Commerce and Industry issued Dated: 16th Sept. 2020. Self- certificate has to be provided in this regard that the item offered meets the local content requirement for 'Class-I local supplier' & 'Class-II local supplier' (as per Annexure-I).
- 20.** Estimate is based on DSR-2022/ 2025 (E&M) + Non scheduled rates with 18% GST and 1% BOCWW Cess.
- 21.** In case the GST rate is changed by the GOI then the item rate in the estimate shall be changed on pro-rata basis.
- 22.** Bidder or their representative (with notarized power of attorney) is bound to attend the meeting (as and when called by EIC) for contract management (or any other issue related to contract) at IIT Roorkee. Penalty @ Rs. 5000/- per non-compliance shall be deducted from the bidder's bill or from the Performance Guarantee. In case the representative does not possess an adequate position or is unable to conclude meeting with logical end then the bidder is bound to attend such meetings.

Undertaking

(On Non-Judicial stamp paper of Rs. 100/-)

Name of the address of the bidder:

NIT No.....

Name of the work:

Due Date:

I/We have read and examined the Tender document for the work. I/We hereby submit bid for the execution of the work specified for the Institute within the time specified in NIT of quantities and in accordance with the specifications, designs, drawing and instructions in writing referred to the conditions of contract and with such materials as are provided for, by, and in respect of accordance with such conditions so far as applicable.

I/We agree to keep the Bid open for ninety (90) days from the due date of its opening and not to make any modification in its terms and conditions.

Earnest Money as mentioned in the critical data sheet is hereby forwarded in Bankers' Cheque / Demand Draft / Fixed Deposit Receipt issued by scheduled bank. If I/We, fail to furnish the prescribed performance guarantee within prescribed period. I/We agree that the Institute has to right to forfeit the said earnest money absolutely. Further, if I/We fail to commence work as specified, I/We agree that the Institute has to right to forfeit the said performance guarantee absolutely. The said performance guarantee shall be a guarantee to execute all the works referred to in the Tender documents upon the terms and conditions contained or referred to those in excess of that limit at the rates to be determined in accordance with the provision contained in NIT. Further, I/We agree that in case of forfeiture of Earnest Money or Performance Guarantee as aforesaid, I/We shall be debarred for participation in the re-Tendering process of the work.

I/We undertake and confirm that eligible similar work(s) has/have not been got executed through another bidder on back to back basis. Further that, if such a violation comes to the notice of owner, then I/we shall be debarred for tendering in IWD, IIT Roorkee in future forever. Also, if such a violation comes to the notice of owner before date of start of work, the Engineer-in-Charge shall be free to forfeit the entire amount of Earnest Money Deposit/Performance Guarantee.

I/We hereby declare that I/We shall treat the tender documents drawings and other records connected with the work as secret/confidential documents and shall not communicate information/derived there from to any person other than a person to whom I/We am/are authorized to communicate the same or use the information in any manner prejudicial to the safety of the State.

I/We hereby declare that I/We have no near relative connection by marriage to any staff of the Institute.

The information given in the tender form is correct and best of my knowledge.

Dated:

Signature of Bidder

Witness:

Postal Address

Occupation:

PERFORMANCE GUARANTEE BOND

In consideration of the Indian Institute of Technology Roorkee having agreed under the terms and conditions of agreement No..... dated..... made between
And.....(hereinafter called "the contractor(s)")..... for the work.....(hereinafter called "the said agreement") having agreed to production of a irrevocable Bank Guarantee for..... (Rupees.....only) as a security/guarantee from the contractor(s) for compliance of his obligations in accordance with the terms and conditions in the said agreement,

1. We.....(hereinafter referred to as "the Bank") hereby undertake to pay to IIT Roorkee (Indicate the name of the bank) an amount not exceeding Rs..... (.....only) on demand by the Indian Institute of Technology Roorkee.

2. Wedo hereby undertake to pay the amounts due..... and payable (Indicate the name of the Bank) under this Guarantee without any demur, merely on a demand from the Indian Institute of Technology Roorkee stating that the amount claimed is required to meet the recoveries due or likely to be due from the said contractor(s). Any such demand made on the bank shall be conclusive as regards the amount due and payable by the bank under this guarantee. However, our liability under this guarantee shall be restricted to an amount not exceeding (Rupees.....only).

3. We, the said bank further undertakes to pay to the Institute any money so demanded notwithstanding any dispute or disputes raised by the contractor(s) in any suit or proceeding pending before any court or tribunal relating thereto, our liability under this present being absolute and unequivocal.

The payment so made by us under this bond shall be a valid discharge of our liability for payment there under and the contractor(s) shall have no claim against us for making such payment.

4. Wefurther agree that the guarantee herein contained shall (Indicate the name of the Bank) remain in full force and effect during the period that would be taken for performance of the said agreement, and it shall continue to be enforceable till all the dues of the Indian Institute of Technology Roorkee under or by virtue of the said agreement have been fully paid and its claims satisfied or discharged or till Engineer-in-charge on behalf of the Institute certified that the terms and conditions of the said agreement have been fully and properly carried out by the said contractor(s) and accordingly discharges this guarantee.

5. We(indicate the name of bank) further agree with the Indian Institute of Technology Roorkee that Indian Institute of Technology Roorkee shall have the fullest liberty without our consent and without effecting in any manner our obligations hereunder to vary any of the terms and conditions of the said agreement or to extend time of performance by the said contractor(s) from time to time or to postpone for any time or from time to time any of the powers exercisable by the Indian Institute of Technology Roorkee against the said contractor(s) and to forbear or enforce any of the terms and conditions relating to the said agreement and we shall not be relieved from our liability by reason of any such variation, or extension being granted to the said contractor(s) or for any forbearance, act of omission on the part of the Institute or any indulgence by the Indian Institute of Technology Roorkee to the said contractor(s) or by any such matter or thing whatsoever which under the law relating to sureties would, but for this provision, have effect of so relieving us.

6. This guarantee will not be discharged due to the change in the constitution of the Bank or the contractor(s).

7. We (Indicate the name of the Bank) lastly undertake not to revoke this guarantee except with the previous consent of the Indian Institute of Technology Roorkee in writing.

8. This guarantee shall be valid up to..... unless extended on demand by Indian Institute of Technology Roorkee. Notwithstanding anything mentioned above, our liability against this guarantee is restricted to(Rupees.....only)and unless a claim in writing is lodged with us within six months of the date of expiry or the extended date of expiry of this guarantee all our liabilities under this guarantee shall stand discharged. Dated theday of..... for (Indicate the name of the Bank).

List of Approved Makes

| List of Approved Makes of Electrical & Mechanical (E&M) Materials | | |
|--|--|--|
| S.No. | Materials/ Equipments | Manufacturer/ Make |
| A | I.E.I., MCBDB & MCB, Cables & Wires | |
| 1 | MCB, Isolator, Industrial Plug Socket, RCCB, RCBO'S | Schneider Electric / Legrand / Lauritz Knudsen (L&T) / ABB / Siemens |
| 2 | MCBDB & Loose Wire Box | Legrand/ Lauritz Knudsen (L&T)/ Schneider / Siemens |
| 3 | Change Over Switches | Asco/ Russel/ Socomac/ ABB/ Lauritz Knudsen (L&T)/ schneider / Havells |
| 4 | Automatic Transfer Switch (ATS) | Asco/ Russel/ Socomac/ ABB/ Lauritz Knudsen (L&T)/ schneider / Havells |
| 5 | FRLS PVC insulated copper conductor single core cable/ Control Cables for wiring (ISI marked) | Finolex/ RR Kabel/ KEI/ Havells/ Polycab/Grandlay |
| 6 | MS Conduit (ISI marked) with heavy duty MS Conduit pipe accessories | BEC/ NIC/ AKG/ RMCN / MK (Honeywell) (Note: The make of accessories will be same that of conduit pipe & will comply to IS:4768 part 2 2003) |
| 7 | PVC Conduit/ Batten (ISI marked) with havy duty PVC conduit pipe accessories | AKG/ BEC/ Precision/ MK(Honeywell)/ Legrand |
| 8 | Modular Switch, Socket/ Telephone Socket/ Cable TV Socket/ Data Outlet Socket/ Fan Regulator/ G.I. Boxes Etc. (Wiring accessories)/ Regulator etc. | Havells (Murano)/ Havells (Crabtree) / Legrand (Arteor)/ Scheinder Electric (Zencelo) / Honeywell-MK (Blenze Plus)/ ABB (Millenium) |
| 9 | Selector Switch & Toggle Switch | Salzer (L&T)/ Siemens/ Kaycee |
| 10 | PVC Trunking | Legrand/ Schneider/ MK(Honeywell)/ AKG/ Precision |
| 11 | G.I. Pipe | Tata/ Jindal (Hissar)/ Prakash Surya |
| 12 | Terminals Blocks and Connectors | Elmax/ Wago/ Hensel/ Connectwell |
| 13 | Phenolic Laminated Sheet/ Bakelite Sheet | Hylam/ Formica/ (P-I Grade)/ Mylam/ Greenlam |
| 14 | Piano Type Switch/ Socket | Anchor/ Cona |
| 15 | Ceiling Rose/ Holder/ Call Bell/ Buzzer etc. | Anchor/ Cona |
| 16 | Advanced Lightning Protection/ Surge Protection Devices | LPI/ Erico/ Nimbus/ Indelec/ Duval Messien/ ABB –Pulsar |
| 17 | Raceway | Legrand/ Schneider/ MK(Honeywell)/ Lauritz Knudsen (L&T) |
| B | Fans & Fitting | |
| 1 | LED Fittings | Wipro/ Phillips/ Crompton Greaves/ Havells /Jaquar/ Halonix |
| 2 | Sensor based LED Light Fittings | Wipro/ Phillips/ Crompton Greaves/ Havells /Jaquar |
| 3 | Exhaust / Ceiling / Wall Fan | Havells/ Usha/ Almonard/ Atomberg / Bajaj |
| 4 | Geysers | Racold / CG/ Havells/ Usha/ Jaquar/ Bajaj |
| C | Street Lighting Poles & Boxes | |
| 1 | Ornamental / HDGI / MS pole (Factory Finish) / | Phillips/ Crompton Greaves/ Wipro/ Bajaj/ Havells |
| 2 | Polycarbonate Junction Box/ Enclosure | Hensel/ Spelsberg/ Naptune- Bals/ Cape Electric |
| 3 | XLPE insulated PVC Sheated Alum./ Copper conductor Armoured cable of 1.1KV Grade | Finolex/ Universal/ Polycab/ RPG Cable/ KEI/ Havells/ Grandlay/ Gemscab |
| D | Sub Station Equipments | |
| 1 | LT Panel (Meter Panel Board/ Outdoor & Indoor Feeder Panel) | Tricolite Elecrical Industries/ Control & Switchgears Pvt. Ltd./ Adlec Control System Pvt. Ltd./ Advance Panels & Switchgears Pvt. Ltd./ S.S. Enterprises/ A.R. Engineers/ Salabh (India) Industries/ Shakumbri Enterprises, Muzaffarnagar/ Associated Switchgear & Project Ltd. |

| | | |
|----------|--|--|
| 2 | Main LT Panel (TTA) at Substation | Tricolite Electrical Industries/ Control & Switchgears Pvt. Ltd./ Adlec Control System Pvt. Ltd/ Legrand/ Lauritz Knudsen (L&T)/ Schneider/ABB |
| 3 | Air Insulated Rising Main | C&S/ Lauritz Knudsen (L&T)/ Schneider/ Legrand |
| 4 | Sandwich type Bus Trunking | C&S/ Lauritz Knudsen (L&T)/ Schneider/ Legrand |
| 5 | Moulded Case Circuit Breaker (MCCB) Thermal Release/ Microprocessor Based (Ics=Icu=100%) | Schneider Electric (NSx Series)/ Siemens (VL Series)/ Lauritz Knudsen (L&T) (D-Shine)/ Legrand (DPX3)/ ABB (Tmax)/ C&S (Winbreak-1/2) |
| 6 | Power/ Aux. Contactor 3/4 pole | Schneider Electric/ Lauritz Knudsen (L&T)/ Siemens/ Legrand/ ABB/ C&S |
| 7 | Potential Transformer/ Current Transformer | Automatic Electric / Precise/ Kappa / CGL / Mehru / BHEL |
| 8 | LED type indicating lamps/ Push Button | Schneider Electric/ Lauritz Knudsen (L&T)/ Siemens/ C&S/ GE |
| 9 | Protection Relays | Schneider Electric/ Lauritz Knudsen (L&T)/ Siemens/ C&S/ ABB/GE |
| 10 | Conventional Analogue / Electronic Digital Meters (A/V/PF/Hz/KW/KWH) | Conzerv/ Lauritz Knudsen (L&T) / Secure/ AE/ C&S/ Siemens/ Schneider/ ABB/ Rishabh |
| 11 | Timer | Siemens/ Lauritz Knudsen (L&T)/ Legrand/ ABB/ Schneider Electric/ C&S |
| 12 | Fasteners/ G.I. Clamps | Hilti/ Fischer/ Jyoti Engineering / BAGADIA INDUSTRIAL |
| 13 | D.W Corrugated HDPE Pipe (ISI marked) | REX/ Dura plast/ Zenduct/ Triputi/ Duraline |
| 14 | Transformer (Oil/ Dry type) | Crompton/ ABB/ Schneider/ Voltamp/ Kirloskar / Alstom / BHEL |
| 15 | HT Panel/ Ring Main Unit | Siemens/ ABB/ Lauritz Knudsen (L&T)/ Schneider |
| 16 | H.T Cable (ISI marked) | CCI/ Polycab/ Universal/ KEI/ Havells/ RPG Cables/Grandlay (upto 11 kV) |
| 17 | LT Cable Straight Through Joint Kit | ReychemRPG / Cabseal/ 3M |
| 18 | HT Cable Straight Through / End Termination Joint Kit | ReychemRPG / Cabseal/ 3M |
| 19 | ACBs (with display) | Siemens (3WL)/ Lauritz Knudsen (L&T) (U-Power)/ ABB (Emax)/ C&S (Winmaster) / Legrand (DMX3)/ Schnieder (Master Pact - MVS) |
| 20 | Rubber Mat | Jyoti/ Deep Joyti/ Premier (duly ISI marked) |
| 21 | Capacitors & Reactors/ APFC Relay | EPCOS/ Lauritz Knudsen (L&T)/ ABB/ Siemens/ Schneider |
| 22 | APFC Panel (Accessories make will be as per manufacture's standards) | Lauritz Knudsen (L&T)/ Schneider/ ABB/ Siemens/ Legrand/ C&S |
| 23 | Cable Glands & Lugs | Comet/ Cosmos/ Dowells/ Gripwell/ Jainson / Hax Brass (Copper Alloy India) |
| 24 | MS / GI Cable Tray | Pilco/ Slotco/ Pasco/ MEM/ BEC/ Steelways/ Legrand |
| 25 | Programmable Logic Controller (PLC) | Siemens / Woodward/ Allen Bradley / Delta / Mitsubishi / Deep Sea / DEIF |
| | | |
| E | DG Sets | |
| 1 | Diesel operated power Generating Engine | Cummins India/ Caterpillar/ Ashok Leyland/ Kirloskar/ Mahindra/ Perkins |
| 2 | Alternator | Stamford/ Lerroy Sommer/ Kirloskar Electric Caterpillar/ Crompton Greaves/ Toyo Denki |
| 3 | DG Set Canopy/ Enclosure & AMF Panel | As per OEM/ OEA of respective DG Set Manufacturer |
| 4 | Alarm Annunciator | As per OEM/ OEA of respective DG Set Manufacturer |
| | | |
| F | Fire Fighting Equipments | |
| 1 | Fire Extinguishers | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 2 | MS Pipe | Tata/ Jindal(Hisar)/ Prakash Surya |

| | | |
|----|--|---|
| 3 | GI Pipe | Tata/ Jindal(Hisar)/ Prakash Surya |
| 4 | Forged Steel Fitting/ Flanges | Johnson Industries/ VS Forge/ JK Forging/ Trueforge |
| 5 | Forged Steel Fitting & Flanges (for welding joints) | VS Forge/ Rohini/ Kanwal Forge/ Johnson/ Trueforge |
| 6 | Pipe Hangers | Chilli/ Hilti/ GMGR/ Fischer |
| 7 | Gun Metal/ Brass Valve (ISI marked) (Full way Globe valve/ Non Return Valve) | Sant/ Leader/ Advance/ Zoloto/ Kirlosker/ Kartar |
| 8 | Butterfly/ Sluice Valve (ISI marked) | Sant/ Leader/ Advance/ Audco/ Zoloto/ Kirlosker/ Kartar |
| 9 | Check Valve (ISI marked) | Sant/ Leader/ Advance/ Audco/ Zoloto/ Kirlosker/ Kartar |
| 10 | Foot Valve (Cast Iron/ Gun Metal) | Sant/ Leader/ Advance/ Audco/ Zoloto/ Kirlosker/ Kartar |
| 11 | Y-type Strainer | Sant / Audco / Kirloskar / Leader / Zoloto/ Kartar/ Advance |
| 12 | Fire/ Sprinkler Pump/ Terrace Fire Pump / Jockey Pump | Kirloskar/ KSB/ Grundfos/ Mather & Platt/ Wilo |
| 13 | Electrical Motor | ABB/ Siemens/ Kirloskar/ Grundfos/ Crompton/ NGEF |
| 14 | Diesel Enginer for Fire Pump | Kirloskar/ Ashok Leyland/ Cummins |
| 15 | Coupling (Tyre-Type) | Lovejoy/ Fenner/ Dunlop |
| 16 | Anti Vibration Mountings | Kanwal Industrial Corporation/ Dunlop/ Resistoflex |
| 17 | Pressure Switch (ISI marked) | System Sensor/ Danfoss/ WIKA/ General Instrumentation/ Seimens/ Honeywell |
| 18 | Pressure Gauge (ISI marked) | H Guru/ Fiebig/ Dwyer / General Instrumentation |
| 19 | Double/ Single Headed Landing Valve (ISI marked) | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 20 | Male Female Fire House Coupling (SS 304) (ISI Marked) | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 21 | First Aid House Drum/ Fire Hose Reels/ Shut off Nozzle (Gunmetal/ ABS) (ISI marked) | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 22 | SS 304/ Gun metal Branch Pipe & Nozzle (ISI Marked) | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 23 | Fireman Axe | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 24 | Water Flow Switch (FM/ UL listed) | System Sensor/ Danfoss/ WIKA/ General Instrumentation/ Seimens/ Honeywell |
| 25 | Rust preventive polymeric 4mm thick tape for pipes directly buried in groung Pipe Protection Wrapping (ISI marked) | Pypcoat/ Makphalt/ Rustech/ Safex |
| 26 | Level Controller & Indicator (Water) | Auto Pump/ Cirrus Engineering/ Techtrol/ Lauritz Knudsen (L&T)/ Entes |
| 27 | Fire Brigade Inlet Connection (ISI marked) | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 28 | Thermoplastic pipe for First Aid Hose Reel (ISI marked) | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 29 | Fire Sealent | Promat/ Birla 3 M/ Hilti |
| 30 | Overload relays with built in Single Phase Preventer | Schneider Electric/ Lauritz Knudsen (L&T)/ Siemens/ ABB/ C&S |
| 31 | Power/ Aux. Contactor 3 / 4 Pole | Schneider Electric/ Larsen & Toubro/ BCH/ Siemens/ Legrand/ ABB/ C&S |
| 32 | RRL Hose Pipe (ISI marked) | Minimax/ New Age/ Safex/ Ansul/ Ceasefire/ Amerex |
| 33 | Dry Battery | Exide/ Standard/ Amar Raja/ Rocket/ HBL/ Pulse/ Amco |
| 34 | Battery Charger | Statcon/ Amarraja/ CDC/ AE/ Expofyn/ Thycon India |
| 35 | Epoxy Paint | Dulux/ Berger/ Asian/ Nerolac |
| 36 | Air Release Valve | Rb/ Tbs/ Cimbrio/ Zoloto |
| 37 | Aluminium/ Copper power cable / Control Cable (Armoured/ Unarmoured) | Finolex/ Universal/ Polycab/ RPG Cables/ KEI/ Havells/Grandlay |
| 38 | Solenoid Valve/ Spray Nozzle | Parker/ HD Fire Protect/ Tyco/ Emersion |
| 39 | Sprinkler | HD Fire Protect/ Tyco/ Reliable/ Wormald/ Viking |
| 40 | Sprinkler Heads/ Water Curtain Nozzle | Tyco/ Viking/ Omex/ Newage |
| 41 | Steel Flexible Extension | Omex/ Newage/ Tyco |
| 42 | Vibration Eliminator | Resistoflex/ D waren/ Kanwal |

| | | |
|----------|---|--|
| 43 | Welding Electrodes | Advani/ ESAB/ Lauritz Knudsen (L&T) |
| 44 | Deluge Valve | Tyco/ Viking/ HD |
| 45 | Cast Iron Valve | Kirloskar/ Kartar/ Kalpana |
| | | |
| G | Fire Alarm & Public Addressing System | |
| 1 | Addressable manual call box | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 2 | Addressable type fault isolator | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 3 | Strobe lights cum hooter | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 4 | Addressable control modules | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 5 | Addressable monitor module | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 6 | Addressable type fire alarm control panel | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 7 | Network repeater panel | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 8 | Addressable multi sensing fire detector (Combination of optical type smoke detector and ROR type heat detector) | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 9 | Response Indicator (Addresable) | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 10 | Speakers (For PA System) | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 11 | Digital Voice Evacuation System | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 12 | Fire Figter Jack & Fire Fighter Handset | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 13 | Interactive Fire Fighter Display | Notifier (Honeywell)/ Johnson Control (Simplex)/ Siemens/ Bosch/Edwards/Advanced/Apollo |
| 14 | Fire Survival copper conductor Cable | Finolex/ RR Kabel/ KEI/ Havells/ Polycab/Grandlay |
| | | |
| H | Water Supply System | |
| 1 | Mono Submersible pump Set | KSB/ CG/ Kirloskar/ Grundfos/ Amrut |
| 2 | Submersible Pump Set | KSB/ CG/ Kirloskar/ Grundfos/ Amrut |
| 3 | G.I. Pipe | Tata / Jindal Hisar (ISI mark) / Prakash Surya |
| 4 | Sluice Valve/ Check Valve/ Butterfly Valve/ Non Return Valve etc. | Zoloto/ Bharat/ Kalpana/ Kirloskar/ Sant/ KSB |
| 5 | Submersible Cable | Finolex/ Polycab/ Havells/ KEI/Grandlay |
| 6 | G.I. Fittings (e.g. union, plug, elbow, tee, socket etc.) | Unik/ AVR/ Zoloto/ Eye/ HB/ KKR/ Prakash Surya (ISI mark) |
| 7 | PPR/ CPVC/ UPVC Pipe and Fittings | Astral/ Supreme/ Ashirwad/ Finolex/ Ajay Flow Guard/ Prince/ SFMC (ISI mark)/KPT |
| 8 | Starter and Motor Controller | Lauritz Knudsen (L&T)/ ABB/ Siemens |
| 9 | Water Flow Meter | ABB/ Lauritz Knudsen (L&T)/ Siemens/ Supreme Technology |
| | | |
| I | Air Conditioner & Water Purifier | |
| 1 | Split/ Window/ Cassette Air Conditioner | Mitshubshi Electric/ Mitshubshi Heavy Industries/ Toshiba/ O-General/ Daikin/Carrier/Hitachi |
| 2 | R.O./ Water Purifier | Kent/ Ion Exchange/ Aquaguard/Blue Star |

| | | |
|----------|---|--|
| 3 | Drinking Water Cooler/Dispenser | Voltas/ Blue Star/ Usha/ Climatrol (Sidwal)/Eureka Forbes |
| 4 | Compressor AC/ Water Cooler | HIGHLEY/TOTALINE/ DAIKIN / As per OEM |
| | | |
| J | Solar Water Heating System | |
| 1 | Solar Water Heating System | Racold/ Electrotherm/ V-Guard/ Bosch/EMVEE/Photon energy |
| | | |
| K | Uninterrupted Power Supply (UPS) | |
| 1 | Online/ Offline UPS | Numeric/ Eaton/ APC/ Vertiv/ ABB |
| | | |
| L | Solar Power Generation System | |
| 1 | Solar PV Module | Waaree/ Vikram/ Adani/Tata Solar Power/ CEL |
| 2 | Junction Box | As per OEM of SPV Modules |
| 3 | SPV Inverter | Delta / Solar edge / Fronius / Goodwe / ABB/ Growatt/ SMA |
| 4 | Module Mounting Structure | As per MNRE/ Manufactures Standards |
| 5 | Solar Cable XLPO Insulated (DC) | RR Kabel/ Polycab/ Havells/ Finolex/Grandlay |
| | | |
| M | a. VRV / VRF AC & TFA | |
| 1 | Variable Refrigerant Volume System | O-General/ Toshiba/ Daikin/ Mitsubishi Electric/ Mitsubishi Heavy Industry/Hitachi |
| 2 | TFA Unit | Zeco/ Edgetech/ Citizen / Systemair / Bryair or OEM of VRF/ VRV |
| - | b. Ducting, Grilles etc. | |
| 1 | Grilles/ Diffusers/ Fire Dampers | Airflow/ Systemair / Tristar/ Servex/ Dynacraft/ Caryaire / Pineair/ Airmax Air System |
| 2 | Fire Dampers motors | Belimo/ Siemens/ Honeywell |
| 3 | G.I. Sheet Metal for duct | Jindal/ Tata/ SAIL |
| 4 | Factory fabricated duct (TDC) - Rectangular / Round | Ductofab/ RSP Air/ Zeco / GP Spiro/ Atco |
| 5 | Self Adhesive Sealing Gasket for Ducts | Prima Seal/ Air Flow/ Trocellen |
| 6 | Stick Pins | Prima Seal/ Air Flow/ Trocellen |
| 7 | VCD/ Gravity louvers/ Exhaust & fresh air louvers | Airflow/ Systemair / Tristar/ Servex/ Dynacraft/ Caryaire / Pineair |
| 8 | Electronic controller/ actuator for smoke exhaust fan | Belimo/ Siemens/ Honeywell |
| 9 | Round Flexible Duct | Atco/ UP Twiga/ Carryair |
| | | |
| | c. Pipes & Fittings | |
| 1 | PVC Drain Pipe | Supreme/ Finolex/ Astral/ Polycab |
| 2 | Refrigerant Copper Pipe | Rajco Metal/ Mandev/ Maxflow / Uniflow |
| 3 | Copper Fittings(Y-Joints) | AS per OEM of VRF/ VRV |
| | | |
| | d. Insulation | |
| 1 | Expanded Polystyrene (TF Quality) (Pre-moulded pipe section / slab) | Beard Sell / Armacell/ K-flex/ Kaimann |
| 2 | Cross Linked Polyethylene (Fire resistant quality) | Trocelene/ Supreme/ Paramount / K-flex/Kaimann/ Aerolam |
| 3 | Glass Wool | Owens Corning/ U.P. Twiga/ Lloyd insulation |
| 4 | Closed Cell Elastomeric Thermal Insulation (Nitrile rubber) | Beard Sell / Armacell/ K-flex/ Kaimann |
| 5 | Pre-moulded PUF section for pipe & pipe supports | Epack/ Lloyd / Kingspan Jindal |

| | | |
|---|---|---|
| 6 | Aluminium Tape | Johnson/ Hindalco/ 3M |
| 7 | Protective Coating over Closed Cell Elastomeric – Fiber glass Woven cloth | Polybond/ UP Twiga/ Owens Corning |
| | | |
| | e. Accessories/ Controls | |
| 1 | Filters | Airtech/ Purolater/ Spectrum/ Thermodyne |
| 2 | Thermometers (with brass encasing) | Emerald/ Taylor/ Japsin |
| 3 | Room Thermostat/ AHU & FCU Thermostat | Honeywell/ Siemens/ Danfoss |
| 4 | Humidistat | Honeywell/ Siemens/ Danfoss |
| 5 | VFD with sensors | ABB/ DANFOSS/ Siemens |
| | | |
| | f. Fans | |
| 1 | Inline/ Propeller Fans | Systemair/ Nicotra/ Kruger/ Greenheck/ Airflow/ Caryaire/ Alstom/ Khaitan/ Crompton Greaves/ GE |
| | | |
| Note: Due to compatibility of items, for replacement purpose existing brand shall be considered subject to availability. | | |

(to be submitted by the vendor/firm on its official letter head)

Self-Certificate for Local Content

Tender No:

Dated

We hereby certify that the items quoted by us against above mentioned tender no. has the local content as per below:

Local Content (in %):

Local Supplier Class:

The details of the Make in India items/parts used in the quoted products is/are as under:

- 1.
- 2.
- 3.

The details of the location(s) at which the local value addition made/manufactured is/are as under:

- 1.
- 2.
- 3.

We also understand, false declarations will be in breach of the code of integrity under rule 175(1)(i)(h) of the General Financial Rules for which a bidder or its successors can be debarred for up to two years as per Rule 151(iii) of the General Financial Rules along with such other actions as may be permissible under law.

Signature:

Name:

Designation:

Seal of the Firm/Organization:

Scope of Work

1. Following the direction of EIC, the contractor shall be bound to supply at least 40% of the item quantity mentioned in BoQ. The quantity in BoQ is indicative in nature & may increase / decrease as per site requirement. The contractor has to execute the same as per the rate quoted during tendering.
2. Complete electrical maintenance of Bhawan / Department / Offices / Centers as per instruction of EIC.
3. Repairing / Replacing of all electrical items as per instruction of EIC.
4. Other than all the above work any work related to electrical repair or maintenance may also be done by the agency.
5. The contractor shall be bound to complete the work within the stipulated timeline as instructed by EIC.
6. IIT Roorkee is a Tobacco-free campus; therefore, for instance, if consumption/possession of tobacco or alcoholic substances by the manpower deployed, then EIC shall impose a penalty for each violation on the contractor.
7. The personnel deployed shall be of good health and moral character, well-behaved, obedient, experienced, and skillful in their respective tasks. The Successful Bidder(s) should provide the necessary uniform/apron to their labors at their own cost. The cost of Identity Cards to the staff shall also be borne by the Successful Bidder(s).
8. In case of theft of any material that takes place from the office/residences/hostel rooms, which can be attributable to the contractor or his deployed manpower. The amount for loss/theft will be recovered from the Successful Bidder(s) while settling the bill.
9. If the described electrical work is not done to the satisfaction of EIC or any higher officer, the penalty as per CPWD manuals / procedures will be imposed as per the assessment of EIC.
10. The bidder shall execute the required work within the time limit after the email / written instruction from the IIT Roorkee side. Failure to this a penalty of 0.5% of the ordered amount per day will be imposed by the EIC. In the event of continuous noncompliance with instructions, the Institute has all the right to execute the work from the other source on the total risk and cost of the bidder. In addition, action may be taken for blacklisting/debarring bidders in respect of future works/tenders.
11. The bidder will depute his supervisor /Engineer to take care of site-related matters.
12. Bidders are advised to keep visiting the above-mentioned websites from time to time (till the deadline for bid submission) for any updates in respect of the tender documents, if any. Failure to do so shall not absolve the applicant of his liabilities to submit the applications complete in all respect including updates thereof, if any. An incomplete application may be liable for rejection.
13. The decision of the institute in all matters relating to eligibility, acceptance, or rejection of the Bid will be final and binding on the applicants.

INSTITUTE WORK DEPARTMENT
INDIAN INSTITUTE OF TECHNOLOGY ROORKEE
Schedule of Quantities

NAME OF WORK: Electrical General Maintenance/ Renovation Works at Zone-4 of IIT Roorkee

BoQ:

| PRICE SCHEDULE (This BOQ template must not be modified/replaced by the bidder and the same should be uploaded after filling the relevant columns, else the bidder is liable to be rejected for this tender. Bidders are allowed to enter the Bidder Name and Values only) | | | | | | |
|--|--|----------|--------|--|---|---|
| NUMBER # | TEXT # | NUMBER # | TEXT # | NUMBER | NUMBER # | TEXT # |
| Sl. No. | Item Description | Quantity | Units | Estimated Rate including GST@18% & Cess in Rs. P | TOTAL AMOUNT including GST @18% & Cess in Rs. P | TOTAL AMOUNT In Words |
| 1 | Supplying and Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit ISI 16 gauge, with piano type switch, phenolic laminated sheet, suitable size M.S. Box and earthing the point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable etc as required. Group-A | 50 | Each | 1417.00 | 70850.00 | INR Seventy Thousand Eight Hundred & Fifty Only |
| 2 | ..do..but 2 way light point with 2 nos. two way P.T. switch. | 2 | Each | 2090.00 | 4180.00 | INR Four Thousand One Hundred & Eighty Only |
| 3 | Supplying and Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit ISI 16 gauge with modular type switch, modular plate,suitable GI box and earthing the point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable etc as required.Group-A | 500 | Each | 1440.00 | 720000.00 | INR Seven Lakh Twenty Thousand Only |
| 4 |do.....but 2 way light point with 2 nos. two way modular switches. | 5 | Each | 2242.00 | 11210.00 | INR Eleven Thousand Two Hundred & Ten Only |
| 5 | Wiring for light point/fan point/exhaust fan point/call bell point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface/ recessed PVC conduit, with piano type switch , phenolic laminated sheet, suitable size M.S. Box and earthing the point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable etc as required.Group-A | 5 | Each | 1166.00 | 5830.00 | INR Five Thousand Eight Hundred & Thirty Only |
| 6 | Wiring for twin control light point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 mm ² . FRLS PVC insulated copper conductor single core cable etc. as required. | 5 | Each | 1693.00 | 8465.00 | INR Eight Thousand Four Hundred & Sixty Five Only |
| 7 | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable etc. as required.Group-A | 10 | Each | 1189.00 | 11890.00 | INR Eleven Thousand Eight Hundred & Ninety Only |

| | | | | | | |
|----|---|------|-------|---------|-------------------|---|
| 8 | Wiring for twin control light point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface / recessed medium class PVC conduit, 2 way modular switch, modular plate, suitable GI box and earthing the point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable etc. as required. | 2 | Each | 1803.00 | 3606.00 | INR Three Thousand Six Hundred & Six Only |
| 9 | Rewiring for light point/fan point/exhaust fan point/call bell point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable make and earthing the point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable in existing surface/ recessed steel/ PVC conduit including dismantling as required. | 100 | Each | 687.00 | 68700.00 | INR Sixty Eight Thousand Seven Hundred Only |
| 10 | Rewiring for twin control light point with 1.5 mm ² FRLS PVC insulated copper conductor single core cable and 1.5 mm ² FRLS PVC insulated copper conductor single core cable as earth wire in existing surface/ recessed steel/PVC conduit including dismantling as required. | 2 | Each | 1064.00 | 2128.00 | INR Two Thousand One Hundred & Twenty Eight Only |
| 11 | Supplying and fixing 1.5 mm thick metal box of 150 mm x75 mmx 60 mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 5 pin 5/6 amps socket outlet and 5/6 amps piano type switch , connection, painting etc. as required. (for light plug to be used in non residential buildings). | 50 | Each | 423.00 | 21150.00 | INR Twenty One Thousand One Hundred & Fifty Only |
| 12 | Supplying and fixing 1.5 mm thick metal box of 180 mm x 100 mmx 60 mm deep (nominal size) on surface or in recess with suitable size of phenolic laminated sheet cover in front including providing and fixing 6 pin 5/6 amps & 15/16 amps socket outlet and 15/16 amps piano type switch connection, painting etc. as required.. | 50 | Each | 558.00 | 27900.00 | INR Twenty Seven Thousand Nine Hundred Only |
| 13 | Supplying and fixing suitable size G.I. box with modular plate and cover in front on surface or in recess, including providing and fixing 5 pin 5/6 amps modular socket outlet and 5/6 amps modular switch, connection, painting etc. as required. | 2500 | Each | 545.00 | 1362500.00 | INR Thirteen Lakh Sixty Two Thousand Five Hundred Only |
| 14 | Supplying and fixing suitable size G.I. box with modular plate and cover in front on surface or in recess including providing and fixing 6 pin 15/16 & 5/6 amps modular socket outlet and 15/16 amps modular type switch, connection, painting etc. as required.. | 2500 | Each | 659.00 | 1647500.00 | INR Sixteen Lakh Forty Seven Thousand Five Hundred Only |
| 15 | Supplying and Wiring for circuit/ submain line with 2x1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface/ recessed steel conduit ISI 16 gauge along with 1 no 1.5 mm ² FRLS PVC insulated copper conductor single core cable for loop earthing as required. | 300 | Meter | 370.00 | 111000.00 | INR One Lakh Eleven Thousand Only |
| 16 |do..... but 2x2.5 mm ² + 1x2.5 mm ² earth wire | 3000 | Meter | 414.00 | 1242000.00 | INR Twelve Lakh Forty Two Thousand Only |
| 17 |do..... but 2x4 mm ² + 1x4 mm ² earth wire | 3500 | Meter | 476.00 | 1666000.00 | INR Sixteen Lakh Sixty Six Thousand Only |
| 18 |do.....but 2x6 mm ² + 1x6 mm ² earth wire | 1000 | Meter | 652.00 | 652000.00 | INR Six Lakh Fifty Two Thousand Only |
| 19 |do..... but 2x10 mm ² + 1x6 mm ² earth wire | 500 | Meter | 778.00 | 389000.00 | INR Three Lakh Eighty Nine Thousand Only |
| 20 |do..... but 2x16 mm ² + 1x6 mm ² earth wire | 200 | Meter | 1020.00 | 204000.00 | INR Two Lakh Four Thousand Only |

| | | | | | | |
|----|---|-----|-------|---------|------------------|--|
| 21 |do..... but 4 X 4 mm ² + 2 X 4 mm ² earth wire | 300 | Meter | 744.00 | 223200.00 | INR Two Lakh Twenty Three Thousand Two Hundred Only |
| 22 |do..... but 4 X 6 mm ² + 2 X 6 mm ² earth wire | 200 | Meter | 1001.00 | 200200.00 | INR Two Lakh Two Hundred Only |
| 23 |do..... but 4 X 10 mm ² + 2 X 6 mm ² earth wire | 100 | Meter | 1253.00 | 125300.00 | INR One Lakh Twenty Five Thousand Three Hundred Only |
| 24 |do..... but 4 X 16 mm ² + 2 X 6 mm ² earth wire | 100 | Meter | 1760.00 | 176000.00 | INR One Lakh Seventy Six Thousand Only |
| 25 | Supplying and Wiring for circuit/ submain line with 2 nos. 1.5 mm ² FRLS PVC insulated copper conductor single core cable in surface/ recessed PVC conduit ISI along with 1 no. 1.5 mm ² FRLS PVC insulated copper conductor single core cable for loop earthing as required. | 200 | Meter | 267.00 | 53400.00 | INR Fifty Three Thousand Four Hundred Only |
| 26 |do..... but 2x2.5 mm ² + 1x2.5 mm ² earth wire | 400 | Meter | 311.00 | 124400.00 | INR One Lakh Twenty Four Thousand Four Hundred Only |
| 27 |do..... but 2x4 mm ² + 1x4 mm ² earth wire | 400 | Meter | 373.00 | 149200.00 | INR One Lakh Forty Nine Thousand Two Hundred Only |
| 28 |do.....but 2x6 mm ² + 1x6 mm ² earth wire | 100 | Meter | 482.00 | 48200.00 | INR Forty Eight Thousand Two Hundred Only |
| 29 |do.....but 2x10 mm ² + 1x6 mm ² earth wire | 100 | Meter | 621.00 | 62100.00 | INR Sixty Two Thousand One Hundred Only |
| 30 |do.....but 2x16 mm ² + 1x6 mm ² earth wire | 200 | Meter | 832.00 | 166400.00 | INR One Lakh Sixty Six Thousand Four Hundred Only |
| 31 |do.....but 4x4 mm ² + 2x4 mm ² earth wire | 200 | Meter | 587.00 | 117400.00 | INR One Lakh Seventeen Thousand Four Hundred Only |
| 32 |do.....but 4x6 mm ² + 2x6 mm ² earth wire | 100 | Meter | 813.00 | 81300.00 | INR Eighty One Thousand Three Hundred Only |
| 33 |do.....but 4x10 mm ² + 2x6mm ² earth wire | 100 | Meter | 1078.00 | 107800.00 | INR One Lakh Seven Thousand Eight Hundred Only |
| 34 |do.....but 4x16 mm ² + 2x6 mm ² earth wire | 100 | Meter | 1454.00 | 145400.00 | INR One Lakh Forty Five Thousand Four Hundred Only |
| 35 | Supplying and drawing 2 x 1.5 sq mm sizes of FRLS PVC insulated copper conductor, single core cable in the existing surface/ recessed steel/PVC conduit as required with connection complete. | 100 | Meter | 77.00 | 7700.00 | INR Seven Thousand Seven Hundred Only |
| 36 |do..... but 3 X 1.5 sq mm | 250 | Meter | 104.00 | 26000.00 | INR Twenty Six Thousand Only |
| 37 |do..... but 3 X 2.5 sq mm | 250 | Meter | 148.00 | 37000.00 | INR Thirty Seven Thousand Only |

| | | | | | | |
|----|--|-----|-------|--------|-----------------|---|
| 38 |do..... but 3 X 4 sq mm | 400 | Meter | 222.00 | 88800.00 | INR Eighty Eight Thousand Eight Hundred Only |
| 39 |do..... but 2 X 6 sq mm | 200 | Meter | 234.00 | 46800.00 | INR Forty Six Thousand Eight Hundred Only |
| 40 |do..... but 3 X 6 sq mm | 200 | Meter | 326.00 | 65200.00 | INR Sixty Five Thousand Two Hundred Only |
| 41 |do..... but 2 X 10 sq mm | 100 | Meter | 360.00 | 36000.00 | INR Thirty Six Thousand Only |
| 42 |do..... but 2 X 16 sq mm | 100 | Meter | 530.00 | 53000.00 | INR Fifty Three Thousand Only |
| 43 |do..... but 2 X 25 sq mm | 100 | Meter | 776.00 | 77600.00 | INR Seventy Seven Thousand Six Hundred Only |
| 44 |do..... but 1 X 35 sq mm | 100 | Meter | 554.00 | 55400.00 | INR Fifty Five Thousand Four Hundred Only |
| 45 |do..... but 1 X 50 sq mm | 100 | Meter | 770.00 | 77000.00 | INR Seventy Seven Thousand Only |
| 46 | Providing and fixing plain 16/0.20 mm(0.50 mm ²) twin, circular flexible, FRLS PVC insulated, PVC sheathed copper cable direct on wall with PVC clips etc as required. | 90 | Meter | 40.00 | 3600.00 | INR Three Thousand Six Hundred Only |
| 47 | Supplying and fixing of 20 mm sizes of steel conduit ISI 16 gauge along with accessories in surface/ recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required. | 50 | Meter | 254.00 | 12700.00 | INR Twelve Thousand Seven Hundred Only |
| 48 |do..... but 25 mm size | 50 | Meter | 289.00 | 14450.00 | INR Fourteen Thousand Four Hundred & Fifty Only |
| 49 |do..... but 32 mm size | 20 | Meter | 360.00 | 7200.00 | INR Seven Thousand Two Hundred Only |
| 50 |do..... but 40 mm size | 10 | Meter | 515.00 | 5150.00 | INR Five Thousand One Hundred & Fifty Only |
| 51 | S/F of G.I. Flexible pipe 32 MM size including suitable size of PVC saddle and others all accessories as required. | 50 | Meter | 119.00 | 5950.00 | INR Five Thousand Nine Hundred & Fifty Only |
| 52 | Supplying and fixing of 20 mm sizes of PVC conduit ISI along with accessories in surface/ recess including painting in case of surface conduit, or cutting the wall and making good the same in case of recessed conduit as required. | 50 | Meter | 151.00 | 7550.00 | INR Seven Thousand Five Hundred & Fifty Only |
| 53 |do..... but 25 mm size | 100 | Meter | 168.00 | 16800.00 | INR Sixteen Thousand Eight Hundred Only |
| 54 |do..... but 32 mm size | 100 | Meter | 209.00 | 20900.00 | INR Twenty Thousand Nine Hundred Only |
| 55 | S/F of steel wire reinforced flexible uPVC pipe 20 MM size including suitable size of PVC saddle and others all accessories as required. Makes : AKG/ BEC/ Precision | 10 | Meter | 116.00 | 1160.00 | INR One Thousand One Hundred & Sixty Only |

| | | | | | | |
|----|---|-----|-------|--------|-----------------|--|
| 56 |do..... but 25 MM size | 10 | Meter | 132.00 | 1320.00 | INR One Thousand Three Hundred & Twenty Only |
| 57 |do..... but 30-32 MM size | 10 | Meter | 164.00 | 1640.00 | INR One Thousand Six Hundred & Forty Only |
| 58 | S/F of PVC Batten/casing capping of 20X12 MM size including suitable size of PVC cover and others all accessories as required. | 50 | Meter | 150.00 | 7500.00 | INR Seven Thousand Five Hundred Only |
| 59 |do..... but 25X12 MM size | 50 | Meter | 154.00 | 7700.00 | INR Seven Thousand Seven Hundred Only |
| 60 |do..... but 32X12 MM size | 20 | Meter | 161.00 | 3220.00 | INR Three Thousand Two Hundred & Twenty Only |
| 61 |do..... but 50X16 MM size | 20 | Meter | 225.00 | 4500.00 | INR Four Thousand Five Hundred Only |
| 62 |do..... but 50X50 MM size | 20 | Meter | 291.00 | 5820.00 | INR Five Thousand Eight Hundred & Twenty Only |
| 63 |do..... but 75X50 MM size | 20 | Meter | 530.00 | 10600.00 | INR Ten Thousand Six Hundred Only |
| 64 |do..... but 100X50 MM size | 20 | Meter | 682.00 | 13640.00 | INR Thirteen Thousand Six Hundred & Forty Only |
| 65 | Supplying and fixing metal box of 75 mm x 75 mm x 60 mm deep sizes 1.5 mm thick sheet on surface or in recess with suitable size of phenolic laminated sheet cover in front including painting etc as required. | 5 | Each | 213.00 | 1065.00 | INR One Thousand & Sixty Five Only |
| 66 |do..... but 100 mm x 100 mm x 60 mm deep | 5 | Each | 245.00 | 1225.00 | INR One Thousand Two Hundred & Twenty Five Only |
| 67 |do..... but 180 mm x 100 mm x 60 mm deep | 5 | Each | 282.00 | 1410.00 | INR One Thousand Four Hundred & Ten Only |
| 68 |do..... but 200 mm x 150 mm x 60 mm deep | 5 | Each | 406.00 | 2030.00 | INR Two Thousand & Thirty Only |
| 69 |do..... but 200 mm x 250 mm x 60 mm deep | 5 | Each | 528.00 | 2640.00 | INR Two Thousand Six Hundred & Forty Only |
| 70 |do..... but 200 mm x 300 mm x 60 mm deep | 5 | Each | 587.00 | 2935.00 | INR Two Thousand Nine Hundred & Thirty Five Only |
| 71 |do..... but 250 mm x 300 mm x 60 mm deep | 5 | Each | 673.00 | 3365.00 | INR Three Thousand Three Hundred & Sixty Five Only |
| 72 | S/F of 5/6 Amp P.T. Switch on existing switch box including connection etc required. | 100 | Each | 63.00 | 6300.00 | INR Six Thousand Three Hundred Only |

| | | | | | | |
|----|---|-----|------|--------|-----------------|--|
| 73 |do..... but 2-way 5/6 amp switch | 10 | Each | 75.00 | 750.00 | INR Seven Hundred & Fifty Only |
| 74 |do..... but 15/16 amp switch | 50 | Each | 140.00 | 7000.00 | INR Seven Thousand Only |
| 75 |do..... but 5 pin 5/6 amp socket outlet | 50 | Each | 81.00 | 4050.00 | INR Four Thousand & Fifty Only |
| 76 |do..... but 6 pin 15/16 amp socket outlet | 50 | Each | 156.00 | 7800.00 | INR Seven Thousand Eight Hundred Only |
| 77 |do..... but Bell push | 5 | Each | 100.00 | 500.00 | INR Five Hundred Only |
| 78 |do..... but Batten/Angle holder | 20 | Each | 132.00 | 2640.00 | INR Two Thousand Six Hundred & Forty Only |
| 79 |do..... but stepped type electronic fan regulator | 20 | Each | 364.00 | 7280.00 | INR Seven Thousand Two Hundred & Eighty Only |
| 80 | Supplying and fixing 3 pin, 5 amp ceiling rose on the existing junction box/ wooden block including connection etc as required. | 200 | Each | 104.00 | 20800.00 | INR Twenty Thousand Eight Hundred Only |
| 81 | Supplying and fixing 5/6 amps modular type switch on existing modular type plate & switch box including connections but excluding modular plate etc. as required. | 100 | Each | 121.00 | 12100.00 | INR Twelve Thousand One Hundred Only |
| 82 |do..... but 2-way 5/6 amp switch | 5 | Each | 168.00 | 840.00 | INR Eight Hundred & Forty Only |
| 83 |do..... but 15/16 amp switch | 100 | Each | 176.00 | 17600.00 | INR Seventeen Thousand Six Hundred Only |
| 84 |do..... but 5 pin 5/6 amp socket outlet | 50 | Each | 136.00 | 6800.00 | INR Six Thousand Eight Hundred Only |
| 85 |do..... but 6 pin 15/16 amp socket outlet | 50 | Each | 219.00 | 10950.00 | INR Ten Thousand Nine Hundred & Fifty Only |
| 86 |do..... but Bell push | 20 | Each | 159.00 | 3180.00 | INR Three Thousand One Hundred & Eighty Only |
| 87 |do..... but stepped type electronic fan regulator | 100 | Each | 402.00 | 40200.00 | INR Forty Thousand Two Hundred Only |
| 88 |do..... but modular blanking plate. | 50 | Each | 47.00 | 2350.00 | INR Two Thousand Three Hundred & Fifty Only |
| 89 | Supplying and fixing 1 or 2 module size/ modules, G.I. box along with modular base & cover plate for modular switches in recess etc as required. | 10 | Each | 354.00 | 3540.00 | INR Three Thousand Five Hundred & Forty Only |
| 90 |do.....but 3 module | 20 | Each | 384.00 | 7680.00 | INR Seven Thousand Six Hundred & Eighty Only |
| 91 |do.....but 4 module | 20 | Each | 401.00 | 8020.00 | INR Eight Thousand & Twenty Only |
| 92 |do.....but 6 module | 20 | Each | 462.00 | 9240.00 | INR Nine Thousand Two Hundred & Forty Only |

| | | | | | | |
|-----|---|----|---------|--------|-----------------|--|
| 93 |do.....but 8 module | 20 | Each | 517.00 | 10340.00 | INR Ten Thousand Three Hundred & Forty Only |
| 94 |do.....but 12 module | 20 | Each | 614.00 | 12280.00 | INR Twelve Thousand Two Hundred & Eighty Only |
| 95 | Supplying and fixing 1 or 2 module size/ modules, PVC box along with modular base & cover plate for modular switches in recess/surface etc as required. | 5 | Each | 226.00 | 1130.00 | INR One Thousand One Hundred & Thirty Only |
| 96 |do.....but 3 module | 20 | Each | 256.00 | 5120.00 | INR Five Thousand One Hundred & Twenty Only |
| 97 |do.....but 4 module | 20 | Each | 274.00 | 5480.00 | INR Five Thousand Four Hundred & Eighty Only |
| 98 |do.....but 6 module | 20 | Each | 316.00 | 6320.00 | INR Six Thousand Three Hundred & Twenty Only |
| 99 |do.....but 8 module | 20 | Each | 358.00 | 7160.00 | INR Seven Thousand One Hundred & Sixty Only |
| 100 |do.....but 12 /16 module | 20 | Each | 638.00 | 12760.00 | INR Twelve Thousand Seven Hundred & Sixty Only |
| 101 | Supplying and fixing 1 or 2 module Modular base & cover plate on existing modular metal boxes etc. as required. | 10 | Each | 156.00 | 1560.00 | INR One Thousand Five Hundred & Sixty Only |
| 102 |do.....but 3 module | 50 | Each | 175.00 | 8750.00 | INR Eight Thousand Seven Hundred & Fifty Only |
| 103 |do.....but 4 module | 20 | Each | 182.00 | 3640.00 | INR Three Thousand Six Hundred & Forty Only |
| 104 |do.....but 6 module | 50 | Each | 207.00 | 10350.00 | INR Ten Thousand Three Hundred & Fifty Only |
| 105 |do.....but 8 module | 20 | Each | 238.00 | 4760.00 | INR Four Thousand Seven Hundred & Sixty Only |
| 106 |do.....but 12/18 module | 20 | Each | 301.00 | 6020.00 | INR Six Thousand & Twenty Only |
| 107 | S/F of 2.8 to 3 mm thick phenolic laminated bakelite sheet including cutting as required with brass machine screw and cup washer complete. | 50 | Sq. Ft. | 284.00 | 14200.00 | INR Fourteen Thousand Two Hundred Only |
| 108 | S/F of 1.5 - 2.00 mm thick Stainless steel sheet including cutting as required with machine screw and cup washer complete. | 10 | Sqft | 255.00 | 2550.00 | INR Two Thousand Five Hundred & Fifty Only |
| 109 | Supplying and fixing call bell suitable for A.C. single phase, 230 volts, complete as required. | 10 | Each | 112.00 | 1120.00 | INR One Thousand One Hundred & Twenty Only |

| | | | | | | |
|-----|---|----|------|----------|------------------|---|
| 110 | Providing and fixing 125 amp, 16 KA, rating and breaking capacity TP MCCB in existing cubicle panel board including drilling holes in cubicle panel, making connections etc. as required. | 10 | Each | 5103.00 | 51030.00 | INR Fifty One Thousand &Thirty Only |
| 111 | ...do- but 150 / 160 amp 35 KA | 5 | Each | 6326.00 | 31630.00 | INR Thirty One Thousand Six Hundred & Thirty Only |
| 112 |do..... but 250 amp 35 KA MCCB | 10 | Each | 14584.00 | 145840.00 | INR One Lakh Forty Five Thousand Eight Hundred & Forty Only |
| 113 |do..... but 400 amp 35 KA MCCB | 10 | Each | 22644.00 | 226440.00 | INR Two Lakh Twenty Six Thousand Four Hundred & Forty Only |
| 114 |do..... but 630 amp 50 KA MCCB | 5 | Each | 29222.00 | 146110.00 | INR One Lakh Forty Six Thousand One Hundred & Ten Only |
| 115 | Providing and fixing 125 amp, 36 KA, rating and breaking capacity 4P MCCB in existing cubicle panel board including drilling holes in cubicle panel, making connections etc. as required. | 2 | Each | 8644.00 | 17288.00 | INR Seventeen Thousand Two Hundred & Eighty Eight Only |
| 116 |do..... but 250 amp 36 KA MCCB | 2 | Each | 18372.00 | 36744.00 | INR Thirty Six Thousand Seven Hundred & Forty Four Only |
| 117 |do..... but 400 amp 50 KA MCCB | 2 | Each | 44663.00 | 89326.00 | INR Eighty Nine Thousand Three Hundred & Twenty Six Only |
| 118 |do..... but 630 amp 50 KA MCCB | 2 | Each | 45108.00 | 90216.00 | INR Ninety Thousand Two Hundred & Sixteen Only |
| 119 | Supplying and fixing of 8-way, double door prewired SP&N MCB distribution board of steel sheet for 240 volts on surface/ recess complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) | 10 | Each | 2773.00 | 27730.00 | INR Twenty Seven Thousand Seven Hundred & Thirty Only |
| 120 |do..... but 12-way, double door | 20 | Each | 2871.00 | 57420.00 | INR Fifty Seven Thousand Four Hundred & Twenty Only |
| 121 |do..... but 16 way, Double door | 10 | Each | 3367.00 | 33670.00 | INR Thirty Three Thousand Six Hundred & Seventy Only |
| 122 | Supplying and fixing 4 way (4+12), double door, horizontal type three pole and neutral, sheet steel, MCB distribution board, 415 volts, on surface/ recess, complete with tinned copper bus bar, neutral bus bar, earth bar, din bar, interconnections, powder painted including earthing etc. as required. (But without MCB/RCCB/Isolator) | 10 | Each | 4377.00 | 43770.00 | INR Forty Three Thousand Seven Hundred & Seventy Only |
| 123 | do... but 6 way (6 + 18), double door TPN DB | 10 | Each | 5299.00 | 52990.00 | INR Fifty Two Thousand Nine Hundred & Ninety Only |
| 124 | do... but 8 way (4 + 24), double door TPN DB | 10 | Each | 6337.00 | 63370.00 | INR Sixty Three Thousand Three Hundred & Seventy Only |

| | | | | | | |
|-----|--|-----|------|----------|------------------|--|
| 125 | Supplying, installation, testing and commissioning of surface/ recess mounting, vertical type, 415 volts, prewired, TPN MCB distribution board of sheet steel, dust protected, duly phosphatized and powder painted, inclusive of 200 amps tinned copper busbar, common neutral link, earth bar, din bar for mounting MCB's , detachable gland / knock out plate and superior make terminal connectors for all incoming and outgoing circuits, duly prewired with adequate size of FRLS PVC insulated copper conductor upto the terminal connector/ neutral link and ready for installation of 4 ways (4+12) double door (but with out MCB's and incommer MCCB) as required. | 10 | Each | 7951.00 | 79510.00 | INR Seventy Nine Thousand Five Hundred & Ten Only |
| 126 | ..do.. but 8 way (4 + 24), double door VTPN DB | 10 | Each | 10724.00 | 107240.00 | INR One Lakh Seven Thousand Two Hundred & Forty Only |
| 127 | ..do..but12 way (4 + 36), double door VTPN DB | 5 | Each | 13512.00 | 67560.00 | INR Sixty Seven Thousand Five Hundred & Sixty Only |
| 128 | Removal / Fixing off size, SPN type sheet steel, MCB distribution board, 230 volts, on surface/ recess, complete with connection, repairing etc. including earthing etc. as required. (But without MCB/RCCB/Isolator) | 5 | Each | 525.00 | 2625.00 | INR Two Thousand Six Hundred & Twenty Five Only |
| 129 | Removal / Fixing off size, TPN type horizontal / Vertical, sheet steel, MCB distribution board, 415 volts, on surface/ recess, complete with connection, repairing etc. including earthing etc. as required. (But without MCB/RCCB/Isolator) | 5 | Each | 623.00 | 3115.00 | INR Three Thousand One Hundred & Fifteen Only |
| 130 | Supplying and fixing Cable End Box (Loose Wire Box) suitable for triple pole and neutral, sheet steel, Vertical MCB distribution board, 415 Volts, on surface/ recess, complete with testing and commissioning etc. as required. | 10 | Each | 1271.00 | 12710.00 | INR Twelve Thousand Seven Hundred & Ten Only |
| 131 | Supplying and fixing 5 amps to 32 amps rating single pole, 240/415 volts, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MCB DB complete with connections, testing and commissioning etc. as required. | 300 | Each | 285.00 | 85500.00 | INR Eighty Five Thousand Five Hundred Only |
| 132 | Supplying and fixing of 16 amps to 32 amps rating, 240 volts, 10 kA, "C" curve, Single Pole Modular circuit breaker suitable for inductive load in the existing Modular Box complete with connections, testing and commissioning etc as required. | 10 | Each | 520.00 | 5200.00 | INR Five Thousand Two Hundred Only |
| 133 |do..... but 40 to 63 amp SP MCB | 100 | Each | 819.00 | 81900.00 | INR Eighty One Thousand Nine Hundred Only |
| 134 |do..... but 5 to 32 amp DP MCB | 100 | Each | 696.00 | 69600.00 | INR Sixty Nine Thousand Six Hundred Only |
| 135 |do..... but 40 to 63 amp DP MCB | 50 | Each | 1870.00 | 93500.00 | INR Ninety Three Thousand Five Hundred Only |
| 136 |do..... but 5 to 32 amp TP MCB | 30 | Each | 1070.00 | 32100.00 | INR Thirty Two Thousand One Hundred Only |
| 137 |do..... but 40 to 63 amp TP MCB | 30 | Each | 2869.00 | 86070.00 | INR Eighty Six Thousand & Seventy Only |
| 138 |do..... but 5 to 32 amp 4P MCB | 30 | Each | 1301.00 | 39030.00 | INR Thirty Nine Thousand & Thirty Only |

| | | | | | | |
|-----|--|-----|------|----------|------------------|--|
| 139 |do..... but 40 to 63 amp 4P MCB | 30 | Each | 3628.00 | 108840.00 | INR One Lakh Eight Thousand Eight Hundred & Forty Only |
| 140 | Supplying and fixing of 06-32 amps, Icn=6kA, rating, "C" curve, DC Single Pole miniature circuit breaker suitable for inductive and resistive load in the existing MCB DB complete with connections, testing and commissioning etc as required. | 5 | Each | 791.00 | 3955.00 | INR Three Thousand Nine Hundred & Fifty Five Only |
| 141 | ..do.. but 40 to 63 amp Icn=6kA, rating, DC SP MCB | 5 | Each | 1024.00 | 5120.00 | INR Five Thousand One Hundred & Twenty Only |
| 142 |do..... but 06-32 amps, Icn=6kA, rating, DC DP MCB | 5 | Each | 1719.00 | 8595.00 | INR Eight Thousand Five Hundred & Ninety Five Only |
| 143 |do..... but 40 to 63 amp Icn=6kA, rating, DC DP MCB | 5 | Each | 2009.00 | 10045.00 | INR Ten Thousand &Forty Five Only |
| 144 | Supplying and fixing 25 amps rating, double pole, (single phase and neutral), 240 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required. | 50 | Each | 2141.00 | 107050.00 | INR One Lakh Seven Thousand &Fifty Only |
| 145 |do.....but 40 amps DP RCCB | 100 | Each | 2512.00 | 251200.00 | INR Two Lakh Fifty One Thousand Two Hundred Only |
| 146 |do.....but 63 amps DP RCCB | 20 | Each | 2866.00 | 57320.00 | INR Fifty Seven Thousand Three Hundred & Twenty Only |
| 147 | Supplying and fixing 40 amps rating, four pole, (three phase and neutral), 415 volts, residual current circuit breaker (RCCB), having a sensitivity current upto 300 milliamperes in the existing MCB DB complete with connections, testing and commissioning etc. as required. | 20 | Each | 3452.00 | 69040.00 | INR Sixty Nine Thousand &Forty Only |
| 148 |do.....but 63 amps 4P RCCB | 10 | Each | 3597.00 | 35970.00 | INR Thirty Five Thousand Nine Hundred & Seventy Only |
| 149 | Supplying and fixing 2P / 4P MCB sheet steel enclosure on surface/ recess for 415 volts complete with suitable bus bar for neutral including connections, testing and commissioning etc. as required. | 10 | Each | 1311.00 | 13110.00 | INR Thirteen Thousand One Hundred & Ten Only |
| 150 | Supplying and fixing TP/4P MCCB sheet steel enclosure on surface/ recess for 415 volts MCCB upto 250Amps complete with suitable bus bar for neutral including connections, testing and commissioning etc. as required. | 10 | Each | 5251.00 | 52510.00 | INR Fifty Two Thousand Five Hundred & Ten Only |
| 151 | Supplying and fixing of 63A , 415V TPN Industrial type socket outlet (three phase+ Neutral + Earth), with 4 pole and earth, metal enclosed plug top along with 63 A "C" curve 4PMCB, in sheet steel enclosere on surface or in recess with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. | 2 | Each | 16151.00 | 32302.00 | INR Thirty Two Thousand Three Hundred & Two Only |
| 152 | SITC of Panel Mounted Earth Leakage Relay (ELR) 240-415VAC/DC, 1 C/O (Pre Alarm) +1 C/O (Fault) current setting range 30mAmp- 30Amp equivalent to L&T make & cat no. 17K726QF4N complete with making suitable size cut out including mounting accessories and all connections as required. | 2 | Each | 3827.00 | 7654.00 | INR Seven Thousand Six Hundred & Fifty Four Only |
| 153 | SITC of Din Rail Mounted Earth Leakage Relay 220-415VAC, Mannual/ Auto reset, current setting range 30mAmp- 30Amp equivalent to L&T make & cat no. | 2 | Each | 3512.00 | 7024.00 | INR Seven Thousand &Twenty Four Only |

| | | | | | | |
|-----|--|----|------|-----------|------------------|--|
| | 17G745GF2/ 17G745KF2, complete with mounting accessories and all connections as required. | | | | | |
| 154 | Supply and fixing of SPN Automatic Changeover switches with Current Limiter (ACCL) 400V, 30A/9-30A capacity on board/DB's etc complete with connections in all respects. | 10 | Each | 2698.00 | 26980.00 | INR Twenty Six Thousand Nine Hundred & Eighty Only |
| 155 | Supply and fixing of TPN Automatic Changeover switches with Current Limiter (ACCL) 430V, Settable overvoltage and undervoltage protection, protection against single phasing, AC-1 EB/DG 32A/32A capacity etc complete with connections in all respects. Equivalent to : Make:L&T :Cat no.AUCL03032032. | 1 | Each | 10764.00 | 10764.00 | INR Ten Thousand Seven Hundred & Sixty Four Only |
| 156 | Supply and fixing of TPN Automatic Changeover switches with Current Limiter (ACCL) 430V, Settable overvoltage and undervoltage protection, protection against single phasing, AC-1 EB/DG 63A/50A capacity etc complete with connections in all respects. Equivalent to : Make:L&T :Cat no.AUCL03063050. | 1 | Each | 17957.00 | 17957.00 | INR Seventeen Thousand Nine Hundred & Fifty Seven Only |
| 157 | SITC of Automatic Changeover switch TPN, 63 Amps in existing panel chamber alongwith all accessories complete with all connections as required. | 1 | Each | 65143.00 | 65143.00 | INR Sixty Five Thousand One Hundred & Forty Three Only |
| 158 | SITC of Motorised Automatic Changeover/ATS switch 4 pole, 125 Amps in existing panel chamber alongwith all accessories complete with all connections as required. | 1 | Each | 77264.00 | 77264.00 | INR Seventy Seven Thousand Two Hundred & Sixty Four Only |
| 159 | SITC of Motorised Automatic Changeover/ATS switch 4 pole, 250 Amps in existing panel chamber alongwith all accessories complete with all connections as required. | 1 | Each | 109748.00 | 109748.00 | INR One Lakh Nine Thousand Seven Hundred & Forty Eight Only |
| 160 | SITC of Motorised Automatic Changeover/ATS switch 4 pole, 400 Amps in existing panel chamber alongwith all accessories complete with all connections as required. | 1 | Each | 138022.00 | 138022.00 | INR One Lakh Thirty Eight Thousand & Twenty Two Only |
| 161 | SITC of Motorised Automatic Changeover/ATS switch 4 pole, 630 Amps in existing panel chamber alongwith all accessories complete with all connections as required. | 1 | Each | 174620.00 | 174620.00 | INR One Lakh Seventy Four Thousand Six Hundred & Twenty Only |
| 162 | SITC of 4 Pole Power Contactors, 400 Amps in existing panel chamber alongwith all accessories complete with all connections as required. | 1 | Each | 61353.00 | 61353.00 | INR Sixty One Thousand Three Hundred & Fifty Three Only |
| 163 | Supplying and fixing 20 A, 240 V, SPN Industrial type socket outlet, with 2 pole and earth, metal enclosed plug top alongwith 20 A, "C" curve, SP, MCB, in sheet steel enclosure, on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. | 5 | Each | 1806.00 | 9030.00 | INR Nine Thousand & Thirty Only |
| 164 | Supplying and fixing 30 amps, 240 volts, TPN industrial type, socket, with 4 pole and earth, metal enclosed plug top along with 30 amps 'C' series, TP MCB, in sheet steel enclosure on surface or in recess, with chained metal cover for the socket out let and complete with connections, testing and commissioning etc. as required. | 5 | Each | 4358.00 | 21790.00 | INR Twenty One Thousand Seven Hundred & Ninety Only |

| | | | | | | |
|-----|--|-------|-------|----------|------------------|--|
| 165 | Earthing with G.I. earth plate 600 mm X 600 mm X 6 mm thick including accessories, and providing masonry enclosure/ HDPE FRP Chamber with cover plate having locking arrangement and watering pipe of 2.7 Meter long etc. with charcoal/ coke and salt as required. | 5 | Set | 8351.00 | 41755.00 | INR Forty One Thousand Seven Hundred & Fifty Five Only |
| 166 | Supplying and laying 25 mm X 5 mm G.I strip at 0.50 Meter bellow ground as strip earth electrode, including connection/ terminating with G.I. nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of G.I. nut bolt & spring washer spaced at 50mm) | 90 | Meter | 160.00 | 14400.00 | INR Fourteen Thousand Four Hundred Only |
| 167 | Earthing with copper earth plate 600 mm X 600 mm X 3 mm thick including accessories, and providing masonry enclosure/ HDPE FRP Chamber with cover plate having locking arrangement and watering pipe of 2.7 Meter long etc. with charcoal/ coke and salt as required. | 5 | Set | 15004.00 | 75020.00 | INR Seventy Five Thousand &Twenty Only |
| 168 | Providing and fixing 25 mm X 5 mm copper strip on surface/recess as strip earth electrode, including connection/ terminating with nut, bolt, spring, washer etc. as required. (Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm in cluding soldering as required) | 100 | Meter | 1246.00 | 124600.00 | INR One Lakh Twenty Four Thousand Six Hundred Only |
| 169 | Providing and fixing 25 mm x 5 mm copper strip at 0.50 meter below the ground as strip earth electrode, including connection/termination with brass nut, bolt, spring washer etc.as required.(Jointing shall be done by overlapping and with 2 sets of brass nut bolt & spring washer spaced at 50mm) on surface or in recess for connection including soldering etc. as required. | 100 | Meter | 1024.00 | 102400.00 | INR One Lakh Two Thousand Four Hundred Only |
| 170 | Providing and fixing G.I. tape 20 mm x 3 mm thick on parapet or surface of wall for lightning conductor complete including soldering, clamping, CC as required | 49.75 | Meter | 100.00 | 4975.00 | INR Four Thousand Nine Hundred & Seventy Five Only |
| 171 | Laying of one number PVC insulated and PVC sheathed / XLPE power cable of 1.1 KV grade upto 35 mm ² size direct in ground including excavation, sand cushioning, protective covering and refilling the trench etc as required. | 20 | Meter | 453.00 | 9060.00 | INR Nine Thousand &Sixty Only |
| 172 |do.....but above 35 mm ² and upto 95 mm ² | 20 | Meter | 475.00 | 9500.00 | INR Nine Thousand Five Hundred Only |
| 173 |do.....but above 95 mm ² and upto 185 mm ² | 20 | Meter | 497.00 | 9940.00 | INR Nine Thousand Nine Hundred & Forty Only |
| 174 | ...do.....but above 185 mm ² and upto 400 mm ² | 20 | Meter | 564.00 | 11280.00 | INR Eleven Thousand Two Hundred & Eighty Only |
| 175 | Laying/Removal of one number PVC insulated and PVC sheathed/ XLPE power cable of 1.1 KV grade of size upto35 mm ² direct in ground including excavation and refilling the trench etc as required. but excluding sand cushioning and protective covering. | 20 | Meter | 253.00 | 5060.00 | INR Five Thousand &Sixty Only |
| 176 |do..... but 35 mm ² to 95 mm ² cable | 20 | Meter | 276.00 | 5520.00 | INR Five Thousand Five Hundred & Twenty Only |
| 177 |do..... but 95 mm ² to 185 mm ² cable | 20 | Meter | 298.00 | 5960.00 | INR Five Thousand Nine Hundred & Sixty Only |
| 178 |do..... but 185 mm ² to 400 mm ² cable | 20 | Meter | 364.00 | 7280.00 | INR Seven Thousand Two Hundred & Eighty Only |

| | | | | | | |
|-----|---|----|------|---------|----------------|---|
| 179 | Supplying and making end termination with brass compression gland and aluminium lugs for 4 core 10 mm ² (25mm) size of PVC insulated and PVC sheathed/ XLPE aluminium conductor cable of 1.1 kV grade as required. | 10 | Each | 325.00 | 3250.00 | INR Three Thousand Two Hundred & Fifty Only |
| 180 | ..do...but for 4 core 16 mm ² (28mm) PVC cable. | 10 | Each | 366.00 | 3660.00 | INR Three Thousand Six Hundred & Sixty Only |
| 181 | ..do...but for 4 core 25 mm ² (28mm) PVC cable. | 10 | Each | 373.00 | 3730.00 | INR Three Thousand Seven Hundred & Thirty Only |
| 182 | ..do...but for 3½ or 4 core 35 mm ² (32mm) PVC cable. | 10 | Each | 438.00 | 4380.00 | INR Four Thousand Three Hundred & Eighty Only |
| 183 | ..do...but for 3½ or 4 core 50 mm ² (35 mm) PVC cable | 5 | Each | 489.00 | 2445.00 | INR Two Thousand Four Hundred & Forty Five Only |
| 184 | ..do...but for 3½ or 4 core 70 mm ² (38 mm)PVC cable | 5 | Each | 542.00 | 2710.00 | INR Two Thousand Seven Hundred & Ten Only |
| 185 | ..do...but for 3½ or 4 core 95 mm ² (45 mm) PVC cable | 5 | Each | 684.00 | 3420.00 | INR Three Thousand Four Hundred & Twenty Only |
| 186 | ..do...but for 3½ or 4 core 120 mm ² (45 mm) PVC cable | 5 | Each | 710.00 | 3550.00 | INR Three Thousand Five Hundred & Fifty Only |
| 187 | ..do...but for 3½ or 4 core 150 mm ² (50 mm) PVC cable | 5 | Each | 798.00 | 3990.00 | INR Three Thousand Nine Hundred & Ninety Only |
| 188 | ..do...but for 3½ or 4 core 185 mm ² (57 mm) PVC cable | 5 | Each | 1001.00 | 5005.00 | INR Five Thousand & Five Only |
| 189 | ..do...but for 3½ or 4 core 240 mm ² (62 mm) PVC cable | 5 | Each | 1160.00 | 5800.00 | INR Five Thousand Eight Hundred Only |
| 190 | ..do...but for 3½ or 4 core 300 mm ² (70 mm) PVC cable | 5 | Each | 1336.00 | 6680.00 | INR Six Thousand Six Hundred & Eighty Only |
| 191 | ..do...but for 3½ or 4 core 400 mm ² (70 mm) PVC cable | 5 | Each | 1713.00 | 8565.00 | INR Eight Thousand Five Hundred & Sixty Five Only |
| 192 | Supplying and making straight through joint with heat shrinkable kit including ferrules and other jointing materials for 4 core 16 mm ² PVC cable size of PVC insulated and PVC sheathed / XLPE aluminium conductor cable of 1.1 KV grade as required. | 2 | Each | 4210.00 | 8420.00 | INR Eight Thousand Four Hundred & Twenty Only |
| 193 |do.....but for 4 core 25 mm ² PVC cable. | 2 | Each | 2698.00 | 5396.00 | INR Five Thousand Three Hundred & Ninety Six Only |
| 194 |do.....but for 4 or 3½ core 35 mm ² PVC cable. | 2 | Each | 3623.00 | 7246.00 | INR Seven Thousand Two Hundred & Forty Six Only |
| 195 |do.....but for 3½ or 4 core 50 mm ² PVC cable | 2 | Each | 3623.00 | 7246.00 | INR Seven Thousand Two Hundred & Forty Six Only |

| | | | | | | |
|-----|--|----|------|----------|------------------|---|
| 196 |do.....but for 3 ½ or 4 core 70 mm² PVC cable | 2 | Each | 3623.00 | 7246.00 | INR Seven Thousand Two Hundred & Forty Six Only |
| 197 |do.....but for 3 ½ or 4 core 95 mm² PVC cable | 2 | Each | 3819.00 | 7638.00 | INR Seven Thousand Six Hundred & Thirty Eight Only |
| 198 |do.....but for 3 ½ or 4 core 120-185 mm² PVC cable | 2 | Each | 4886.00 | 9772.00 | INR Nine Thousand Seven Hundred & Seventy Two Only |
| 199 |do.....but for 3 ½ or 4 core 240 mm² PVC cable | 2 | Each | 5283.00 | 10566.00 | INR Ten Thousand Five Hundred & Sixty Six Only |
| 200 |do.....but for 3 ½ or 4 core 300 mm² PVC cable | 2 | Each | 6599.00 | 13198.00 | INR Thirteen Thousand One Hundred & Ninety Eight Only |
| 201 |do.....but for 3 ½ or 4 core 400 mm² PVC cable | 2 | Each | 8541.00 | 17082.00 | INR Seventeen Thousand & Eighty Two Only |
| 202 | Making earth point with boring 18 Mt. deep with 80 mm dia G.I. pipe "B" class ISI. The top pipe 6 mt. length will be duly holed across the pipe at a distance of 15 cm apart in 4 rows. The each joint should be welded/ Brazing, 30 cm x 30 cm CI / HDPE FRP chamber masonry housing, with filling earthing compound powder inside GI pipe complete as per direction of site in charge complete. | 5 | Each | 30913.00 | 154565.00 | INR One Lakh Fifty Four Thousand Five Hundred & Sixty Five Only |
| 203 | Supply and fixing of Chemical earthing with GI heavy earthing pipe 75 to 90 mm dia, 3 mtrs length with GI Strip 40 mm X 6 mm from top to bottom inside the pipe and pipe prefilled with growth hygroscopic gel. The work shall be completed by boring dia -100 mm, with backfill Chemical compound (50 Kg). The each joint should be welded/ brazing, 30 cm x 30 cm CI / HDPE FRP chamber complete, The Earthing shall be completed in all respect and tested on site for guranteed result of earth resisittance less than 1 ohms. | 5 | Each | 8707.00 | 43535.00 | INR Forty Three Thousand Five Hundred & Thirty Five Only |
| 204 | Supply and fixing of Chemical earthing with Copper heavy earthing pipe 50 to 65 mm, length -3 mtrs pipe with Copper Strip 40mm X 6mm from top to bottom inside the pipe and pipe prefilled with growth hygroscopic gel. The work shall be completed by boring dia -100 mm, with backfill Chemical compound (50 Kg). The each joint should be welded/ brazing, 30 cm x 30 cm CI / HDPE FRP chamber complete, The Earthing shall be completed in all reepect and tested on site for guranteed result of earth resisittance less than 1 ohms. | 5 | Each | 10762.00 | 53810.00 | INR Fifty Three Thousand Eight Hundred & Ten Only |
| 205 | SITC of M.S. Louver/ Flap/ Shutter for Exhaust Fan 12" (300mm) size with all fixing material, nut bolt etc. and T&P. | 20 | Each | 737.00 | 14740.00 | INR Fourteen Thousand Seven Hundred & Forty Only |
| 206 | SITC of M.S. Louver/ Flap/ Shutter for Exhaust Fan 15" (380mm) size with all fixing material, nut bolt etc. and T&P. | 20 | Each | 765.00 | 15300.00 | INR Fifteen Thousand Three Hundred Only |
| 207 | SITC of M.S. Louver/ Flap/ Shutter for Exhaust Fan 18" (450mm) size with all fixing material, nut bolt etc. and T&P. | 20 | Each | 861.00 | 17220.00 | INR Seventeen Thousand Two Hundred & Twenty Only |

| | | | | | | |
|-----|--|----|------|----------|------------------|--|
| 208 | SITC of Thermoplastic Cable Junction Box IP 65 Dimensions (LXBXH) 155 x 210 x 92 mm with metric knockouts for cable entry suitable for 10-16 sq.mm PVC sheathed armoured cable with 5 pole Terminal Set and one no. 5-32A SP MCB 'C' Curved for cable connections fixed on support (DIN Rail) with provision of continuity of loop earthing between I/C & O/G cables as required, equivalent to Hensel Cat No.KF1616G (Make-Hensel / Siemens) | 20 | Each | 3812.00 | 76240.00 | INR Seventy Six Thousand Two Hundred & Forty Only |
| 209 | SITC of Thermoplastic polycarbonate IP65 in accordance with EN 60 529 (Dust proof, water proof & weatherproof) junction box size- (300X300X195) mm shock proof, rust proof, corrosion free with metric knockouts for cable entry suitable for min 25 sq.mm size PVC sheathed armoured cable with Terminal Sets for cable connections fixed on support (DIN Rail) with provision of neutral bus and continuity of loop earthing between I/C & O/G cables as required, equivalent to Hensel Cat no. HEN MI JB-2540-2023 Hensel. The box shall be fixed on pole with suitable D clamp(s) and nut bolts etc as required. | 10 | Each | 16588.00 | 165880.00 | INR One Lakh Sixty Five Thousand Eight Hundred & Eighty Only |
| 210 | SITC of Thermoplastic polycarbonate IP65 in accordance with EN 60 529 (Dust proof, water proof & weaheproof) junction box size- (300X450X195) mm shock proof, rust proof, corrosion free with metric knockouts for cable entry suitable for min 25 sq.mm size PVC sheathed armoured cable with Terminal Sets for cable connections fixed on support (DIN Rail) with provision of neutral bus and continuity of loop earthing between I/C & O/G cables as required, equivalent to Hensel Cat no. HEN MI JB-2540-2023 Hensel). The box shall be fixed on pole with suitable D clamp(s) and nut bolts etc as required. | 10 | Each | 22845.00 | 228450.00 | INR Two Lakh Twenty Eight Thousand Four Hundred & Fifty Only |
| 211 | Disconnection, dismantalling & Shifting of old Electric panel / Feeder pillar. After dismantalling the panels to be sent to central / zonal store, as per direction of site incharge. | 10 | Each | 2112.00 | 21120.00 | INR Twenty One Thousand One Hundred & Twenty Only |
| 212 | Supplying and fixing of Digital Ammeter equivalent to Make: Secure & Model DPM I310 in existing panel/DB complete with all connections, testing and commissioning etc as required. | 2 | Each | 2352.00 | 4704.00 | INR Four Thousand Seven Hundred & Four Only |
| 213 | Supplying and fixing of Digital Voltmeter equivalent to Make: Secure & Model DPM V310 in existing panel/DB complete with all connections, testing and commissioning etc as required. | 2 | Each | 2352.00 | 4704.00 | INR Four Thousand Seven Hundred & Four Only |
| 214 | Supplying and fixing of Digital Multifunction Meter equivalent to Make: Secure & Model Elite 102 in existing panel/DB complete with all connections, testing and commissioning etc as required. | 2 | Each | 6427.00 | 12854.00 | INR Twelve Thousand Eight Hundred & Fifty Four Only |
| 215 | SITC of 100/5- 600/5 CT burdan 15 VA, tap wound and ring type CL -1 complete with all connections including all mounting accessories in all respect. | 5 | Each | 799.00 | 3995.00 | INR Three Thousand Nine Hundred & Ninety Five Only |
| 216 | SITC of LED Indicator 230V or more as required, AC/DC as required complete with all connections including all mounting accessories in all respect. | 5 | Each | 212.00 | 1060.00 | INR One Thousand & Sixty Only |

| | | | | | | |
|-----|--|----|-------|----------|-----------------|---|
| 217 | Removal / fixing of off size of perforated cable trays in convenient section, removal from joining with connectors, which suspended from the ceiling with M.S suspenders including bolt & nut suspenders etc as required. complete in all respect. | 20 | Meter | 237.00 | 4740.00 | INR Four Thousand Seven Hundred & Forty Only |
| 218 | Cleaning of Ceiling/Wall/ Pedestal/Cabin/ Exhaust/ Frseh Air Fan installed at several locations in different departments /residences /offices by using own ladder and T&P as required for proper completion of work. | 50 | Each | 100.00 | 5000.00 | INR Five Thousand Only |
| 219 | Making hole for installation of exhaust fan of size upto 450 mm sweep by demolishing brick work manually/by mechanical means including disposal of malba within 50 meters lead and making good the wall by plastering etc. as required. | 10 | Each | 248.00 | 2480.00 | INR Two Thousand Four Hundred & Eighty Only |
| 220 | SITC of desert air- cooler strong air delivery (3400 CMH approx) with minimum three speed operation , fully collapsible louvres complete equivalent to orient snowbreeze slim 55, complete in all respect. | 2 | Each | 10199.00 | 20398.00 | INR Twenty Thousand Three Hundred & Ninety Eight Only |
| 221 | SITC of Pedestal fan 400 mm Sweep revolving type with speed regulator. | 2 | Each | 2689.00 | 5378.00 | INR Five Thousand Three Hundred & Seventy Eight Only |
| 222 | SITC of Wall mounting fan 400 mm Sweep revolving type with speed regulator. | 10 | Each | 2392.00 | 23920.00 | INR Twenty Three Thousand Nine Hundred & Twenty Only |
| 223 | SITC of 240 V, 150 MM sweep PVC body exhaust fan in existing opening and making good finish with plaster and all masonry work, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 10 | Each | 1681.00 | 16810.00 | INR Sixteen Thousand Eight Hundred & Ten Only |
| 224 | SITC of 240 V, 200 MM sweep PVC body exhaust fan in existing opening and making good finish with plaster and all masonry work, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 10 | Each | 1989.00 | 19890.00 | INR Nineteen Thousand Eight Hundred & Ninety Only |
| 225 | SITC of 240 V, 250 MM sweep PVC body exhaust fan in existing opening and making good finish with plaster and all masonry work, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 10 | Each | 2105.00 | 21050.00 | INR Twenty One Thousand & Fifty Only |
| 226 | SITC of 240 V, 225-230 MM sweep, light duty metallic body exhaust fan in existing opening and making good finish the damage with plaster and all masonry work , connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 5 | Each | 1893.00 | 9465.00 | INR Nine Thousand Four Hundred & Sixty Five Only |
| 227 | SITC of 240 V, 300 MM sweep, light duty metallic body exhaust fan in existing opening and making good finish the damage with plaster and all masonry work , connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 5 | Each | 2161.00 | 10805.00 | INR Ten Thousand Eight Hundred & Five Only |

| | | | | | | |
|-----|--|-----|------|---------|------------------|--|
| 228 | SITC of 240 V, 375-380 MM sweep, 900 RPM heavy duty exhaust fan in existing opening including making good finish the damage with plaster and all masonry work, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 5 | Each | 4279.00 | 21395.00 | INR Twenty One Thousand Three Hundred & Ninety Five Only |
| 229 | SITC of 240 V, 300 MM sweep, 900 RPM heavy duty exhaust fan in existing opening including making good finish the damage with plaster and all masonry work, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 5 | Each | 3797.00 | 18985.00 | INR Eighteen Thousand Nine Hundred & Eighty Five Only |
| 230 | SITC of 240 V, 450 MM sweep, 900 RPM heavy duty exhaust fan in existing opening including making good finish the damage with plaster and all masonry work, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 10 | Each | 5156.00 | 51560.00 | INR Fifty One Thousand Five Hundred & Sixty Only |
| 231 | SITC of 240 V, 350/450 MM sweep, heavy duty metallic body exhaust fan motor in existing exhaust fan body, 900/1200 RPM single phase electrical exhaust fan, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. copper conductor, single core etc. | 2 | Each | 858.00 | 1716.00 | INR One Thousand Seven Hundred & Sixteen Only |
| 232 | SITC of 240 V, 200/250 MM sweep, light duty PVC/MS body exhaust fan motor in existing exhaust fan body, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. copper conductor, single core etc. | 10 | Each | 461.00 | 4610.00 | INR Four Thousand Six Hundred & Ten Only |
| 233 | SITC of 240 V, Desert Air cooler motor in existing water cooler body, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. copper conductor, single core etc. | 10 | Each | 524.00 | 5240.00 | INR Five Thousand Two Hundred & Forty Only |
| 234 | SITC of 240 V, Desert Air cooler water pump motor in existing water cooler body, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. copper conductor, single core etc. | 10 | Each | 223.00 | 2230.00 | INR Two Thousand Two Hundred & Thirty Only |
| 235 | SITC of 240 V, 450 MM sweep, heavy duty air circulator wall fan including making good finish the damage with plaster and all masonry work, connection with 1.5 sqmm PVC insulated, copper conductor, single core etc. | 10 | Each | 7234.00 | 72340.00 | INR Seventy Two Thousand Three Hundred & Forty Only |
| 236 | Supply, Installation, Testing and Commissioning of 900mm, service value \geq 5.1 CM/Min/Watt, air delivery 130 CM/Min (Minimum), ceiling fan with Brush Less Direct Current (BLDC) Motor, class of insulation: B, 3 nos. metal (Aluminum alloy) blades, 30 cm long down rod, 2 nos. canopies, shackle kit, safety rope, copper winding, steel/Al body Power Factor not less than 0.9, Service Value (CM/M/W) minimum as below, 350 RPM (tolerance as per IS : 374-2019), THD (Total Harmonic Distortion) less than 10%, suitable for operation with regulator for speed control and all remaining accessories including safety pin, nut bolts, washers, temperature rise=75 degree C (max.), insulation resistance more than 2 mega ohm, suitable for 230 V, 50 Hz, single phase AC Ceiling Fan compliant to IS 374:2019 fan Supply earthing etc. complete as req | 5 | Each | 2737.00 | 13685.00 | INR Thirteen Thousand Six Hundred & Eighty Five Only |
| 237 | Do but 1200 mm service value \geq 6.0 CM/Min/Watt, air delivery 210 CM/Min (Minimum) | 100 | Each | 2882.00 | 288200.00 | INR Two Lakh Eighty Eight Thousand Two Hundred Only |

| | | | | | | |
|-----|---|-----|-------|---------|------------------|--|
| 238 | Do but 1400 mm service value \geq 6.0 CM/Min/Watt, air delivery 245 CM/Min (Minimum) | 20 | Each | 2913.00 | 58260.00 | INR Fifty Eight Thousand Two Hundred & Sixty Only |
| 239 | Providing and fixing G.I. pipes 15/16mm dia (Medium B class) complete with G.I. fittings including trenching and refilling etc. | 10 | Meter | 313.00 | 3130.00 | INR Three Thousand One Hundred & Thirty Only |
| 240 | Supplying and embedding 32 mm dia G.I. pipe (medium B class) in pole collar/ foundation (during casting) for cable entry including bending the pipe to the required shape complete as required | 10 | Meter | 559.00 | 5590.00 | INR Five Thousand Five Hundred & Ninety Only |
| 241 | Supplying and embedding 40 mm dia G.I. pipe (medium B class) in pole collar/ foundation (during casting) for cable entry including bending the pipe to the required shape complete as required | 150 | Meter | 626.00 | 93900.00 | INR Ninety Three Thousand Nine Hundred Only |
| 242 | Providing, laying and fixing B class medium ISI 50 mm dia G.I. pipe in ground complete with G.I. fittings including boring/ trenching (75 cm deep) and re-filling etc as required | 50 | Meter | 742.00 | 37100.00 | INR Thirty Seven Thousand One Hundred Only |
| 243 |do.....but G.I. Pipe 80 mm dia. | 50 | Meter | 1014.00 | 50700.00 | INR Fifty Thousand Seven Hundred Only |
| 244 |do.....but G.I. Pipe 100 mm dia. | 100 | Meter | 1918.00 | 191800.00 | INR One Lakh Ninety One Thousand Eight Hundred Only |
| 245 | Supplying and installing of 100 mm width X 50 mm depth X 1.6 mm thickness perforated painted with powder coating M.S. cable trays with perforation not more than 17.5% in convenient sections, joined with connectors, suspended from the ceiling with M.S. suspenders including bolts & nuts, painting suspenders etc as required. | 80 | Meter | 623.00 | 49840.00 | INR Forty Nine Thousand Eight Hundred & Forty Only |
| 246 |do.....150 mm width X 50 mm depth X 1.6 mm thickness | 10 | Meter | 686.00 | 6860.00 | INR Six Thousand Eight Hundred & Sixty Only |
| 247 |do.....200 mm width X 50 mm depth X 1.6 mm thickness | 5 | Meter | 775.00 | 3875.00 | INR Three Thousand Eight Hundred & Seventy Five Only |
| 248 |do.....450 mm width X 50 mm depth X 2.0 mm thickness | 5 | Meter | 1243.00 | 6215.00 | INR Six Thousand Two Hundred & Fifteen Only |
| 249 | Supplying and installing of 50 mm width X 25 mm depth X 0.6 mm thickness perforated painted with powder coating Metal/ GI raceway with bracket for fixing raceway 50x25 mm, coupler for joining raceway with proper nut bolts as per site requirement with proper connection etc as required. | 10 | Meter | 829.00 | 8290.00 | INR Eight Thousand Two Hundred & Ninety Only |
| 250 | SITC of LED light fitting 600mm length minimum 1000Lumen with mounting rail box / aluminium extruded Batten suitable for surface, wall and conduit mounting with accessories and prewired with both side end cap equivalent to Wipro Cat no. LL20-111-XXX-65NE3. Minimum five years warranty should be provided. | 20 | Each | 529.00 | 10580.00 | INR Ten Thousand Five Hundred & Eighty Only |

| | | | | | | |
|-----|--|-----|------|---------|------------------|---|
| 251 | Supplying, installation, Testing & Commissioning of 18-22 watt LED surface mounted Batten light (System Lumen efficiency \geq 105) of Powder coated die cast/ Extruded aluminium body (thickness \geq 1.20mm) and construction as per IS : 10322 with driver (Replaceable) as per the requirement with Driver efficiency $>$ 85%, Operating voltage AC 140-270 Volt, freq 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection ,THD $<$ 10% , P. F. \geq 0.95, IP20, CRI $>$ 80, Flicker free, (flicker should be below 5 %), life time (LED,Driver & electrical circuitary), of minimum 50000 Burning Hours with , 70% of initial Lumen maintained till life ends, CCT 3000°K / 4000°K / 5700°K /6000°K/6500°K (As per ANSI Bin), SDCM(Standard Deviation Color Matching) $<$ 3, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy \geq 105 $<$ 120 lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C) | 300 | Each | 734.00 | 220200.00 | INR Two Lakh Twenty Thousand Two Hundred Only |
| 252 | SITC of LED light fitting BED Side Lamp with accessories and prewired equivalent to WIPRO Cat no. LJ14-020-XXX-40-OP Bedside Light 3-4W Cir. White. | 2 | Each | 1089.00 | 2178.00 | INR Two Thousand One Hundred & Seventy Eight Only |
| 253 | SITC of Decorative lamp wall mounting, brushed nickle finish with opal glass diffuser suitable with 1x9W LED lamp & B22 base equivalent to Havells code no.LHFOAJE1TZ11060. complete in all respect. | 10 | Each | 1420.00 | 14200.00 | INR Fourteen Thousand Two Hundred Only |
| 254 | SITC of Decorative lamp wall mounting, brushed nickle finish with opal glass diffuser suitable with 2x9W LED lamp & B22 base equivalent to Havells code no.LHFOAJE2TZ11060.complete in all respect. | 10 | Each | 2196.00 | 21960.00 | INR Twenty One Thousand Nine Hundred & Sixty Only |
| 255 | SITC of suspended mounting LED Light fitting minimum lumen 3600 including driver equivalent to Havells cat no. DESTG250LP/S36WLED857SWH1130 with End Cap & Suspension kit as required complete all connections. | 10 | Each | 4781.00 | 47810.00 | INR Forty Seven Thousand Eight Hundred & Ten Only |
| 256 | Supplying, installation, Testing & Commissioning of 5-7 watt LED Recessed/ surface Down lighter (Round/ square/ Rectangular) COB Type (System Lumen Efficacy \geq 105 $<$ 120 lm/Watt) of Powder coated die cast / Extruded aluminium body including trim with aluminium reflector and construction as per IS : 10322 with driver as per the requirement with Driver efficiency $>$ 85%, Operating voltage AC 140-270 Volt, frequency 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection ,THD $<$ 10% , P. F. \geq 0.95, IP20, CRI $>$ 80 , UGR (Unified Glare Rating) $<$ 19, Flicker free (flicker should be below 5%), life time (LED,Driver & electrical circuitry), of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends, | 10 | Each | 826.00 | 8260.00 | INR Eight Thousand Two Hundred & Sixty Only |

| | | | | | | |
|-----|---|-----|------|---------|------------------|--|
| 257 | CCT 3000°K / 4000°K / 5700°K / 6000°K / 6500°K (As per ANSI Bin) SDCM(Standard Deviation Color Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be confirming to relevant BIS standards and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing Complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 and <120 lm/Watt output. LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C) | | | | 0.00 | INR Zero Only |
| 258 | Do but 12-15 watt as required complete in all respect. | 20 | Each | 1042.00 | 20840.00 | INR Twenty Thousand Eight Hundred & Forty Only |
| 259 | Do but 22 watt as required complete in all respect. | 10 | Each | 1330.00 | 13300.00 | INR Thirteen Thousand Three Hundred Only |
| 260 | SITC of LED surface spot light fitting, Energy saving, environmental friendly, long life, made up of aluminium pressure die cast housing with toughened glass / polycarbonate cover, minimum 500 lumen output, equivalent to Havells Cat No. UNECOSURFDLS8WLED830S24WHT along with mounting brackets assembly. Minimum Two years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative. | 1 | Each | 2231.00 | 2231.00 | INR Two Thousand Two Hundred & Thirty One Only |
| 261 | SITC of LED wall surface Up-down light fitting, Energy saving, environmental friendly, IP 66, long life, made up of aluminium pressure die cast housing with toughened glass / polycarbonate cover, minimum 25 watt output, IP66 protection, equivalent to Havells Cat No. CLIOWLS25WLED830PSYMTOTG along with mounting brackets assembly. Minimum Two years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative. | 1 | Each | 5527.00 | 5527.00 | INR Five Thousand Five Hundred & Twenty Seven Only |
| 262 | Supplying, installation, Testing & Commissioning of 18 watt Panel light 2x2 or 1x1 ft. (System lumen efficacy ≥105), of Powder coated die cast / Extruded aluminium Body (Thickness ≥ 1.20 mm) body material and construction as per IS : 10322 with driver as per the requirement with Driver efficiency >85%, Operating voltage AC 140- 270 Volt, freq 50/60 hz, Operating temp range -15 deg to 40 deg centigrade, internal surge protection of 2.5 KV with Short & Open circuit protection, THD < 10% , P. F.≥0.95, IP20, CRI >80, UGR (Unified Glare Rating) < 19, Flicker free, (flicker should be below 5 %), life time (LED,Driver & electrical circuitry), of minimum 50000 Burning Hours with, 70% of initial Lumen maintained till life ends as per LM80 extrapolation IES TM-21-11 report, CCT 3000°K / 4000°K / 5700°K /6000°K / 6500°K (As per ANSI Bin), SDCM(Standard Deviation Color Matching) <3, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard and trade mark certificate (T.C.). Manufactures Word Mark/ Name Engraved/ Embossing/ Screen printing on housing. complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 <120 lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C). | 10 | Each | 2060.00 | 20600.00 | INR Twenty Thousand Six Hundred Only |
| 263 | Do but 36 watt LED Panel 2x2 feet as required complete in all respect. | 100 | Each | 2508.00 | 250800.00 | INR Two Lakh Fifty Thousand Eight Hundred Only |

| | | | | | | |
|-----|---|----|------|---------|-----------------|---|
| 264 | SITC of 2'x2' fully diffused recess/surface mounting LED luminaire with PIR Sensor, minimum 3600 lumen as light source, suitable for Armstrong/Grid Ceiling complete as required including all connections equivalent to Havells no. VENUSNEOHE2X2R36WLED857PIRSENSOR. Minimum five years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative. | 20 | Each | 4233.00 | 84660.00 | INR Eighty Four Thousand Six Hundred & Sixty Only |
| 265 | Supplying, installation, Testing & Commissioning of Street light 25 W LED fixture powder coated pressure die cast aluminum body with driver as per the requirement with Driver efficiency >85%, Input voltage: 140-270 Volt AC, freq 50/60 hz, Operating temp range -15 deg to 50 deg centigrade, internal surge protection of 5 KV L,N,E as per IEC 1000-4-5, Driver efficiency >85%,THD < 10% as per IEC 61000-3-2 , P. F.≥0.95, IP66,IK-10, CRI >80, under voltage and over voltage protection, EMIEMC As per CISPR -15, lenses for beam angle as per IESNA type I/II/III as per the width of the road and the project requirement., suitable to fit in up to 65mm dia pipe, life time LED.Driver & electrical circuitry) of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends as per LM80 extrapolation IES TM-21-11 report, CCT 3000°K / 4000°K / 5700°K /6000°K/6500°K (As per ANSI Bin),SDCM(Standard Deviation Color Matching)<5, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy ≥105 <120 lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-in-Charge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above 90°C | 5 | Each | 1000.00 | 5000.00 | INR Five Thousand Only |
| 266 | Do but 36 watt LED street light as required complete in all respect. | 5 | Each | 1228.00 | 6140.00 | INR Six Thousand One Hundred & Forty Only |
| 267 | Do but 50 watt LED street light as required complete in all respect. | 5 | Each | 1782.00 | 8910.00 | INR Eight Thousand Nine Hundred & Ten Only |
| 268 | Do but 72 watt LED street light as required complete in all respect. | 5 | Each | 1920.00 | 9600.00 | INR Nine Thousand Six Hundred Only |
| 269 | Do but 120 watt LED street light as required complete in all respect. | 1 | Each | 2612.00 | 2612.00 | INR Two Thousand Six Hundred & Twelve Only |
| 270 | SITC of LED Bollard light 5700k, IP65, 8-10 Watt equivalent to LED crompton Cat No. LBLSR-10-WW. Minimum five years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative. | 5 | Each | 3211.00 | 16055.00 | INR Sixteen Thousand & Fifty Five Only |
| 271 | Supply and fixing of LED post top IP 65 lantern spun aluminium landscape luminaire, symmetrical light distribution, clear/ opal acrylic diffuser, stainless steel hardware, 15 watt including connections equivalent to Havells Cat No.RUBYMINPT15W LED757PSYMTOPC. Minimum five years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative. | 5 | Each | 3540.00 | 17700.00 | INR Seventeen Thousand Seven Hundred Only |
| 272 | SITC of LED Bulkhead complete with connections as required equivalent to WIPRO Cat No. LW07-141-XXX-57-G1. Minimum five years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative.. | 2 | Each | 1264.00 | 2528.00 | INR Two Thousand Five Hundred & Twenty Eight Only |

| | | | | | | |
|-----|---|-----|-------|----------|------------------|--|
| 273 | SITC of recess mounting LED strip including driver equivalent to WIPRO cat no. LSD6-005-120-30-50 with Driver. Minimum five years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative. | 5 | Meter | 1200.00 | 6000.00 | INR Six Thousand Only |
| 274 | Supplying, installation, Testing & Commissioning of 50 Watt LED Flood Light, powder coated pressure die cast aluminum body (System Lumen efficacy >=105) with built in or separate driver as per the requirement with Driver efficiency >85%, Input voltage: Input voltage: 140-270 Volt AC, freq 50/60 hz, Operating temp range -15 deg to 50 deg centigrade, internal surge protection of 5 KV L,N,E as per IEC 61000-4- 5, Driver efficiency >85%,THD < 10% as per IEC 61000-3-2 , P. F.>=0.95, IP66,IK-10, CRI >80 , under voltage and over voltage protection, EMIEMC as per CISPR -15 , lenses for beam angle 30 deg-120deg as per the application and the project requirement deg., suitable tilt able fitting, life time (LED,Driver & electrical circuitary) of minimum 50000 Burning Hours with 70% of initial Lumen maintained till life ends as per LM80 extrapolation IES TM-21-11 report, CCT 3000°K / 4000°K / 5700°K /6000°K/6500°K (As per ANSI Bin) , SDCM(Standard Deviation Color Matching)) <5, Maximum power consumption should not more than the specified rating and Fixture shall be of relevant BIS standard complete in all respect i/c connections with 1.5 sq mm FRLS, PVC insulated copper conductor single core cable and earthing etc. as required with Minimum 5 year OEM warranty. System lumen efficacy 105 <120 lm/Watt output . LM79 & LM80 Test report from NABL lab for all testing required for LED fixtures as per BIS shall be submitted. Shape size and CCT shall be as approved by Engineer-inCharge as per requirement. (Thermal management: heat sink of aluminum housing such that LED junction temperature shall not rise above | 2 | Each | 1436.00 | 2872.00 | INR Two Thousand Eight Hundred & Seventy Two Only |
| 275 | Do but 100 watt LED Flood light as required complete in all respect. | 2 | Each | 2266.00 | 4532.00 | INR Four Thousand Five Hundred & Thirty Two Only |
| 276 | Do but 150 watt LED Flood light as required complete in all respect. | 2 | Each | 3166.00 | 6332.00 | INR Six Thousand Three Hundred & Thirty Two Only |
| 277 | Do but 200 watt LED Flood light as required complete in all respect. | 2 | Each | 4550.00 | 9100.00 | INR Nine Thousand One Hundred Only |
| 278 | SITC of Sensor LED tube fitting equivalent to WIPRO Cat No. LL28-221-5N-65-XX* with built in motion sensor and necessary arrangement to reduce to 30% in case of no occupancy or motion but instantly go to full light i.e. 18-20 watt as soon as some motion observed, complete with connection as required. Minimum five years warranty should be provided. Warranty certificate should be endorsed by OEM or his representative. | 100 | Each | 1089.00 | 108900.00 | INR One Lakh Eight Thousand Nine Hundred Only |
| 279 | SITC of 3.00 Metre HDG Octagonal Pole with Top Dia 70 mm, Bottom Dia 130 mm & Sheet Thickness 3 mm, base plate 200 x 200 x 12 mm alongwith 0.5 Metre single arm bracket ,suitable for 70mm Top complete with suitable size of the foundation bolt etc. as required. | 1 | Each | 16876.00 | 16876.00 | INR Sixteen Thousand Eight Hundred & Seventy Six Only |
| 280 | SITC of 6.00 Metre HDG Octagonal Pole with Top Dia 70 mm, Bottom Dia 130 mm & Sheet Thickness 3 mm, base plate 200 x 200 x 12 mm alongwith 0.5 Metre single arm bracket ,suitable for 70mm Top complete with suitable size of the foundation bolt etc. as required. | 1 | Each | 22413.00 | 22413.00 | INR Twenty Two Thousand Four Hundred & Thirteen Only |
| 281 | Supply and Fixing of M.S. tubular pole SP-5, 7.5 Meter length with suitable canopy and cross arm single/ double as required. The pole shall be grouted in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling as required. | 1 | Each | 22545.00 | 22545.00 | INR Twenty Two Thousand Five Hundred & Forty Five Only |

| | | | | | | |
|-----|---|----|-------|----------|-----------------|---|
| 282 | Supply and Fixing of M.S. tubular pole SP-32, 9.0 Meter length with suitable canopy and cross arm single/ double as required. The pole shall be grouted in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling as required. | 1 | Each | 32318.00 | 32318.00 | INR Thirty Two Thousand Three Hundred & Eighteen Only |
| 283 | Installation / Dismantling of Geyser rating 25 -50Ltrs including cartage upto store /central store as per instruction of site-in-charge. | 20 | Each | 612.00 | 12240.00 | INR Twelve Thousand Two Hundred & Forty Only |
| 284 | SITC of Water Heater(Geyser) rating of 25 ltrs 5 star complete with all connections. | 10 | Each | 9698.00 | 96980.00 | INR Ninety Six Thousand Nine Hundred & Eighty Only |
| 285 | SITC of Water Heater(Geyser) rating of 35 ltrs 5 star complete with all connections. | 5 | Each | 14206.00 | 71030.00 | INR Seventy One Thousand & Thirty Only |
| 286 | SITC of Water Heater(Geyser) rating of 50 ltrs 5 star complete with all connection | 5 | Each | 14206.00 | 71030.00 | INR Seventy One Thousand & Thirty Only |
| 287 | SITC of Instant Water Heater(Geyser) rating of 3 ltrs complete with all connection | 2 | Each | 5099.00 | 10198.00 | INR Ten Thousand One Hundred & Ninety Eight Only |
| 288 | Providing and fixing M.S. fan clamp type I or II of 16 mm dia M.S. bar,bent to shape with hooked ends in R.C.C. slabs or beams during laying,including painting the exposed portion of loop, all as per standard design complete. | 5 | Each | 220.00 | 1100.00 | INR One Thousand One Hundred Only |
| 289 | Providing and fixing circular / hexagonal cast iron or M.S. sheet box for ceiling fan clamp, of internal dia140 mm, 73 mm height, top lid of 1.5 mm thick M.S. sheet with its top surface hacked for properbonding, top lid shall be screwed into the cast iron / M.S. sheet box by means of 3.3 mm dia roundheaded screws, one lock at the corners. Clamp shall be made of 12 mm dia M.S. bar bent to shape as per standard drawing. | 3 | Each | 215.00 | 645.00 | INR Six Hundred & Forty Five Only |
| 290 | Dismantling of ceiling fan and painting the same with one or more coats of spray painting with synthetic enamel paint of approved brand and manufacture to give an even shade, including cleaning of surface with detergent and replacing the damaged rubber reel, nuts and bolts with washers and safety pins, reinstalling the same as required. | 5 | Each | 324.00 | 1620.00 | INR One Thousand Six Hundred & Twenty Only |
| 291 | Installation, testing and commissioning of ceiling fan, including wiring the down rods of standard length (upto 30 cm) with 1.5 mm ² FRLS PVC insulated, copper conductor, single core cable etc as required after removal the old if required. | 5 | Each | 266.00 | 1330.00 | INR One Thousand Three Hundred & Thirty Only |
| 292 | Installation of exhaust fan up to 450 mm sweep in the existing opening, including making good the damage, connection, testing, commissioning etc after removal the old, as required. | 5 | Each | 556.00 | 2780.00 | INR Two Thousand Seven Hundred & Eighty Only |
| 293 | Installation, testing and commissioning of pre-wired, fluorescent fitting / compact fluorescent fitting of all types, complete with all accessories and tube etc directly on ceiling/ wall, including connection with 1.5 mm ² FRLS PVC insulated, copper conductor, single core cable and earthing etc after removal the old, as required. | 2 | Each | 259.00 | 518.00 | INR Five Hundred & Eighteen Only |
| 294 | Erection of steel tubular or rail pole strut in cement concrete 1:3:6 (1 cement : 3 coarse sand : 6 graded stone aggregate 40 mm nominal size) foundation including excavation and refilling and secured with holding clamps, bolts, nuts, etc. as required. Above 4.5m and upto 6.5m | 2 | Cu. M | 6123.00 | 12246.00 | INR Twelve Thousand Two Hundred & Forty Six Only |

| | | | | | | |
|-----|---|-------|--------------------------|---------|-----------------|--|
| 295 | Providing and making of steel / rail pole collar with cement concrete (1 cement : 3 coarse sand : 6 stone aggregate 20mm) of specified size and shape including form work, plastering if required, curing etc. as required (volume of pole/pipe not to be deducted). | 5 | Cu. M | 8834.00 | 44170.00 | INR Forty Four Thousand One Hundred & Seventy Only |
| 296 | Dismantling of pole/ street light standard/ strut embedded in brick ballast foundation etc. as required. | 5 | Each | 3378.00 | 16890.00 | INR Sixteen Thousand Eight Hundred & Ninety Only |
| 297 | Excavation for cable trenches in soft soil, depth upto 1.2 m including dressing of sides lift upto 1.5 m, including getting out the excavated soil, refilling with sand and or good soil after laying of cable/ pipe etc in layers of 20 cm, ramming, watering and disposal of surplus excavated soil as directed, within a lead of 50 Meters. | 5 | Cu. M | 830.00 | 4150.00 | INR Four Thousand One Hundred & Fifty Only |
| 298 | Earth work in excavation in soft soil by mechanical means (Hydraulic excavator) / manual means in foundation trenches or drains (not exceeding 1.5 m inwidth or 10 sqm on plan), including dressing of sides and ramming of bottoms, lift upto 1.5 m, including getting out the excavated soil and disposal of surplus excavated soil as directed, within a lead of 50 m. | 4 | Cu.M | 253.00 | 1012.00 | INR One Thousand & Twelve Only |
| 299 | Providing Brick work with common burnt clay F.P.S. (non modular) bricks of class designation 7.5 in foundation and plinth in Cement mortar 1:6 (1 cement : 6 coarse sand) | 4 | Cu. M | 6940.00 | 27760.00 | INR Twenty Seven Thousand Seven Hundred & Sixty Only |
| 300 | 12 mm Cement Plaster of Mix 1:6 (1 Cement : 6 Fine Sand) | 5 | Sq. m | 324.00 | 1620.00 | INR One Thousand Six Hundred & Twenty Only |
| 301 | Demolishing brick work in mortar manually/ by mechanical means including stacking of serviceable material and disposal of unserviceable material within 50 Meters lead as per direction of Engineer-in-charge. | 4 | Cu.M. | 2005.00 | 8020.00 | INR Eight Thousand & Twenty Only |
| 302 | Dismantling doors, windows and clerestory windows (steel or wood) shutter including chowkhats, architrave, holdfasts etc. complete and stacking within 50 Meters lead of area beyond 3 sq.meters | 5 | Each | 489.00 | 2445.00 | INR Two Thousand Four Hundred & Forty Five Only |
| 303 | Demolishing R.C.C. work manually/ by mechanical means including stacking of steel bars and disposal of unserviceable material within 50 Meters lead as per direction of Engineer - in- charge | 5 | Cu.M. | 3455.00 | 17275.00 | INR Seventeen Thousand Two Hundred & Seventy Five Only |
| 304 | Painting with synthetic enamel paint of approved brand and manufacture to give an even shade Two or more coats on new work | 5 | Sq. m | 220.00 | 1100.00 | INR One Thousand One Hundred Only |
| 305 | Providing and applying white cement based putty of average thickness 1 mm, of approved brand and manufacturer, over the plastered wall surface to prepare the surface even and smooth complete | 5 | Sq. m | 152.00 | 760.00 | INR Seven Hundred & Sixty Only |
| 306 | Re-lettering with black Japan paint of approved brand and manufacture. | 600 | Per letter per cm height | 6.00 | 3600.00 | INR Three Thousand Six Hundred Only |
| 307 | Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. | 40 | P/Kg | 130.00 | 5200.00 | INR Five Thousand Two Hundred Only |
| 308 | Disposal of building rubbish / malba / similar unserviceable, dismantled or waste materials by mechanical means, including loading, transporting, unloading to approved municipal dumping ground or as approved by Engineer-in-charge, beyond 50 m initial lead, for all leads including all lifts involved. | 50.15 | Cu.M. | 257.00 | 12888.55 | INR Twelve Thousand Eight Hundred & Eighty Eight and Paise Fifty Five Only |

| | | | | | | |
|-----|--|------|-------|---------|-----------------|--|
| 309 | Providing and fixing double scaffolding system (cup lock type) on the exterior side, up to seven story height made with 40 mm dia M.S. tube 1.5 m centre to centre, horizontal & vertical tubes joining with cup & lock system with M.S. tubes, M.S. tube chollies, M.S. clamps and M.S. staircase system in the scaffolding for working platform etc. and maintaining it in a serviceable condition for the required duration as approved and removing it there after .The scaffolding system shall be stiffened with bracings, runners, connection with the building etc wherever required for inspection of work at required locations with essential safety features for the workmen etc. complete as per directions and approval of Engineer-in-charge .The elevational area of the scaffolding shall be measured for payment purpose .The payment will be made once irrespective of duration of scaffolding. | 50 | sqm | 329.00 | 16450.00 | INR Sixteen Thousand Four Hundred & Fifty Only |
| 310 | Spray Painting of double coat of Electric Panel/Feeder after removal of old layer of paint, rusting etc. and providing the red oxide paint over the surface uniformly if required before spray painting including etc.The work shall be completed in all respect including repair including repair by welding/Denting and black paint on base chanel and MS frame as required (Only painted surface shall be measured for payment). | 1000 | sq-ft | 84.00 | 84000.00 | INR Eighty Four Thousand Only |
| 311 | Painting of electric pole and number making if required (8.5mtr. to 14 mtr. long pole) with 1 coat of aluminium paint over redoxide primer after proper cleaning of rusted surface as required complete in all respects. | 40 | Each | 1527.00 | 61080.00 | INR Sixty One Thousand & Eighty Only |
| 312 | Painting of electric pole and number making if required (8.5mtr. to 14 mtr. long pole) with 1 coat of aluminium paint after proper cleaning of rusted surface as required complete in all respects. | 40 | Each | 936.00 | 37440.00 | INR Thirty Seven Thousand Four Hundred & Forty Only |
| 313 | Painting of electric pole and number making if required (5 mtr. to 8 mtr. long pole) with 1 coat of aluminium paint over redoxide primer after proper cleaning of rusted surface as required complete in all respects. | 40 | Each | 872.00 | 34880.00 | INR Thirty Four Thousand Eight Hundred & Eighty Only |
| 314 | Painting of electric pole and number making if required (5 mtr. to 8 mtr. long pole) with 1 coat of aluminium paint after proper cleaning of rusted surface as required complete in all respects. | 40 | Each | 496.00 | 19840.00 | INR Nineteen Thousand Eight Hundred & Forty Only |
| 315 | Painting of electric pole and number making if required (2.4 mtr. to 4.5 mtr. long pole) with 1 coat of aluminium paint over redoxide primer after proper cleaning of rusted surface as required complete in all respects. | 40 | Each | 358.00 | 14320.00 | INR Fourteen Thousand Three Hundred & Twenty Only |
| 316 | Painting of electric pole and number making if required (2.4 mtr. to 4.5 mtr. long pole) with 1 coat of aluminium paint after proper cleaning of rusted surface as required complete in all respects. | 40 | Each | 253.00 | 10120.00 | INR Ten Thousand One Hundred & Twenty Only |
| 317 | SITC of factory fabricated 1.6 mm CRCA sheet, metal clad, dust and vermin proof wall mounted single door MS Box as required with size 400 x 300 x 150 mm duly powder coated spray painted fitted with 220 volt, pluggable interface AC Relay with realy base, Push button (illuminated actuators preassembled with LED Holder with NO + NC elements, Red indicator and Multitone High durability AC/DC Hooter etc as required for One lift Hooter controler. This box shall be detachable side with hinge and locking arrangement. | 2 | Each | 5808.00 | 11616.00 | INR Eleven Thousand Six Hundred & Sixteen Only |
| 318 | SITC of factory fabricated 1.6 mm CRCA sheet, metal clad, dust and vermin proof wall mounted single door MS Box as required with size 400 x 300 x 150 mm duly powder coated spray painted fitted with 220 volt, pluggable interface AC Relay with realy base, Push button (illuminated actuators preassembled with LED Holder with NO + NC elements, Red indicator and Multitone High durability AC/DC Hooter etc as required for Two lifts Hooter controler. This box shall be detachable side with hinge and locking arrangement. | 2 | Each | 7070.00 | 14140.00 | INR Fourteen Thousand One Hundred & Forty Only |

| | | | | | | |
|-----|---|-----|-------|---------|------------------|---|
| 319 | SITC of factory fabricated 1.6 mm CRCA sheet, metal clad, dust and vermin proof wall mounted single door MS Box as required with size 400 x 300 x 150 mm duly powder coated spray painted fitted with 220 volt, pluggable interface AC Relay with realy base, Push button (illuminated actuators preassembled with LED Holder with NO + NC elements, Red indicator and Multitone High durability AC/DC Hooter etc as required for Three lifts Hooter controler. This box shall be detachable side with hinge and locking arrangement. | 2 | Each | 8333.00 | 16666.00 | INR Sixteen Thousand Six Hundred & Sixty Six Only |
| 320 | SITC of factory fabricated 1.6 mm CRCA sheet, metal clad, dust and vermin proof wall mounted single door MS Box as required with size 400 x 300 x 150 mm duly powder coated spray painted fitted with 220 volt, pluggable interface AC Relay with realy base, Push button (illuminated actuators preassembled with LED Holder with NO + NC elements, Red indicator and Multitone High durability AC/DC Hooter etc as required for Four lifts Hooter controler. This box shall be detachable side with hinge and locking arrangement. | 2 | Each | 9595.00 | 19190.00 | INR Nineteen Thousand One Hundred & Ninety Only |
| 321 | Supply and Laying of 2CX1.5 Sqmm Copper Armoured , XLPE insulated, armoured, PVC sheathed cable, 1100V grade, at a depth of 750mm below the ground level over a cushion of 75 mm thick sand, alround and protected with burnt bricks on side and top. On surface, the cable shall be fixed on M.S. clamps etc. of suitable size or as directed by the Engineer-In-Charge, complete in all respect. The armouring of the cable shall be properly connected with the earth conductor by clamps. etc. The cable shall be laid by boring the road asa required and compaction of soil & repairing of surface in prior shape shall be done properly. | 20 | Meter | 594.00 | 11880.00 | INR Eleven Thousand Eight Hundred & Eighty Only |
| 322 | 3CX1.5 Sqmm Copper Armoured | 20 | Meter | 625.00 | 12500.00 | INR Twelve Thousand Five Hundred Only |
| 323 | 4CX1.5 Sqmm Copper Armoured | 500 | Meter | 666.00 | 333000.00 | INR Three Lakh Thirty Three Thousand Only |
| 324 | 6CX1.5 Sqmm Copper Armoured | 20 | Meter | 767.00 | 15340.00 | INR Fifteen Thousand Three Hundred & Forty Only |
| 325 | 10CX1.5 Sqmm Copper Armoured | 20 | Meter | 935.00 | 18700.00 | INR Eighteen Thousand Seven Hundred Only |
| 326 | 3CX2.5 Sqmm Copper Armoured | 20 | Meter | 697.00 | 13940.00 | INR Thirteen Thousand Nine Hundred & Forty Only |
| 327 | 4CX4.0 Sqmm Copper Armoured | 20 | Meter | 926.00 | 18520.00 | INR Eighteen Thousand Five Hundred & Twenty Only |
| 328 | 4CX6.0 Sqmm Copper Armoured | 20 | Meter | 1119.00 | 22380.00 | INR Twenty Two Thousand Three Hundred & Eighty Only |
| 329 | 4CX10.0 Sqmm Copper Armoured | 20 | Meter | 1504.00 | 30080.00 | INR Thirty Thousand & Eighty Only |
| 330 | 4CX16.0 Sqmm Copper Armoured | 20 | Meter | 2061.00 | 41220.00 | INR Forty One Thousand Two Hundred & Twenty Only |

| | | | | | | |
|-----|------------------------------------|----|-------|---------|-----------------|--|
| 331 | 3CX10.0 Sqmm Aluminium Armoured | 20 | Meter | 641.00 | 12820.00 | INR Twelve Thousand Eight Hundred & Twenty Only |
| 332 | 3.5CX25.0 Sqmm Aluminium Armoured | 20 | Meter | 788.00 | 15760.00 | INR Fifteen Thousand Seven Hundred & Sixty Only |
| 333 | 3.5CX50.0 Sqmm Aluminium Armoured | 20 | Meter | 1031.00 | 20620.00 | INR Twenty Thousand Six Hundred & Twenty Only |
| 334 | 3.5CX70.0 Sqmm Aluminium Armoured | 20 | Meter | 1227.00 | 24540.00 | INR Twenty Four Thousand Five Hundred & Forty Only |
| 335 | 3.5CX120.0 Sqmm Aluminium Armoured | 20 | Meter | 1727.00 | 34540.00 | INR Thirty Four Thousand Five Hundred & Forty Only |
| 336 | 3.5CX185.0 Sqmm Aluminium Armoured | 20 | Meter | 2318.00 | 46360.00 | INR Forty Six Thousand Three Hundred & Sixty Only |
| 337 | 4CX10.0 Sqmm Aluminium Armoured | 20 | Meter | 659.00 | 13180.00 | INR Thirteen Thousand One Hundred & Eighty Only |
| 338 | 4CX16.0 Sqmm Aluminium Armoured | 20 | Meter | 719.00 | 14380.00 | INR Fourteen Thousand Three Hundred & Eighty Only |
| 339 | 4CX25.0 Sqmm Aluminium Armoured | 20 | Meter | 818.00 | 16360.00 | INR Sixteen Thousand Three Hundred & Sixty Only |
| 340 | 4CX35.0 Sqmm Aluminium Armoured | 20 | Meter | 924.00 | 18480.00 | INR Eighteen Thousand Four Hundred & Eighty Only |
| 341 | 4CX50.0 Sqmm Aluminium Armoured | 20 | Meter | 1106.00 | 22120.00 | INR Twenty Two Thousand One Hundred & Twenty Only |
| 342 | 4CX70.0 Sqmm Aluminium Armoured | 20 | Meter | 1324.00 | 26480.00 | INR Twenty Six Thousand Four Hundred & Eighty Only |
| 343 | 4CX95.0 Sqmm Aluminium Armoured | 20 | Meter | 1564.00 | 31280.00 | INR Thirty One Thousand Two Hundred & Eighty Only |
| 344 | 4CX120.0 Sqmm Aluminium Armoured | 20 | Meter | 1854.00 | 37080.00 | INR Thirty Seven Thousand & Eighty Only |
| 345 | 4CX150.0 Sqmm Aluminium Armoured | 20 | Meter | 2169.00 | 43380.00 | INR Forty Three Thousand Three Hundred & Eighty Only |
| 346 | 4CX185.0 Sqmm Aluminium Armoured | 20 | Meter | 2548.00 | 50960.00 | INR Fifty Thousand Nine Hundred & Sixty Only |
| 347 | 4CX240.0 Sqmm Aluminium Armoured | 20 | Meter | 3163.00 | 63260.00 | INR Sixty Three Thousand Two Hundred & Sixty Only |

| | | | | | | |
|-----|---|-----|-------|---------|------------------|--|
| 348 | 4CX300.0 Sqmm Aluminium Armoured | 20 | Meter | 3776.00 | 75520.00 | INR Seventy Five Thousand Five Hundred & Twenty Only |
| 349 | 4CX400.0 Sqmm Aluminium Armoured | 150 | Meter | 4770.00 | 715500.00 | INR Seven Lakh Fifteen Thousand Five Hundred Only |
| 350 | 1CX630.0 Sqmm Aluminium Armoured | 20 | Meter | 2352.00 | 47040.00 | INR Forty Seven Thousand &Forty Only |
| 351 | 1CX800.0 Sqmm Aluminium Armoured | 20 | Meter | 2791.00 | 55820.00 | INR Fifty Five Thousand Eight Hundred & Twenty Only |
| 352 | 1CX1000.0 Sqmm Aluminium Armoured | 20 | Meter | 3280.00 | 65600.00 | INR Sixty Five Thousand Six Hundred Only |
| 353 | Supply and Laying of 2CX1.5 Sqmm Copper Un-armoured, XLPE insulated, Un-armoured/ armoured as required, PVC sheathed cable, 1100V grade, on existing Hume pipe/ masonry duct (Trench)/ cable tray with M.S. clamps etc. of suitable size or as directed by the Engineer-In-charge, complete in all respects. The armouring of the cable shall be properly connected with the earth conductor as required etc. | 20 | Meter | 154.00 | 3080.00 | INR Three Thousand &Eighty Only |
| 354 | 3CX1.5 Sqmm Copper Un-Armoured | 100 | Meter | 190.00 | 19000.00 | INR Nineteen Thousand Only |
| 355 | 4CX1.5 Sqmm Copper Un-Armoured | 20 | Meter | 230.00 | 4600.00 | INR Four Thousand Six Hundred Only |
| 356 | 2CX6.0 Sqmm Copper Un-Armoured | 20 | Meter | 388.00 | 7760.00 | INR Seven Thousand Seven Hundred & Sixty Only |
| 357 | 4CX10.0 Sqmm Copper Un- Armoured | 20 | Meter | 1073.00 | 21460.00 | INR Twenty One Thousand Four Hundred & Sixty Only |
| 358 | 4CX16.0 Sqmm Copper Un- Armoured | 20 | Meter | 1653.00 | 33060.00 | INR Thirty Three Thousand &Sixty Only |
| 359 | 4CX25.0 Sqmm Copper Un- Armoured | 20 | Meter | 2590.00 | 51800.00 | INR Fifty One Thousand Eight Hundred Only |
| 360 | 4CX35.0 Sqmm Copper Un- Armoured | 20 | Meter | 3577.00 | 71540.00 | INR Seventy One Thousand Five Hundred & Forty Only |
| 361 | 2CX1.5 Sqmm Copper Armoured | 20 | Meter | 194.00 | 3880.00 | INR Three Thousand Eight Hundred & Eighty Only |
| 362 | 3CX1.5 Sqmm Copper Armoured | 20 | Meter | 225.00 | 4500.00 | INR Four Thousand Five Hundred Only |
| 363 | 4CX1.5 Sqmm Copper Armoured | 20 | Meter | 266.00 | 5320.00 | INR Five Thousand Three Hundred & Twenty Only |
| 364 | 6CX1.5 Sqmm Copper Armoured | 20 | Meter | 367.00 | 7340.00 | INR Seven Thousand Three Hundred & Forty Only |

| | | | | | | |
|-----|------------------------------------|----|-------|---------|-----------------|--|
| 365 | 10CX1.5 Sqmm Copper Armoured | 20 | Meter | 535.00 | 10700.00 | INR Ten Thousand Seven Hundred Only |
| 366 | 3CX2.5 Sqmm Copper Armoured | 20 | Meter | 297.00 | 5940.00 | INR Five Thousand Nine Hundred & Forty Only |
| 367 | 4CX4.0 Sqmm Copper Armoured | 20 | Meter | 526.00 | 10520.00 | INR Ten Thousand Five Hundred & Twenty Only |
| 368 | 4CX6.0 Sqmm Copper Armoured | 20 | Meter | 719.00 | 14380.00 | INR Fourteen Thousand Three Hundred & Eighty Only |
| 369 | 4CX10.0 Sqmm Copper Armoured | 20 | Meter | 1104.00 | 22080.00 | INR Twenty Two Thousand & Eighty Only |
| 370 | 4CX16.0 Sqmm Copper Armoured | 20 | Meter | 1661.00 | 33220.00 | INR Thirty Three Thousand Two Hundred & Twenty Only |
| 371 | 3CX10.0 Sqmm Aluminium Armoured | 20 | Meter | 241.00 | 4820.00 | INR Four Thousand Eight Hundred & Twenty Only |
| 372 | 3.5CX25.0 Sqmm Aluminium Armoured | 20 | Meter | 388.00 | 7760.00 | INR Seven Thousand Seven Hundred & Sixty Only |
| 373 | 3.5CX50.0 Sqmm Aluminium Armoured | 20 | Meter | 665.00 | 13300.00 | INR Thirteen Thousand Three Hundred Only |
| 374 | 3.5CX70.0 Sqmm Aluminium Armoured | 20 | Meter | 861.00 | 17220.00 | INR Seventeen Thousand Two Hundred & Twenty Only |
| 375 | 3.5CX120.0 Sqmm Aluminium Armoured | 20 | Meter | 1368.00 | 27360.00 | INR Twenty Seven Thousand Three Hundred & Sixty Only |
| 376 | 3.5CX185.0 Sqmm Aluminium Armoured | 20 | Meter | 1959.00 | 39180.00 | INR Thirty Nine Thousand One Hundred & Eighty Only |
| 377 | 4CX10.0 Sqmm Aluminium Armoured | 20 | Meter | 259.00 | 5180.00 | INR Five Thousand One Hundred & Eighty Only |
| 378 | 4CX16.0 Sqmm Aluminium Armoured | 20 | Meter | 319.00 | 6380.00 | INR Six Thousand Three Hundred & Eighty Only |
| 379 | 4CX25.0 Sqmm Aluminium Armoured | 20 | Meter | 418.00 | 8360.00 | INR Eight Thousand Three Hundred & Sixty Only |
| 380 | 4CX35.0 Sqmm Aluminium Armoured | 20 | Meter | 524.00 | 10480.00 | INR Ten Thousand Four Hundred & Eighty Only |
| 381 | 4CX50.0 Sqmm Aluminium Armoured | 20 | Meter | 740.00 | 14800.00 | INR Fourteen Thousand Eight Hundred Only |

| | | | | | | |
|-----|---|----|-------|---------|-----------------|--|
| 382 | 4CX70.0 Sqmm Aluminium Armoured | 20 | Meter | 958.00 | 19160.00 | INR Nineteen Thousand One Hundred & Sixty Only |
| 383 | 4CX95.0 Sqmm Aluminium Armoured | 20 | Meter | 1198.00 | 23960.00 | INR Twenty Three Thousand Nine Hundred & Sixty Only |
| 384 | 4CX120.0 Sqmm Aluminium Armoured | 20 | Meter | 1495.00 | 29900.00 | INR Twenty Nine Thousand Nine Hundred Only |
| 385 | 4CX150.0 Sqmm Aluminium Armoured | 20 | Meter | 1810.00 | 36200.00 | INR Thirty Six Thousand Two Hundred Only |
| 386 | 4CX185.0 Sqmm Aluminium Armoured | 20 | Meter | 2189.00 | 43780.00 | INR Forty Three Thousand Seven Hundred & Eighty Only |
| 387 | 4CX240.0 Sqmm Aluminium Armoured | 20 | Meter | 2825.00 | 56500.00 | INR Fifty Six Thousand Five Hundred Only |
| 388 | 4CX300.0 Sqmm Aluminium Armoured | 20 | Meter | 3438.00 | 68760.00 | INR Sixty Eight Thousand Seven Hundred & Sixty Only |
| 389 | 4CX400.0 Sqmm Aluminium Armoured | 20 | Meter | 4432.00 | 88640.00 | INR Eighty Eight Thousand Six Hundred & Forty Only |
| 390 | 1CX630.0 Sqmm Aluminium Armoured | 20 | Meter | 2014.00 | 40280.00 | INR Forty Thousand Two Hundred & Eighty Only |
| 391 | 1CX800.0 Sqmm Aluminium Armoured | 20 | Meter | 2453.00 | 49060.00 | INR Forty Nine Thousand & Sixty Only |
| 392 | 1CX1000.0 Sqmm Aluminium Armoured | 20 | Meter | 2942.00 | 58840.00 | INR Fifty Eight Thousand Eight Hundred & Forty Only |
| 393 | Supply and Laying of 3CX185 Sqmm Aluminium armoured 11kV(UE) , XLPE insulated, armoured, PVC sheathed cable, 11kV(UE) grade, at a depth of 1000mm below the ground level over a cushion of 75 mm thick sand, around and protected with burnt bricks on side and top. On surface, the cable shall be fixed on M.S. clamps etc. of suitable size or as directed by the Engineer-In-Charge, complete in all respect. The armouring of the cable shall be properly connected with the earth conductor by clamps. etc. The cable shall be laid by boring the road as required and compaction of soil & repairing of surface in prior shape shall be done properly. | 20 | Meter | 3623.00 | 72460.00 | INR Seventy Two Thousand Four Hundred & Sixty Only |
| 394 | 3CX300 Sqmm Aluminium armoured 11kV(UE) | 20 | Meter | 4706.00 | 94120.00 | INR Ninety Four Thousand One Hundred & Twenty Only |
| 395 | Supply and laying of 3CX185 Sqmm Aluminium armoured 11kV(UE), XLPE insulated, armoured, PVC sheathed cable, 11kV (UE) grade, on existing Hume pipe/ masonry duct (Trench)/ cable tray with M.S. clamps etc. of suitable size or as directed by the Engineer-In-charge, complete in all respects. The armouring of the cable shall be properly connected with the earth conductor as required etc. | 20 | Meter | 3099.00 | 61980.00 | INR Sixty One Thousand Nine Hundred & Eighty Only |
| 396 | 3CX300 Sqmm Aluminium armoured 11kV(UE) | 20 | Meter | 4182.00 | 83640.00 | INR Eighty Three Thousand Six Hundred & Forty Only |

| | | | | | | |
|-----|--|----|-------|---------|------------------|---|
| 397 | Supply, erection, testing and commissioning of factory fabricated metal clad dust and vermin proof- floor/wall mounted/ recessed/ surface feeder pillar / Panel double/ Single door , 150-200 mm depth duly powder coated spray painted with separate chamber for instruments (e.g. Ampere meter, Volt meter, frequency meter, KWH meter etc.) & switch gears (like I/C & O/G MCB's/MCCB's, C/o switch with extentionable/rotary handle etc.) as required. The feeder pillar/ panel shall have nonhygroscopic supports with detachable side with hinge and locking. The panel/ feeder pillar should be made with 1.6 CRCA sheet. The panel shall be comprised of indicator and feeder nomenclature (if required) as per direction of site-in-charge. | 30 | sq-ft | 2776.00 | 83280.00 | INR Eighty Three Thousand Two Hundred & Eighty Only |
| 398 | Supply, erection, testing and commissioning of factory fabricated metal clad dust and vermin proof- floor/wall mounted/ recessed/ surface feeder pillar / Panel double/ Single door , 200-250 mm depth duly powder coated spray painted with suitable Busbar up to 250 Amp capacity as required and separate chamber for instruments (e.g. Ampere meter, Volt meter, frequency meter, KWH meter etc.) & switch gears (like I/C & O/G MCB's/MCCB's, C/o switch with extentionable/rotary handle etc.) as required. The feeder pillar/ panel shall have nonhygroscopic supports with detachable side with hinge and locking. The panel/ feeder pillar should be made with 1.6 CRCA sheet. The panel shall be comprised of indicator and feeder nomenclature (if required) as per direction of site-in-charge. | 20 | sq-ft | 2928.00 | 58560.00 | INR Fifty Eight Thousand Five Hundred & Sixty Only |
| 399 | Supply, erection, testing and commissioning of factory fabricated metal clad dust and vermin proof- floor mounted 500A cap 440 V, 50 HZ,3 phase and neutral electric feeder pillar single/ double door 400 mm depth duly powder coated spray painted with separate chamber for instruments (e.g. ampere meter, volt meter, frequency meter, KWH meter etc.) & switch gears (like I/C & O/G MCB's/MCCB's, C/o switch with extentionable/rotary handle etc.). The feeder pillar/ panel shall have 500Amp, 415V TPN electrolyte aluminium bus bar as per IS 8623 insulated with heat shrink sleeve and mounted on nonhygroscopic supports with detachable side with hinge and locking. The switches shall be completed with lug and cable gland of suitable size of cables with connection as required. The feeder pillar should be made with 2 mm CRCA sheet. The feeder pillar should be fixed on M.S. channel 75mm X 40mm X 6mm size and mounted on M.S. angle iron 50mm X 50mm X 5mm size frame 450mm height with cross support completed as per direction of site in charge. The panel shall be comprised of indicator and feeder nomenclature as per direction of site-in-charge. | 31 | sq-ft | 5012.00 | 155372.00 | INR One Lakh Fifty Five Thousand Three Hundred & Seventy Two Only |
| 400 | Supply, erection, testing and commissioning of factory fabricated metal clad dust and vermin proof- floor mounted 500A cap 440 V, 50 HZ,3 phase and neutral electric feeder pillar single/ double door 600 mm depth duly powder coated spray painted with separate chamber for instruments (e.g. ampere meter, volt meter, frequency meter, KWH meter etc.) & switch gears (like I/C & O/G MCB's/MCCB's, C/o switch with extentionable/rotary handle etc.). The feeder pillar/ panel shall have 500Amp, 415V TPN electrolyte aluminium bus bar as per IS 8623 insulated with heat shrink sleeve and mounted on nonhygroscopic supports with detachable side with hinge and locking. The switches shall be completed with lug and cable gland of suitable size of cables with connection as required. The feeder pillar should be made with 2 mm CRCA sheet. The feeder pillar should be fixed on M.S. channel 75mm X 40mm X 6mm size and mounted on M.S. angle iron 50mm X 50mm X 5mm size frame 450mm height with cross support completed as per direction of site in charge. The panel shall be comprised of indicator and feeder nomenclature as per direction of site-in-charge. | 30 | sq-ft | 5770.00 | 173100.00 | INR One Lakh Seventy Three Thousand One Hundred Only |

| | | | | | | |
|-----|--|----|--------|---------|------------------|--|
| 401 | Supply, erection, testing and commissioning of factory fabricated metal clad dust and vermin proof- floor mounted 800A cap 440 V, 50 HZ,3 phase and neutral electric feeder pillar single/ double door 400 mm depth duly powder coated spray painted with separate chamber for instruments (e.g. ampere meter, volt meter, frequency meter, KWH meter etc.) & switch gears (like I/C & O/G MCB's/MCCB's, C/o switch with extentionable/rotary handle etc.). The feeder pillar/ panel shall have 800 Amp, 415V TPN electrolyte aluminium bus bar as per IS 8623 insulated with heat shrink sleeve and mounted on nonhygroscopic supports with detachable side with hinge and locking. The switches shall be completed with lug and cable gland of suitable size of cables with connection as required. The feeder pillar should be made with 2 mm CRCA sheet. The feeder pillar should be fixed on M.S. channel 75mm X 40mm X 6mm size and mounted on M.S. angle iron 50mm X 50mm X 5mm size frame 450mm height with cross support completed as per direction of site in charge. The panel shall be comprised of indicator and feeder nomenclature as per direction of site-in-charge. | 20 | sq-ft | 5820.00 | 116400.00 | INR One Lakh Sixteen Thousand Four Hundred Only |
| 402 | Supply, erection, testing and commissioning of factory fabricated metal clad dust and vermin proof- floor mounted 800A cap 440 V, 50 HZ,3 phase and neutral electric feeder pillar single/ double door 600 mm depth duly powder coated spray painted with separate chamber for instruments (e.g. ampere meter, volt meter, frequency meter, KWH meter etc.) & switch gears (like I/C & O/G MCB's/MCCB's, C/o switch with extentionable/rotary handle etc.). The feeder pillar/ panel shall have 800Amp, 415V TPN electrolyte aluminium bus bar as per IS 8623 insulated with heat shrink sleeve and mounted on nonhygroscopic supports with detachable side with hinge and locking. The switches shall be completed with lug and cable gland of suitable size of cables with connection as required. The feeder pillar should be made with 2 mm CRCA sheet. The feeder pillar should be fixed on M.S. channel 75mm X 40mm X 6mm size and mounted on M.S. angle iron 50mm X 50mm X 5mm size frame 450mm height with cross support completed as per direction of site in charge. The panel shall be comprised of indicator and feeder nomenclature as per direction of site-in-charge. | 34 | sq-ft | 6360.00 | 216240.00 | INR Two Lakh Sixteen Thousand Two Hundred & Forty Only |
| 403 | Supply, erection, testing and commissioning of factory fabricated metal clad dust and vermin proof- floor mounted 1600A cap 440 V, 50 HZ,3 phase and neutral electric feeder pillar single/ double door 1000 mm depth duly powder coated spray painted with separate chamber for instruments (e.g. ampere meter, volt meter, frequency meter, KWH meter etc.) & switch gears (like I/C & O/G MCB's/MCCB's, C/o switch with extentionable/rotary handle etc.). The feeder pillar/ panel shall have 1600 Amp, 415V TPN electrolyte aluminium bus bar as per IS 8623 insulated with heat shrink sleeve and mounted on nonhygroscopic supports with detachable side with hinge and locking. The switches shall be completed with lug and cable gland of suitable size of cables with connection as required. The feeder pillar should be made with 2 mm CRCA sheet. The feeder pillar should be fixed on M.S. channel 75mm X 40mm X 6mm size and mounted on M.S. angle iron 50mm X 50mm X 5mm size frame 450mm height with cross support completed as per direction of site in charge. The panel shall be comprised of indicator and feeder nomenclature as per direction of site-in-charge. | 30 | sq-ft | 6596.00 | 197880.00 | INR One Lakh Ninety Seven Thousand Eight Hundred & Eighty Only |
| 404 | Supply and fixing of compound of chemical earthing for reduces grounding resistance, improves electrical conductivity and prevents corrosion & degradation .Each packet 25 kg. Complete in all respect. | 4 | Packet | 345.00 | 1380.00 | INR One Thousand Three Hundred & Eighty Only |

| | | | | | |
|-------------------------------|----------------------|--------|--|--------------------|---|
| Total in Figures | | | | 23008038.55 | INR Two Crore Thirty Lakh Eight Thousand & Thirty Eight and Paise Fifty Five Only |
| Quoted Rate in Figures | | Select | | 0.00 | INR Zero Only |
| Quoted Rate in Words | INR Zero Only | | | | |

Note:

1. In case the actual applicable GST rate in the BoQ is different from 18% then payment shall be made on the actual applicable GST rate while keeping the basic rate same.
2. Vendor will arrange safety gears such as safety shoes, safety helmets, gloves etc for the manpower deployed at his own cost. If the manpower is found not wearing safety gears, a penalty of Rs. 200 per violation will be imposed by the EIC.
3. Bidder or their representative (with notarized power of attorney) is bound to attend the meeting (as and when called by EIC) for contract management (or any other issue related to contract) at IIT Roorkee. Penalty @ Rs. 5000/- per non-compliance shall be deducted from the bidder's bill or from the Performance Guarantee. In case the representative does not possess an adequate position or is unable to conclude meeting with logical end then the bidder is bound to attend such meetings.

Signature and stamp of the bidder

**Sd-
Institute Engineer,
IWD, IIT Roorkee**